



International Civil Aviation Organization

**Communication Navigation and Surveillance
Sub-Group (CNS SG)**

**Fifth Meeting
(Cairo, 11 – 13 December 2012)**

Agenda Item 5: Performance Framework for CNS implementation in the MID Region

REVIEW CNS FASID PART IN MID ANP- FASID DOC 9708

(Presented by the Secretariat)

SUMMARY

The aim of this paper is to provide an update on the progress achieved for the review of the MID Basic ANP and FASID (Doc 9708), review the CNS FASID Tables, and development in the Global and Regional Plans.

Action by the meeting is at paragraph 3.

REFERENCES

- AN-Conf/12 Draft Report
- MIDANPIRG/13 Report
- "

1. INTRODUCTION

1.1 The regional planning and implementation process is facilitated through formulation of regional Air Navigation Plans (ANPs) which are developed and maintained through the Planning and Implementation Regional Groups (PIRGs).

1.2 MIDANPIRG/13 recalled that an electronic copy of the MID Basic ANP and FASID (Doc 9708) is available on the ICAO MID Website at:

<http://legacy.icao.int/mid/midanpirg/edocs/index.html>. However, it was highlighted that a more up-to-date version encompassing the latest proposals for amendments related to ATS Routes (ATS 1 Table) and an updated ATS 1 Chart is available on the ICAO GIS portal. The meeting noted that the version of the MID Basic ANP and FASID available on the ICAO MID website, will be updated using the version available on the ICAO GIS portal.

1.3 The meeting recalled that MIDANPIRG/12, through Decision 12/49, recognized the need for a complete review of both the content and format of the MID Basic ANP and FASID. The need to evolve the current ANPs to a new web-based format (eANPs) was also underlined.

2. DISCUSSION

2.1 The meeting may wish to note that MIDANPIRG/13 noted that a similar work has been carried out in the European Region. The meeting further noted that a Task Force has been established in Europe for the development of the AIM Parts of the EUR ANP.

2.2 Based on the outcome of the EUR ANP AIM Task Force and the review carried out by the AIS/MAP TF/6, the ATM/SAR/AIS SG/12 and the CNS/ATM/IC SG/6 meetings, the MIDANPIRG/13 meeting endorsed the AIM Parts of the MID ANP, under Conclusion 13/11: *ENDORSEMENT OF THE AIM PARTS OF THE MID BASIC ANP AND FASID*

2.3 ICAO has developed the eANPs as an online system for maintaining, storing and displaying information contained in the regional ANPs. In July 2011, the amendment process was automated to further reduce the process time within ICAO. But despite these improvements, the challenge remained to keep the paper-based regional ANPs updated, particularly in view of continuous air navigation technological developments.

2.4 To simplify its introduction, all procedures that apply to the current paper-based ANPs will continue for the eANPs. However, to make full use of the online system, ICAO will continue to simplify the workflows related to the amendment process, and related to the data within the eANP, to increase the efficiency, accuracy, and accessibility in maintaining the narrative and data in the ANPs.

2.5 As part of the eANPs project, the CNS, AIM, AOP and MET FASID tables in Volume II will be standardized and harmonized across all regions and aligned with ASBU methodology.

2.6 The provisional plan for the transition to the eANPs is as follows:

- New Basic ANP Parts (including the AIM Part) to be sent to ICAO HQ by 31 October 2012 for upload on the GIS website and presentation to the AN-Conf/12.
- On the basis of the comments received during the Conference, ICAO Secretariat to review and update the revised Basic ANP and FASID Parts of eANPs, by 1 February 2013.
- Regional Offices to develop and circulate proposal for amendments with revised Basic ANP and FASID Parts of eANP by 1 June 2013.
- eANPs are officially launched and ready for use Effective 1 July 2013.

2.7 In the same vein the MIDANPIRG/13 meeting agreed to the establishment of an Ad-hoc Working Group tasked with the development of a revised version of the MID ANP (both Basic ANP and FASID), in accordance with MIDANPIRG Decision 12/49 and agreed accordingly to the following Decision:

*DECISION 13/32: ESTABLISHMENT OF THE MID AIR NAVIGATION PLAN
AD-HOC WORKING GROUP (ANP WG)*

That, the MID Air Navigation Plan Ad-hoc Working Group (ANP WG) be established to fulfil the requirements set up by MIDANPIRG through Decision 12/49.

2.8 The meeting may wish to note that the *Global Air Navigation Plan* (Doc 9750, GANP) and its supporting concepts including the ASBUs, the technology roadmaps and a regional planning framework and associated metrics, along with the importance of adequate frequency spectrum to support the ASBUs, were discussed during the AN-Conf/12, and the following recommendations accepted by the conference:

***Recommendation 1/1 – The draft Fourth Edition of the Global Air Navigation Plan
(Doc 9750, GANP)***

That States:

- a) agree in-principle, with the inclusion of high level policy principles and other proposed improvements made at this conference, with the updated draft Fourth Edition of the GANP; and
- b) should have the opportunity to provide any final comments on the updated draft GANP to ICAO before it is considered by the ICAO Assembly in 2013.

That ICAO:

- c) convene a symposium in 2014 where interested stakeholders will be invited to join together to provide end-to-end system demonstrations of new air traffic management (ATM) concepts;
- d) develop financial policies which support efficient acquisition and implementation of global air navigation services infrastructure and aircraft equipage;
- e) taking a total systems and performance-based approach, create a Standards and Recommended Practices development plan for the aviation system block upgrades including the establishment of agreed global priorities between the different blocks and modules;
- f) define a stable and efficient process for endorsement by the 38th Session of the Assembly, for updating the GANP that ensures stability in module timelines for any future updates; and
- g) ensure that the nature and status of the planning information in the various documents pertaining to the GANP are consistent and complete and allow due account to be taken of the inputs from ATM research, development and deployment programmes.

2.9 With regard to Regional Air Navigation Plans (ANPs) and for the process of aligning the regional ANPs with the GANP, AN-Conf/12 agreed that PIRGs should focus initially on implementing ASBU Block 0 Modules and finalize the development of their ASBU aligned regional plans by May 2014. Furthermore, as a means of interregional harmonization for ASBU implementation, AN-Conf/12 agreed to use the various means available to address impediments, including the All Planning and Implementation Regional Group (ALLPIRG) meetings. In this regard, the AN-Conf/12 welcomed the proposal of ICAO to convene an ALLPIRG meeting in March 2013. In order to identify and resolve any roadblocks for ASBU implementation, the an-Conf/12 encouraged States and PIRGs to use the Air Navigation Report Form (ANRF) which was developed to identify such issues. These templates were explained in details during the Special Implementation Project (SIP) Workshop On Preparations For An-Conf/12 – ASBU Methodology held at the ICAO MID Regional office (Cairo, 30 September - 4 October 2012).

2.10 The AN-Conf/12 agreed to the following recommendation after discussions in relevant committee:

Recommendation 6/I – Regional performance framework – planning methodologies and Tools

That States and PIRGs:

- a) *develop and maintain regional air navigation plans consistent with the Global Air Navigation Plan;*
- b) *finalize the alignment of regional air navigation plans with the Fourth Edition of the Global Air Navigation Plan by May 2014;*
- c) *focus on implementing aviation system block upgrade Block 0 Modules on the basis of operational requirements, recognizing that these modules are ready for deployment;*
- d) *use the electronic regional air navigation plans as the primary tool to assist in the implementation of the agreed regional planning framework for air navigation services and facilities;*
- e) *consider how the continuous monitoring approach to safety oversight maps to the evaluation of Member States' safety oversight capabilities concerning aviation system block upgrades;*
- f) *involve regulatory and industry personnel during all stages of planning and implementation of aviation system block upgrade modules;*
- g) *develop action plans to address the identified impediments to air traffic management modernization as part of aviation system block upgrade planning and implementation activities;*

That ICAO:

- h) *review the current amendment process to the Regional Air Navigation Plans(ANPs) and recommend improvements to increase efficiencies related to the approval and maintenance of the data in the regional ANPs;*
- i) *develop guidance material, on the basis of best practices employed worldwide, for the regional/local deployment of new ATM technologies, required procedures, operational approvals and continue to support States in the implementation of the aviation system block upgrades;*
- j) *identify the issues, funding, training and resource requirements necessary to support a safety framework that would lay the foundation for successful implementation the aviation system block upgrades;*
- k) *develop an outreach strategy to address the economic and institutional impediments to implementation of the aviation system block upgrades; and*
- l) *develop a mechanism for sharing of best practices for the aviation system block upgrade implementation.*

3. ACTION BY THE MEETING

- 3.1 The meeting is invited to:
- a) review and update the CNS FASID tables in from the MID FASID at **Appendix A** to this working;
 - b) encourage States to support the work of the ANP WG;
 - c) encourage States to develop ANRF as per para 2.9; and
 - d) encourage States share best practices for the aviation system block upgrade implementation.
-

MID FASID - CNS

E 4-0-1

Part IV

**COMMUNICATIONS - NAVIGATION -
SURVEILLANCE (CNS)**

1. Introduction

1.1 The standards, Recommended Practices and Procedures to be applied are as listed in Part IV - CNS of the basic MID ANP. The material in this Part complements that contained in Part I - BORPC of the MID ANP and should be taken into consideration in the overall planning processes for the MID Region.

1.2 This Part contains a detailed description/list of the facilities and/or services to be provided to fulfill the basic requirements of the Plan and are as agreed between the provider and user States concerned. Such agreement indicates a commitment on the part of the State(s) concerned to implement the requirement(s) specified. This element of the FASID, in conjunction with the MID Basic ANP, is kept under constant review by the MIDANPIRG in accordance with its schedule of management, in consultation with user and provider States and with the assistance of the ICAO Middle East Regional Office, Cairo.

1.3 States concerned should take urgent action to implement the main COM centres and trunk circuits of AFTN plan described in FASID Table CNS 1A, and implement/promulgate, as soon as practicable, the tributary centres and circuits of the AFTN plan in co-ordination with the States responsible for the corresponding main COM centres

1.4 States, as a matter of urgency should take action to implement the ATS direct speech plan. Adequate backup facility shall be provided to insure the continuity of the circuit. (FASID Table CNS 1D)

1.5 Where other than dedicated bilateral links are used by the MID-ATN Network, the priority of implementation, should ensure high availability, in restoration of service and appropriate levels of security.

1.6 States are encouraged to deploy digital and high-speed links, as part of overall improvement of current ground-to-ground communications and provision of an infrastructure that would facilitate the transition to ATN

1.7 States should implement ATN routers and communication links in accordance with ATN Plan Table CNS 1C – ATN Plan.

1.8 taking into account that the use of global communications, navigation and surveillance systems is based on assigning exclusive aircraft addresses composed of 24-bit for ACAS, ELT, SSR Mode S, and ATN with VDL, AMSS and other functionality, MID States to apply the procedure established by ICAO to identify aircraft assigned 24-bit aircraft addresses in accordance with Annex 10,

Volume III, Part I, Chapter 9, Global plan for the allocation, assignment and application of aircraft addresses which has the list of assigned addresses to MID States.

2. Table of contents

2.1 *Communications*

2.1.1 Table CNS 1A - AFTN Plan

Chart CNS 1A AFTN Centres and Circuits

Table CNS 1B – AMHS Plan

Table CNS 1C - ATN Plan

Table CNS 1D - ATS speech circuits plan

Chart CNS 1D - ATS direct speech circuits

Chart CNS 1E - Coverage of the Satellite

Distribution System for WAFFS Products
(SADIS)

Table CNS 2 - Aeronautical mobile
Service

Appendix A to table CNS 2 indicates the geographical separation for co-channel
VHF assignments

Appendix B to table CNS 2 contains the VHF frequency utilization plan

Appendix C to table CNS 2 indicates the harmful interference report form

Chart CNS 2- HF en route radiotelephony network

Appendix to Chart CNS 2 indicates the ITU allotment area

2.2 *Navigation*

2.2.1 Table CNS 3 - Table of radionavigation Aids

Appendix A to table CNS 3 shows the geographic separation criteria for VOR, VOR/DME and
ILS installations

Chart CNS 3A - En-route radionavigation aids

Chart CNS 3B - Aids to final approach and landing

2.3 *Surveillance*

2.3.1 Table CNS 4 - Surveillance Systems

Appendix A to table CNS 4 shows the allocated IC code for the Mode S Radar.

Chart CNS 4 - Radar facilities

TABLE CNS 1A - RATIONALIZED AFTN PLAN FOR MID REGION

(All circuits should be implemented using LTT)

EXPLANATION OF THE TABLE

Column:

1 The AFTN Centers/Stations of individual State are listed alphabetically. Each circuit appears twice in the table.

2 Category of circuit

M – Main trunk circuit connecting Main AFTN communication centers.

T – Tributary circuit connecting Main AFTN center and tributary center.

S – AFTN circuit connecting an AFTN Station to an AFTN center.

3 and 7 Type of circuit provided

LTT/a – Landline teletypewriter, analogue (eg. cable, microwave)

LTT/d – Landline teletypewriter, digital (eg. cable, microwave)

LDD/a – Landline data circuit, analogue (eg. cable, microwave)

LDD/d – Landline data circuit, digital (eg. cable, microwave)

SAT/ad – Satellite link, with/ a for analogue or d for digital

4 and 8 Circuit signaling speed, current or planned in bits/s

5 and 9 Circuit protocols, current or planned

6 and 10 Data transfer code (syntax), current or planned.

ITA-2 – International Telegraph alphabet No.2 (5-unit Baudot code).

IA-5 – International Alphabet No.5 (ICAO 7-unit code)

CBI – Code and Byte Independency (ATN compliant)

11 Target date of implementation TBD – To be determined

12 Remarks , VPN (Virtual Private Network)

TBL_CNS1.exp Final.doc

Table CNS 1A – AFTN Plan

State/Station	Cat	Current				Planned				Target date of implementation	Remarks
		Type	Signaling Speed	Protocol	Code	Type	Signaling Speed	Protocol	Code		
1	2	3	4	5	6	7	8	9	10	11	12
IRAN TEHRAN BAHRAIN KABUL KUWAIT ABU-DHABI	M T M		64 Kbps - 64 Kbps	None None	IA-5 IA-5	SAT/d					Bahrain ready
IRAQ BAGHDAD AMMAN BEIRUT	T T		- -	None None	IA-5 IA-5						
JORDAN AMMAN BAGHDAD BEIRUT BEN GURION CAIRO DAMASCUS JEDDAH ABU DHABI	T M T M T M T	Lease Line VPN	- - 1200 64 K 64/19.2 64/19.2 2MB	- - None None None None AMHS	- - IA-5 AMHS IA-5 ITA-2	VSAT LL	- 64 K	AMHS AMHS		2012 Circuit not ops 2012	PUBLIC INTERNET

State/Station	Cat	Current				Planned				Target date of implementation	Remarks
		Type	Signaling Speed	Protocol	Code	Type	Signaling Speed	Protocol	Code		
1	2	3	4	5	6	7	8	9	10	11	12
KUWAIT KUWAIT BAHRAIN DAMASCUS BEIRUT DOHA (EUR) KARACHI TEHRAN BAGHDAD	M T M M - M M T	LLD/d LLD/a LLD/a LLD/a LLD/d LLD/d SAT/ad	64/9.6 bps 50 BD 100 baud 64/9.6 bps 2.4 K 64/9.6 baud 9.6 bps	None None None None None None None	I A-5 ITA-2 ITA-2 IA- 5 ITA-2 5 ITA-2 5 ITA-2 5	LLD/d LLD/d	64/9.6 kbps 64/9.6 kbps		IA-5 IA-5	July 2012 July 2012	In progress In progress
LEBANON BEIRUT AMMAN BAGHDAD BAHRAIN CAIRO DAMASCUS JEDDAH KUWAIT NICOSIA	M T M M T M M M		- - 9600 9600 2 x 50 bd 9600 100 BD 9600	- None CIDIN CIDIN None CIDIN None CIDIN	- - IA-5 IA-5 ITA-2 ITA-2 ITA-2 IA-5					2012	
OMAN MUSCAT ABU DHABI BAHRAIN MUMBAI JEDDAH SANA'A	T M M M T		9600 300 BD 9600 9600 100 BD	AMHS None None None None	IA-5 ITA-5 IA-5 IA-5 ITA-2		9600 9600	AMHS AMHS AMHS IA-5		2012 2012 2012 2012	

State/Station	Cat	Current				Planned				Target date of implementation	Remarks
		Type	Signaling Speed	Protocol	Code	Type	Signaling Speed	Protocol	Code		
1	2	3	4	5	6	7	8	9	10	11	12
QATAR DOHA BAHRAIN KUWAIT ABU DHABI	M M T		9600 100 BD 9600	None None AMHS	IA-5 ITA-2						
SAUDI ARABIA JEDDAH ADDIS-ABABA BAHRAIN BEIRUT CAIRO MUSCAT SANA'A AMMAN	M M M M M T		9600 64 /9.6 9600 128/9.6 300 9600	None CIDIN CIDIN CIDIN None None	IA-5 IA-5 IA-5 IA-5 ITA-2 IA-5		9600			2012	
SYRIA DAMASCUS ATHENS AMMAN BEIRUT CAIRO KUWAIT TEHRAN	M T M M M T		2 X 50 64/9.6 2 X 50 50 BD 50BD 50BD	None None None None None None	ITA-2 ITA-2 ITA-2 ITA-2 ITA-2 ITA-2		9600 bps 9600 bps 9600 bps 9600 bps 9600 bps 9600 bps			2012 2012 2012 2012 2012 2012	

State/Station	Cat	Current				Planned				Target date of implementation	Remarks
		Type	Signaling Speed	Protocol	Code	Type	Signaling Speed	Protocol	Code		
1	2	3	4	5	6	7	8	9	10	11	12
UAE ABU DHABI BAHRAIN AMMAN MUSCAT QATAR TEHRAN	M T M T M	LDD/d LDD/d LDD/d LDD/d LTT/a	64 – 9.6 Kbps 2 MB bps 9600 bps 9600 bps 100 bps	CIDIN AMHS AMHS AMHS None	IA-5 IA-5 IA-5 IA-5	SAT/ad	9.6kbps	AMHS AMHS	CBI CBI	Secured VPN	
YEMEN SANA'A JEDDAH MUSCAT	M M		9600 100bps	None None	IA-5 IA-5		9.6kbps			2012	

MID FASID – CNS 1B -

TABLE CNS 1B

MID Aeronautical Message Handling System (AHMS) Implementation Plan

EXPLANATION OF THE TABLE

Column

- | | |
|---|---|
| 1 | <i>Name of State</i> |
| 2 | <i>Date of installation of AMHS – Aeronautical Message Handling System</i> |
| 3 | <i>Date of operation of AMHS – Aeronautical Message Handling System</i> |
| 4 | <i>MTA- Message Transfer Agent application</i> |
| 5 | <i>AFTN/AMHS Gateway</i> |
| 6 | <i>ATS Message UA-User Agent</i> |
| 7 | <i>ATS service level</i>
<i>Basic</i>
<i>Extended</i> |
| 8 | <i>Protocol (IPS, ATN)</i>
<i>Dual Stack</i>
<i>IPS</i>
<i>OSI</i> |
| 9 | <i>Remarks</i> |

EXPLICATION DU TABLEAU

(To be completed by HQ)

Notes:

- *The MID Region shall use the Europe EUR AMHS Manual EUR Doc 020 and all its Appendices for the implementation of AMHS*
- *Gateways and Interregional connection will be as agreed.*

4-CNS 1B-2 MID FASID – CNS 1B

Appendix A to CNS 1B MID Region AMHS addresses

State	AMHS Address Specification							
	State Name	Nationality Letters or Designator	Country-name attribute	ADMD-name attribute	PRMD-name attribute	Addressing scheme	ATN Directory naming-context	Organization-name (for CAAS only) single value or reference to the CAAS Table
Bahrain	OB	XX	ICAO	OB	CAAS		see Table OB	confirmed by SL
Egypt	HE	XX	ICAO	HE	CAAS		HECA	confirmed by SL
Iran (Islamic Republic of)	OI	XX	ICAO	OI	XF			confirmed by SL
Iraq	OR	XX	ICAO	OR	XF			
Israel	LL	XX	ICAO	LL	XF			
Jordan	OJ	XX	ICAO	OJ	CAAS		OJAC	confirmed by SL
Kuwait	OK	XX	ICAO	OK	XF			
Lebanon	OL	XX	ICAO	OL	XF			
Oman	OO	XX	ICAO	OO	XF			
Qatar	OT	XX	ICAO	OT	XF			
Saudi Arabia	OE	XX	ICAO	OE	XF			confirmed by SL
Syrian Arab Republic	OS	XX	ICAO	OS	XF			
UAE	OM	XX	ICAO	OM	XF CAAS		OMAE	confirmed by SL
Yemen	OY	XX	ICAO	OY	XF			

**TABLE CNS 1C - AERONAUTICAL TELECOMMUNICATION
NETWORK**

EXPLANATION OF THE TABLE

Column :

- 1** Name of the States/stations or locations of an ATN Routing Domain
- 2** ATN applications in end systems (ES) of the State shown in column **1**
 - AIDC – ATS Inter-facility Data Communication
 - AMHS – Aeronautical Message Handling System
 - Note : AMHS/S denotes an AMHS server
- 3** ATN router type to be implemented at the location shown in Column **1**
 - BBIS – Backbone Boundary Intermediate System
 - BIS -- Boundary Intermediate System (router) performing Inter Domain Routing Protocol (IDRP)
 - IS -- Intermediate System (router) without IDRP
- 4** ATN Routing Domain Address Prefix
- 5** AFTN/AMHS gateway to be implemented at the location shown in column **1**
- 6** List of States routers to be connected with router of column **3**
- 7** The means of connecting the routers of columns **6** and **3**
 - DIR- Leased direct circuit
- 8** Date of implementation of the ATN facilities and applications, listed in columns **2**, **3** and **5**
- 9** Remarks

*EXPLICATION DU TABLEAU
(To be completed by HQ)*

TABLE CNS 1C - ATN PLAN

STATE/CENTERS	ATN APPLICATIONS	ATN ROUTER TYPE	ATN RD ADDRESS PREFIX	AFTN/AM HS GATEWAY	CONNECTED WITH ROUTER OF	VIA	IMPLEMENTATION DATE	REMARKS
1	2	3	4	5	6	7	8	9
Bahrain Bahrain	AMHS/S AIDC	BIS		X	ASIA/PAC Oman,Saudi Arabia Kuwait,Lebanon Iran, Afganistan Qatar,UAE			
EGYPT Cairo	AMHS/S AIDC	BIS		X	AFI, EUR Israel, Jordan, Lebanon, Athena Saudi Arabia			
IRAN Tehran	AMHS/S AIDC	BIS		X	Kuwait, Bahrain Afganistan			
IRAQ Baghdad	AMHS	IS			Jordan, Lebanon			
ISRAEL Ben Gurion	AMHS	IS			Jordan, Egypt			
JORDAN Amman	AMHS/S AIDC	BIS		X	Egypt,Israel Lebanon,Iraq,Syria			
KUWAIT Kuwait	AMHS/S AIDC	BIS		X	EUR, Pakistan, Iran,Qatar,Bahrain, Lebanon			
LEBANON Beirut	AMHS/S AIDC	BIS		X	EUR Jordan,Syria Iraq,Kuwait,Bahrain Saudi Arabia,Egypt			
OMAN Muscat/Seeb	AMHS/S AIDC	BIS		X	ASIA/PAC Yemen, Bahrain, UAE, Saudi Arabia			
QATAR Doha	AMHS AIDC	IS			Kuwait, Bahrain			
SAUDI ARABIA Jeddah	AMHS/S AIDC	BIS		X	AFI Egypt, Lebanon Bahrain,Oman Yemen			

STATE/CENTERS	ATN APPLICATIONS	ATN ROUTER TYPE	ATN RD ADDRESS PREFIX	AFTN/AM HS GATEWAY	CONNECTED WITH ROUTER OF	VIA	IMPLEMENTATION DATE	REMARKS
1	2	3	4	5	6	7	8	9
SYRIA Damascus	AMHS	IS			Jordan, Lebanon			
U.A.E Abu Dhabi	AMHS/S AIDC	BIS		X	Bahrain,Oman, Qatar, Jordan, Tehran,Jeddah			Jeddah under test
YEMEN Sana'a	AMHS	IS			Oman, Saudi Arabia			

TABLE CNS1C-new

MID FASID – CNS 1D 4-CNS 1D-1

**TABLE CNS 1D C ATS DIRECT SPEECH CAPABILITY TO LINK ADJACENT FIC/ACC
AND ATS UNITS LOCATED OUTSIDE THE CONTROL AREAS OF THESE FIC OR ACC
OR BETWEEN TWR FOR MID REGION**

EXPLANATION OF THE TABLE

Column

1 & 2 Terminal stations of the circuits are listed alphabetically by the Terminal I station in country order.

3 A - indicates ATS requirement for voice communication which should be established within 15 seconds.

D - indicates requirement for instantaneous communications.

4 Type of service specified:

LTF - landline telephone (landline, cable UHF, VHF, satellite).

RTF - radiotelephone

5 DIR - indicates that the circuit shown in Terminal I and II is a direct circuit.

SW C indicates that a direct circuit does not exist and that the requirement is to be provided by switching via the switching centre(s) indicated in column 6.

IDD - International direct dialing by public switch telephone network

6 Location of switching centre(s)

7 Status of Implementation. Following codes are used in this column:

a) I - if the circuit is implemented

b) No indication or mark if the circuit is not implemented and its implementation data is unknown

c) If the circuit is not implemented but its implementation date is available, this date is indicated in brackets.

8 Remarks

Note.C All circuits should be implemented using LTF in MID Region.

ATS REQUIREMENTS FOR SPEECH COMMUNICATIONS BESOINS ATS DE COMMUNICATIONS VOCALES REQUISITOS ATS PARA COMUNICACIONES ORALES				CIRCUIT CIRCUITO		STATUS OF IMPLEMENT ATION ESTADO DE IMPLANTAC ION	REMARKS OBSERVATIONS OBSERVACIONES
TERMINAL I TÊTE DE LIGNE I ESTACIÓN TERMINAL I	TERMINAL II TÊTE DE LIGNE II ESTACIÓN TERMINAL II	TYPE TIPO	SERVICE SERVICI O	DIR/S W	TO BE SWITCHED VIA COMMUTATIO N VIA CONMUTAC ÓN POR		
1	2	3	4	5	6	7	8
BAHRAIN							
Bahrain	Emirates ACC Dammam Doha Jeddah Kuwait Muscat Riyadh Shiraz Tehran	A A A A A A A A	LTF LTF LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR DIR DIR		I I I I I I I I	3 LINES 3 LINES 3 LINES 3 LINES 1 LINE 1 LINE 2 LINES 1 LINE
EGYPT							
Cairo	Amman Athens Jeddah Khartoum Nicosia Tel Aviv Tripoli	A A A A A A A	LTF LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR DIR		I I I I I I I	
IRAN (ISLAMIC REPUBLIC OF)							
Abadan	Basrah Shiraz	A A	LTF LTF	DIR			
Shiraz	Abadan Bahrain Basrah Doha Karachi Kuwait Tehran	A A A A A A A	LTF LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR DIR			
Tehran	Emirates ACC Ankara Ashgabat Baghdad Bahrain Baku Basrah Doha	A A A A A A A A	LTF LTF LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR DIR DIR		I I I I I I I I	II

ATS REQUIREMENTS FOR SPEECH COMMUNICATIONS BESOINS ATS DE COMMUNICATIONS VOCALES REQUISITOS ATS PARA COMUNICACIONES ORALES				CIRCUIT CIRCUITO		STATUS OF IMPLEMENTATION ESTADO DE IMPLEMENTACIÓN	REMARKS OBSERVATIONS OBSERVACIONES
TERMINAL I TÊTE DE LIGNE I ESTACIÓN TERMINAL I	TERMINAL II TÊTE DE LIGNE II ESTACIÓN TERMINAL II	TYPE TIPO	SERVICE SERVICIO	DIR/S W	TO BE SWITCHED VIA COMMUTATION VIA CONMUTACIÓN POR		
1	2	3	4	5	6	7	8
	Kabul Karachi Kuwait Muscat Shiraz Yerevan/Zvartnots	A A A A A A	LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR		I I I I	
IRAQ Baghdad	Amman Ankara Basrah Damascus Jeddah Kuwait Mosul Tehran	A A A A A A A	LTF LTF LTF LTF LTF LTF LTF				
Basrah	Abadan Baghdad Kuwait Shiraz Tehran	A A A A A	LTF LTF LTF LTF LTF				
Mosul	Baghdad	A	LTF				
ISRAEL Tel Aviv	Amman Cairo Nicosia	A A A	LTF LTF LTF				

ATS REQUIREMENTS FOR SPEECH COMMUNICATIONS BESOINS ATS DE COMMUNICATIONS VOCALES REQUISITOS ATS PARA COMUNICACIONES ORALES				CIRCUIT CIRCUITO		STATUS OF IMPLEMENTATION ESTADO DE IMPLANTACIÓN	REMARKS OBSERVATIONS OBSERVACIONES
TERMINAL I TÊTE DE LIGNE I ESTACIÓN TERMINAL I	TERMINAL II TÊTE DE LIGNE II ESTACIÓN TERMINAL II	TYPE TIPO	SERVICE SERVICIO	DIR/S W	TO BE SWITCHED VIA COMMUTATION VIA CONMUTACIÓN POR		
1	2	3	4	5	6	7	8
JORDAN							
Amman	Baghdad Cairo Damascus Jeddah Tel Aviv	A A A A A	LTF LTF LTF LTF LTF				
KUWAIT							
Kuwait	Baghdad Bahrain Basrah Jeddah Shiraz Tehran	A A A A A A	LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR		I I I	
LEBANON							
Beirut	Ankara Damascus Nicosia	A A A	LTF LTF LTF	DIR DIR DIR		I I I	
OMAN							
Muscat	Emirates ACC Bahrain Mumbai Jeddah Karachi Salalah Sana'a Tehran	A A A A A A A A	LTF LTF LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR DIR DIR		I I I I I I I I	
Salalah	Muscat	A	LTF				
QATAR							
Doha	Emirates ACC Bahrain Shiraz Tehran	A A A A	LTF LTF LTF LTF	DIR DIR DIR DIR		I I I I	II + 1
SAUDI ARABIA							

ATS REQUIREMENTS FOR SPEECH COMMUNICATIONS BESOINS ATS DE COMMUNICATIONS VOCALES REQUISITOS ATS PARA COMUNICACIONES ORALES				CIRCUIT CIRCUITO		STATUS OF IMPLEMENTATION ESTADO DE IMPLANTACIÓN	REMARKS OBSERVATIONS OBSERVACIONES
TERMINAL I TÊTE DE LIGNE I ESTACIÓN TERMINAL I	TERMINAL II TÊTE DE LIGNE II ESTACIÓN TERMINAL II	TYPE TIPO	SERVICE SERVICIO	DIR/S W	TO BE SWITCHED VIA COMMUTATION VIA CONMUTACIÓN POR		
1	2	3	4	5	6	7	8
Dammam	Bahrain Jeddah Riyadh	A A A	LTF LTF LTF	DIR DIR DIR		I I I	
Jeddah	Addis Ababa Amman Asmara Baghdad Bahrain Cairo Dammam Khartoum Kuwait Muscat Riyadh Sana'a	A A A A A A A A A A A A	LTF LTF LTF LTF LTF LTF LTF LTF LTF LTF LTF LTF LTF	DIR DIR DIR DIR DIR DIR DIR DIR DIR DIR DIR DIR SW	Via Bahrain	I I I I I I I I I I I I	
Riyadh	Bahrain Jeddah Dammam	A A A	LTF LTF LTF	DIR DIR DIR		I I I	
SUDAN Khartoum	Cairo Jeddah	A A	LTF LTF				
SYRIAN ARAB REPUBLIC Damascus	Amman Ankara Baghdad Beirut Nicosia	A A A A A	LTF LTF LTF LTF LTF	DIR		I	

ATS REQUIREMENTS FOR SPEECH COMMUNICATIONS BESOINS ATS DE COMMUNICATIONS VOCALES REQUISITOS ATS PARA COMUNICACIONES ORALES				CIRCUIT CIRCUITO		STATUS OF IMPLEMENTATION ESTADO DE IMPLANTACIÓN	REMARKS OBSERVATIONS OBSERVACIONES
TERMINAL I TÊTE DE LIGNE I ESTACIÓN TERMINAL I	TERMINAL II TÊTE DE LIGNE II ESTACIÓN TERMINAL II	TYPE TIPO	SERVICE SERVICIO	DIR/S W	TO BE SWITCHED VIA COMMUTATION VIA CONMUTACIÓN POR		
1	2	3	4	5	6	7	8
UNITED ARAB EMIRATES							
Emirates ACC	Abu Dhabi Al Ain Bahrain Doha Dubai Muscat Tehran Fujairah Ras Al Khaimah Sharjah	A A A A A A A A A	LTF LTF LTF LTF LTF LTF LTF LTF LTF LTF	DIR SW/DIR DIR DIR DIR DIR DIR DIR DIR DIR		I I I I I I I II II	21
Abu Dhabi	Emirates ACC Al Ain Dubai	A A A	LTF LTF LTF	SW DIR SW		I I I	21 21 21
Al Ain	Emirates ACC Abu Dhabi Dubai	A A A	LTF LTF LTF	SW DIR SW		I I I	21 21 21
Dubai	Emirates ACC Abu Dhabi Al Ain Fujairah Ras Al Khaimah Sharjah	A A A A A A	LTF LTF LTF LTF LTF LTF	DIR DIR SW DIR DIR DIR		I I I I I I	2I + 1 2I II II II 3I
Fujairah	Ras Al Khaimah Emirates ACC	A A	LTF LTF	DIR DIR		I I	II II
Ras Al Khaimah	Emirates ACC Dubai	A	LTF	DIR		I	II
Sharjah	Emirates ACC Dubai	A	LTF	DIR		I	31

ATS REQUIREMENTS FOR SPEECH COMMUNICATIONS BESOINS ATS DE COMMUNICATIONS VOCALES REQUISITOS ATS PARA COMUNICACIONES ORALES				CIRCUIT CIRCUITO		STATUS OF IMPLEMENTATION ESTADO DE IMPLANTACIÓN	REMARKS OBSERVATIONS OBSERVACIONES
TERMINAL I TÊTE DE LIGNE I ESTACIÓN TERMINAL I	TERMINAL II TÊTE DE LIGNE II ESTACIÓN TERMINAL II	TYPE TIPO	SERVICE SERVICIO	DIR/S W	TO BE SWITCHED VIA COMMUTATION VIA CONMUTACIÓN POR		
1	2	3	4	5	6	7	8
YEMEN							
Aden	Djibouti Sana'a	A A	LTF LTF				
Mukalla	Aden Sana'a	A A	LTF LTF				
Sana'a	Aden Addis Ababa Asmara Mumbai Djibouti Jeddah Mogadishu Muscat Riyan	A A A A A A A A	LTF LTF LTF LTF LTF LTF LTF LTF LTF	DIR	Via Bahrain	I	I

TABLE CNS 2 C AERONAUTICAL MOBILE SERVICE*EXPLANATION OF THE TABLE**Column*

- 1 The name of the State and the locations within the same where the service is provided.
- 2 The required services or functions are provided. Suitable abbreviations for these services or functions are listed below.
- | | |
|----------|--|
| ACC-L | Area control service for flights up to FL 250 |
| ACC-SR-I | Area radar control service up to FL 250 |
| ACC-SR-U | Area radar control service up to FL 450 |
| ACC-U | Area control service up to FL 450 |
| AFIS | Aerodrome flight information services |
| APP-L | Approach control service for flights below FL 120 |
| APP-I | Approach control service for flights below FL 250 |
| APP-PAR | Precision approach radar service up to FL 40 |
| APP-SR-I | Surveillance radar approach control service up to FL 250 |
| APP-SR-L | Surveillance radar approach control service up to FL 120 |
| APP-SR-U | Surveillance radar approach control service up to FL 450 |
| APP-U | Approach control service for flights up to FL 450 |
| ATIS | Automatic terminal information service |
| D-ATIS | Data link-automatic terminal information service. |
| CLRD | Clearance delivery |
| FIS | Flight information service |
| VHF-ER | VHF-Extended range |
| GP | Facility providing VHF or HF en-route general purpose system (GPS) communication. These facilities provide air-ground radiotelephony for all categories of messages listed in Annex 10, Volume II, 5.1.8. This |

system of communication is normally indirect, i.e. exchanged through the intermediary of a third person who is usually a communicator at an aeronautical station.

SMC Surface movement control up to limits of aerodrome

Country and location	Service or function	VHF voice	VHF data	HF voice	HF data	Satellite voice	Satellite data	Mode S	Remarks
1	2	3	4	5	6	7	8	9	10
HETB TABA/Taba Intl	TWR APP-SR-I ACC-SR-U	1 1 1							25 60 150
IRAN, ISLAMIC REPUBLIC OF									
OIAA ABADAN	TWR SMC ATIS	1 1 1							25 AD 150
OIAW AHWAZ	APP-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIKB BANDAR ABBASS/Bandar Abbass	APP-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIBB BUSHEHR	APP-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIFM ESFAHAN/Shahid Beheshti	APP-SR-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIBK KISH ISLAND	TWR SMC ATIS	1 1 1							25 AD 150
OISL LAR	TWR SMC	1 1							25 AD
OIMM MASHHAD/Shahid Hashemi Nejad Int.	APP-SR-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIKR RAFSANJAN	TWR SMC ATIS	1 1 1							25 AD 150
OIGG RASHT	TWR SMC ATIS	1 1 1							25 AD 150
OINZ SARI	TWR SMC ATIS	1 1 1							25 AD 150

Country and location	Service or function	VHF voice	VHF data	HF voice	HF data	Satellite voice	Satellite data	Mode S	Remarks
1	2	3	4	5	6	7	8	9	10
OISX SHIRAZ	ACC-SR-U FIS-U VOLMET	18 1 1		MID1 MID2					ER 250
OISS SHIRAZ/ Shahid Dastghaib Intl.	APP-SR-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OITT TABRIZ/Tabriz	APP-SR-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIIX TEHRAN	ACC-SR-U FIS-U VOLMET	24 1 1		MID1 MID2					250
OIIIE TEHRAN/Iman Khomaini Intl	APP-SR-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIII TEHRAN/Mehrabad Intl	APP-SR-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
OIYY YAZD	TWR SMC ATIS	1 1 1							25 AD 150
OIZH ZAHEDAN/ Zahedan Intl	APP-I TWR SMC ATIS	1 1 1 1							75 25 AD 150
IRAQ ORBS BAGHDAD	ACC-U	2							2 FIRs
ORBI BAGHDAD/Baghdad Intl	APP-SR-U APP-U TWR SMC ATIS	2 1 1 2 1							100 100 25 AD 150
ORMM BASRAH	ACC-U ACC-SR-U	1 4							150 150
ORMM BASRAH/Basrah Intl	APP-SR-U	1							100

Country and location	Service or function	VHF voice	VHF data	HF voice	HF data	Satellite voice	Satellite data	Mode S	Remarks
1	2	3	4	5	6	7	8	9	10
	TWR SMC ATIS	1 2 1							25 AD 150
ORER ERBIL/Erbil Intl									
ORSU SULAYMANIYAH/Sulaymaniyah Intl									
ORNI AL NAJAF/Al najaf Intl									
ISRAEL ELLET ELIAT/Eliat Intl	APP-L TWR ATIS	4 4 4							50 25 150
ELLOV OVDA/Ovda Intl	APP-SR-L TWR	4 4							50 25
ELTA TEL-AVIV	ACC-SR-U ACC-SR-I ACC-SR-L	2 3 2							150 100 50
ELBG TEL AVIV/Ben Gurion Intl	APP-SR-I APP-SR-I APP-SR-L APP-L TWR SMC ATIS	4 4 4 4 4 4 4							100 TMA 50 50 25 AD 150
JORDAN OJAC AMMAN	ACC-SR-U ACC-SR-I ACC-U	3 3 3							180 80 FIR
OJAM AMMAN/Marka Intl	TWR SMC	1 1							25 AD
OJAI AMMAN/Queen Alia	APP-L TWR SMC ATIS	1 1 1 1							50 25 AD 150
OJAQ AQABA/Aqaba Intl.	APP-SR-I TWR SMC	2 1 1							75 25 AD
KUWAIT OKAC KUWAIT	ACC-SR-U	2							200
OKBK KUWAIT/Kuwait Intl	APP-SR-I TWR SMC	2 1 2							100 25 AD

Country and location	Service or function	VHF voice	VHF data	HF voice	HF data	Satellite voice	Satellite data	Mode S	Remarks
1	2	3	4	5	6	7	8	9	10
LEBANON OLBB BEIRUT	ACC-U ACC-SR-I ACC-SR-U	2 1 1							CTA 75 75
OLBA BEIRUT/ R. B. H - Beirut Intl	APP-L APP-I APP-SR-I APP-SR-L VOLMET TWR SMC ATIS	1 1 1 1 1 1 1 1							75 75 75 50 FIR 25 AD 150
OLKA KLELATE/Rene Mouawad	APP TWR SMC	1 1 1							50 25 AD
OMAN OOMM MUSCAT	ACC-SR-U FIS-L VOLMET	2 1 2							FIR 240 FIR
OOMS MUSCAT/Muscat	APP-SR-I TWR SMC ATIS	2 1 1 1							75 25 AD 150
OOSA SALALAH/Salalah	APP-SR-I TWR SMC ATIS	2 1 1 1							75 25 AD 150
QATAR OTBD DOHA/Doha Intl	APP-SR-I TWR SMC ATIS	2 1 1 1							75 25 AD 150
OTHH DOHA/New Doha Intl (Future – 2010)									
SAUDI ARABIA OEDF DAMMAM/King Fahd Intl	APP-SR-U APP-SR-I TWR SMC ATIS	1 2 1 2 1							150 75 25 AD(CD) 150
OEJD JEDDAH	ACC-U ACC-SR-U	1 16							FIR FIR (ER
OEJN JEDDAH/King AbdulAziz Intl	APP-SR-U APP-SR-I TWR SMC ATIS	1 2 2 3 1							150 75 25 AD(CD) 150

Country and location	Service or function	VHF voice	VHF data	HF voice	HF data	Satellite voice	Satellite data	Mode S	Remarks
1	2	3	4	5	6	7	8	9	10
YEMEN									
OYAA ADEN/Aden Intl	APP-U TWR SMC	1 1 1							150 25 AD
OYHD HODEIDAH/Hodeidah	APP-U TWR SMC	1 1 1							150 25 AD
OYAR MUKALLA Mukalla	APP-U TWR SMC	1 1 1							150 25 AD
OYSC SANA'A	ACC-SR-U ACC-SR-I	1 1							400 200
OYSN SANA'A/Sanaa Intl	APP-SR-U APP-SR-I TWR SMC ATIS	1 1 1 1 1							150 75 25 AD 150
OYTZ TAIZ/Ganad	TWR SMC	1 1							25 AD

TBL_CNS2 Final.doc

TABLE CNS 3 C RADIO NAVIGATION AIDS (MID REGION)
TABLA CNS 3 C AYUDAS PARA LA RADIONAVEGACIÓN (REGIÓN MID)

EXPLANATION OF THE TABLE

Column

- 1 Name of the country, city and aerodrome and, for en-route aids, the location of the installation.
- 2 The designator number and runway type:
 - NPA C non-precision approach
 - PA-1 C precision approach runway, Category I
 - PA-2 C precision approach runway, Category II
 - PA-3 C precision approach runway, Category III
- 3 The functions carried out by the aids appear in columns 4 to 8 and 10 to 12:
 - A/L C Approach and landing
 - T C Terminal
 - E C En-route
- 4 ILS C Instrument landing system. Roman numeral I and II indicate the acting category of the ILS, I, II or III. (I) indicates that the facility is implemented
The letter “D” indicates a DME requirement to serve as a substitute for a marker beacon component of an ILS

Note.- Indication of category refers to the standard of facility performance to be achieved and maintained in accordance with pertinent specifications in ICAO Annex 10 and not to the specifications of the ILS equipment itself, which are not necessarily the same.

An asterisk (*) indicates that the ILS requires a Category II signal quality, but without reliability and availability provided by redundant equipment and automatic changeover.
- 5 Radio beacon localizer, be it associated with an ILS or to be used as an approach aid to an aerodrome.
- 6 Radiotelemetrical equipment. When an “X” appears in column 6 in line with the VOR in column 7, this indicates the need that the DME be installed at a common site with the VOR.
- 7 VOR VHF omnidirectional radio range.
- 8 NDB – Non Directional Beacon
- 9 The distance and altitude to which signal protection of the VOR or VOR/DME are required, indicated in nautical miles (NM) and in thousands of feet.

10, 11, 12 GNSS-global navigation satellite system (includes GBAS and SBAS).

LNAV lateral Navigation using GNSS

LNAV/VNAV Lateral with Vertical Navigation

GBAS (ground-based augmentation system) implementation planned to be used in precision approach and landing CATI,
CATII, CAT III.

SBAS (Satellite-based augmentation system) implementation planned to be used for route navigation, for terminal, for non precision approach and landing. An “X” indicates service availability; exact location of installation will be determined.

Note.- GPS receiver is under standard rules and ABAS (aircraft-based augmentation system)

13 **Remarks**

Note.- Columns 5 to 12 use the following symbols:

X- Required but not implemented

XI- Required and implemented

TABLE CNS 3

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
CAIRO/Cairo Intl	05R PA 2 23R PA 2	A/L A/L	II II(I)	X X	XI	XI		150/45		I I		
	23L PA 2 05L PA 2	A/L A/L T E	II (I) II (I)	X X	XI	XI		200/45		I		
	23C PA 05C PA									I I		
	16 NPA 34 NPA											
HURGHADA/ Hurghada Intl	16 NPA 34 PA 2	A/L T E	I*(I)		XI XI	XI XI		100/45		I I		
LUXOR/ Luxor Intl	02 NPA 20 PA 1	A/L T E	I* (I)		XI XI	XI XI		150/45		I I		
MARSA ALAM/ Marsa Alam Int'l	15 NPA 33 NPA	A/L			XI	XI		150/45				
SHARK EL OWEINAT/ Shark El Oweinat Int'l	01 NPA 19 NPA	L					XI	100/45				
PORT –SAID/ Port –Said Int'l	10 NPA 28 NPA	L			XI	XI		200/45				
ST. CATHERINE/ St. Catherine Intl	17 NPA 35 NINST	L					XI	150/45				
SHARM EL SHEIKH/ Sharm El Sheikh Intl	04L PA1 22R NPA	A/L T E	I (II)	X	XI XI	XI XI	XI	100/45 200/50		I I		
	04R NPA 22L NPA									I I		
ASWAN/ Aswan Intl	17 PA1 35 PA1	A/L T E	II	X	XI XI	XI XI		150/45		I I		

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
TABA/ Taba Int'l	04 NPA 22 NPA	A/L T			X	XI	XI	150/45 100/45		I I		
IRAN, ISLAMIC REPUBLIC OF												
ABADAN	32L PA 1	A/L E	I* (I)			XI	XI		200/45			
AHWAZ	30 PA 1	A/L E	I* (I)			XI	XI		300/45			
ARDABIL	34 33 PA 1	A/L E	I* (I)			XI	XI		200/45			
ASALOYEH	30 PA 1	A/L E	I*			XI	XI		300/45			
BANDAR ABBAS/Intl	21L PA1	A/L E	I* (I)			XI	XI		200/45			
BANDAR LENGEH	NPA	A/L E				XI	XI		200/45			
BANDAR MAHSHAHR / MAHSHAHR	NPA	A/L E				XI	XI		300/45			
BIRJAND		E				XI	XI		300/50			
BOJNORD	NINST	E				XI	XI		150/45			
BUSHEHR	30 PA2	A/L E	I*			XI	XI		300/45			
CHAH BAHAR / KONARAK	NPA	A/L E				XI	XI		200/45			
DARBAND		E				XI	XI		300/45			
DEH-NAMAK		E				XI	XI		300/45			
ESFAHAN / Shahid Beheshti Intl	26R PA 1	A/L E	I*(I)			XI	XI		300/45			
HAMADAN	NPA	A/L E				XI	XI		200/45			

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
ILAM	NPA	A/L E			XI	XI		300/45				
IRAN-SHAHR	NPA	A/L E			X	X		300/45				
JAM/TOHID	NPA	A/L			XI	XI		300/45				
KARAJ / PAYAM	NPA	A/L			XI	XI		200/45				
KERMAN	34 PA1	A/L E	I*(I)		XI	XI		200/45				
KERMANSHAH / Shahid Ashrafi Esfahani	29 PA1	A/L E	I* (I)		XI	XI		300/45				
KHARK ISLAND / Khark	NPA	A/L E			XI	XI		300/45				
KHORAM ABAD	29 PA 1	A/L E	I*		XI	XI		200/45				
KISH ISLAND	NPA	A/L E			XI	XI		200/45				
MALAYER		E			XI	XI		300/45				
MASHHAD / Shahid Hashemi Nejad Intl	31R PA1	A/L E	I* (I)		XI	XI		300/45				
NOSHAHR	NPA	A/L E			X	X		200/45				
OMIDIYEH	NPA	A/L			XI	XI		200/45				
RASHT	27 PA 1	A/L E	I* (I)		XI	XI		300/45				
SABZEVAR	NPA	A/L E			XI	XI		300/45				
ANARAK		E			XI	XI		300/45				
SANANDAJ	NPA	A/L E			XI	XI		200/45				
SARI/Dashte-Naz	NPA	A/L E			XI	XI		300/45				

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
SAVEH		E			XI	X		300/45				
SHIRAZ / Shahid Dastghaib Intl	29L PA 1	A/L E	I* (I)		XI	XI		300/45		I		
SIRJAN	NPA	A/L E			XI	XI		200/45				
TABRIZ Intl	30R PA 1	A/L E	I* (I)		XI	XI		200/45				
TEHRAN/Imam Khomeini Intl	29R PA 2	A/L	II* (I)		XI	XI		300/45				
TEHRAN/Mehrabad Intl	29L PA 1	A/L E	I* (I)	XI	XI	XI		300/45		I		
UROMIYEH	21 PA1	A/L E	I* (I)		XI	XI		200/45				
YAZD / Shahid Sadooghi	NPA	A/L E			XI	XI		300/45				
ZAHEDAN	35 PA1	A/L E	I* (I)		XI	XI		200/45				
ZANJAN	NPA	E			XI	XI	XI	200/45				
IRAQ												
AIN ZALAH		E			X	X		100/50				
BAGHDAD/ Baghdad Int'l	NINST NINST NINST NINST	A/L A/L A/L A/L E	II (I) II (I) II (I) II (I)	X X X X	X X X X	X X X X		200/45	XI XI			
BASRAH/Intl		A/L A/L E	II (I) II (I)	X X	X X	X X		300/45				

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
HASHIMIYA		E			X	X		200/45				
(HADITHA)		E			X	X		100/50				
MANDALY		E										
MOSUL	PA 1	A/L		X	X	X						
SAMARA		E			X	X		200/45				
HAWIJA		E			X	X		100/50				
SHATRA		E			X	X		100/50				
ISRAEL												
ELAT/Elat	-03-NPA 21-NINST	A/L E			X*	X*	X*	300/45				
HAIFA/Haifa	16-NINST 34-NINST											
JERUSALEM/Atarot	12-NINST -30-PA-4	A/L A/L	I*									
METZADA		E			X	X		150/45				
NATANIA		E			X	X		150/45				
OVDA/Intl	20R-NPA 02L-NINST	A/L	I		X	X		150/50				

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
TEL AVIV/Ben Gurion	03 NPA 21 NINST 08 NINST 26 PA 1 12 PA 1 30 NPA	A/L A/L A/L E E	I*(I) I*(I)	X X	XI XI XI XI XI	XI XI XI XI XI			150/50 200/50			
TEL AVIV/Sde Dev	03 NINST 21 NINST	A/L A/L										
ZOFAR		E			X	X			150/45			
JORDAN												
AMMAN/MARKA	24 PA 1 06 NPA	A/L A/L	I(I)	XI X	XI	XI	XI		175/37.5			
AMMAN/Queen Alia	08R NPA 26L PA 2 08L PA 2 26R PA 2	A/L A/L A/L A/L	X II(I) II(I) II(I)	X XI XI XI	X XI XI XI	XI XI XI XI	XI XI XI XI			I X I X I X I X	I X I X I X I X	
AQABA/ king Hussein	01 PA 1	A/L E	I(I)	XI	XI	XI	X		200/50 200/50			
METSA		E			X	X			150/50			
QATRANEH		E			XI	XI			100/50			
KUWAIT												
KUWAIT/Intl	15R PA 2 33L PA 2 15L PA 2 33R PA 2	A/L A/L A/L A/L T E	II (I) II (I) II (I) II (I)	XI XI XI XI XI XI	XI XI XI XI XI XI	XI XI XI XI XI XI			300/50 300/50	I I I I		

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
LEBANON												
BEIRUT/Beirut Intl	16 PA 1 17 PA 1 03 PA 1 21 PA1	A/L A/L A/L AL	I* (I) D I* (I) D I* (I) D I* (I) D	X X X X	XI XI XI XI							
CHEKKA		E				Xi	Xi		150/50			
KHALDE		E/T				Xi	Xi		150/50			
BOD		E/T						XI	150			
BAB		E/T						XI	150			
OMAN												
HAIMA		E				XI	XI		200/45			
IZKI		E				Xi	Xi		200/45			
MARMUL	14 NPA 32 NPA										I	I
MUSCAT/ Intl	08 PA 1 26 PA 1	A/L A/L E	I* (I) D I* (I) D		XI XI XI		XI		200/45			
SALALAH/Salalah Intl	07 NPA 25 PA 1	A/L A/L E	I* (I) D		XI XI XI	XI	XI		200/45			
SUR		E				XI	XI		200/45			
QATAR												
DOHA/Doha Intl	16 NPA 34 PA 1	A/L A/L E	I* (I)	X	X X X	X	X X X		300/45	I		

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
SAUDI ARABIA												
AL JOUF	10 NPA 28 NPA 28 PA 1	A/L A/L A/L T	I*		XI XI XI X	XI XI XI X			300/50			
AL SHIGAR		E			XI	XI			300/50			
ARAR	10 NPA 28 NPA	A/L A/L T E			XI XI X XI	XI XI X XI			300/50	I I		
BAHA	07 NPA 25 NPA 25 NPA 25 PA 1	A/L A/L A/L A/L T	I*	X	XI XI X X	XI XI X X			300/50	I I		
BIR DURB		E			X	X			300/50			
BISHA	18 NPA 36 NPA 18 PA1	A/L A/L A/L T E	I*		XI XI X X X	XI XI X X X			300/50	I		
BOPAN		E			XI	XI			300/50			
DAFINAH		E			XI	XI			300/50			
DAMMAM (King Fahad Intl)	16L PA 1 34R PA 1 16R PA 1 34L PA 1	A/L A/L A/L A/L T E	I(I) I(I) I(I) I(I)		XI XI XI XI XI XI	XI XI XI XI XI XI			300/50			

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES	
									GPS	LNAV	LNAV/VNA V		
1	2	3	4	5	6	7	8	9	10	11	12	13	
GASSIM	15 NPA 33 NPA 15 PA 1	A/L A/L A/L T E	I*		XI X X X X	XI X X X X							
GURIAT	10 NPA 28 NPA 28 NPA	A/L A/L A/L T E		X	XI XI X X	XI X X X		300/50					
HAFR AL-BATIN	16 NPA 34 NPA	A/L A/L T E			XI XI X XI	XI XI X XI		300/50					
HAIL	18 NPA 36 NPA 18 PA 1	A/L A/L A/L T E	I *		XI XI X X X	XI XI X X X		300/50					
HALAIFA		E			XI	XI		300/50					
JEDDAH/King Abdul Aziz Intl	16R PA 2 34L PA 2 16L PA 1 34R PA 1 16C PA 2 34C PA2	A/L A/L A/L A/L A/L T E	II (I) II (I) I* (I) I* (I) II (I) II (I)		XI XI XI XI XI XI XI	XI XI XI XI XI XI XI			I I I I I I				
JUBAIL	17 NPA 35 NPA 35 PA 1	A/L A/L A/L T	I*		X X	X X		300/50					

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
MADINAH/Prince Mohammad Bin Abdulaziz	17 PA 1 35 PA 1 36 PA 1 18 NPA	A/L A/L A/L A/L T E	I* I* I*	X X	XI XI XI XI XI XI	XI XI XI XI XI XI						
MAGALA		E				XI	XI		300/50			
RABIGH		E				XI	XI		300/50			
RAFHA	11 NPA 29 NPA	A/L A/L T E			XI XI X XI	XI XI X XI	I		300/50			
RAGHBA		E			XI	XI			300/50			
RIYADH/King Khalid Intl	15L PA 1 33R PA 1 15R PA 1 33L PA 1	A/L A/L A/L A/L T E	I* (I) I* (I) I* (I) I* (I)		XI XI XI XI XI XI	XI XI XI XI XI XI						
TURAIF	10 NPA 28 NPA	A/L A/L T E			XI XI X XI	XI XI X XI		300/50				
WADI AL-DAWASIR	10 NPA 28 NPA 10 PA 1	A/L A/L A/L T E	I*		XI XI XI X XI	XI XI XI X XI				I	I	
WEDJH	15 NPA 33 NPA 33 NPA 33 PA 1	A/L A/L A/L A/L T E	I*	X	XI XI XI X XI	XI XI XI X XI		300/50			I	
									300/50			

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
YENBO	10 NPA 28 NPA 28 PA 1	A/L A/L A/L T E	I*		XI XI XI X XI	XI XI		300/50		I I		
SYRIAN ARAB REPUBLIC												
ALEPPO/Neirab	27 N PA2	A/L E		X		X X		150/50				
DAMASCUS/Intl	05L NPA2 23R PA + 2 05R NPA2	A/L A/L A/L E	I* (I)	X	X X X X	X X X X		150/50				
KARIATAIN		E			X	X		150/50				
LATAKIA/Bassel -Al- Assad	17 NPA	A/L		X	X	X		160/40				
TANF		E				X						
UNITED ARAB EMIRATES												
ABU DHABI/Abu Dhabi Intl	13 PA 1 31 PA 3	A/L A/L E	I* (I) III (I)		XI XI XI	XI XI XI		300/45		I I		
AL AIN/Ai Ain Intl	01 PA 1 19 NPA	A/L A/L E	I*		XI XI XI	XI XI XI		300/45				

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
DUBAI/Dubai Intl	12L PA 3 30R PA 3 12R PA 2 30L PA 2	A/L A/L A/L A/L E	III (I) III (I) II (I) II (I)		X I X I X I X I X I	X I X I X I X I X I				I I		
FUJAIRAH/Fujairah Intl	11 NPA 29 PA 1	A/L A/L T	I* (I)		X I X I X I	X I X I X I		300/45		I I		
RAS AL KHAIMAH/Ras al Khaimah Intl	16 NPA 34 PA 1	A/L A/L	I* (I)	X X	X I X I	X I X I		40/25				
SHARJAH/Sharjah Intl	12 NPA 30 PA 1	A/L A/L E	I* (I)	X I	X I X I	X X X I		300/45		I I		
YEMEN												
ADEN/Intl	08 NPA 26 PA 1	A/L A/L E	I* (I)	X	X X X	X X X		300/50				
AL-GHAIDAH		E			X	X		300/50				
HODEIDAH	03 NPA 21 NPA	A/L A/L E		X X	X X X	X X X		200/45		I		
MUKALALA/Intl	06 NPA 24 NPA	A/L A/L E			X X X	X X X		300/50				
SANA'A/Intl	18 PA 1 36 NPA	A/L A/L E	I* (I)	X	X X X	X I X I X I		200/45				

Station	RWY Type	Function	ILS	L	DME	VOR	NDB	Coverage	GNSS			REMARKS OBSERVACIONES
									GPS	LNAV	LNAV/VNA V	
1	2	3	4	5	6	7	8	9	10	11	12	13
SIYUN		E			X	X		150/45				
TAIZ/Intl	01 NPA 19 NPA	A/L A/L E		X X	X X X	X X X		200/45				

Table CNS 4 - SURVEILLANCE SYSTEMS

EXPLANATION OF THE TABLE

Column

- 1 Name of country and location of the facility or FIR
- 2 Geographical area
- 3 Air Traffic Services Units served by the facility or FIR
- 4 PSR - Primary Surveillance Radar
- 5 Coverage of Primary Surveillance Radar in nautical miles
- 6 Coverage of Primary Surveillance Radar and Modes implemented will be indicated within Brackets, namely Modes A, C & S
- 7 Coverage of Secondary Surveillance radar in nautical miles
- 8 ADS-B- Automatic Dependent Surveillance Broadcast *
- 9 ADS-C - Automatic Dependent Surveillance Contract
- 10 SMR- Surface Movement Radar
- 11 PRM - Precision Runway Monitor
- 12 Multirateration
- 13 Remarks

Note:

The following codes are used in columns 4,6,8-12

- I - Required and implemented for column 6,
I stands for implementation using conventional SSR while
MI stands for implementation using Monopulse SSR
- X- Required but implementation status not determined
- N - Required but not implemented
- A - Existing facility provided to supplement or substitute the requirement
- F - Future Plan

- < - Year planned commissioning year to be used as appropriate in conjunction with AF@ & AN@
- > - Year planned decommissioning year to be used as appropriate in conjunction with AA@ & AI@.
- *Under development*

TBL_CNS4.exp Final.doc

TABLE CNS 4- SURVEILLANCE SYSTEMS

Country/Location	G A	ATS Units Served	PSR	Coverage of SSR (NM)	SSR (A/C/S)	Coverage of SSR (NM)	ADS-B	ADS-C	SMR	PRM	Remarks
1	2	3	4	5	6	7	8	9	10	11	12
BAHRAIN											
Bahrain		Bahrain ACC Bahrain APP Bahrain ACC Bahrain APP	I	80	MI(A/C) F(A/C/S)	250 250					Mode S will be implemented in 2012
EGYPT											
Cairo		Cairo ACC Cairo APP Cairo APP/TMA	I I F<2002	200 70 60	MI(A/C) I(A/C) MF (A/C)	250 100 250					Mode S Implemented In Four Airports
Hurghada		Hurghada ACC Hurghada ACC Hurghada APP	I I I	60	MI(A/C) MI(A/C)	250 250					
Mersa Matruh		Mersa Matruh ACC			MI(A/C)	250					
Aswan		Aswan ACC Aswan ACC Aswan APP	I F<2002 <2002	60	MI(A/C) MF(A/C)	250 250					
Asyut		Asyut ACC		250	MI(A/C)	250					
Luxor		Luxor ACC Luxor APP	I	60	MI(A/C)	250					
Sharm El Sheikh		Sharm El Sheikh ACC Sharm El Sheikh APP	I	60	MI(A/C)	250					
Borg El Arab		Borg El Arab ACC Borg El Arab APP	F<2002	60	F (A/C) <2002	250					
El Arish		El Arish ACC El Arish APP	F<2002	60	F (A/C) <2002	250					
Taba		Taba ACC Taba APP	F<2002	60	F (A/C) <2002	250					

Country/Location	G A	ATS Units Served	PSR	Coverage of SSR (NM)	SSR (A/C/S)	Coverage of SSR (NM)	ADS-B	ADS-C	SMR	PRM	Remarks
1	2	3	4	5	6	7	8	9	10	11	12
IRAN											
Shiraz		Shiraz APP	I	80	I (A/C/S)	250					
Tehran / Mehrabad		Mehrabad APP	I	80	I (A/C/S)	250					
Ahwaz		Tehran ACC			MI(A/C/S) < 2000	250					
Iran Shahr		Tehran ACC			F (A/C/S) < 2002	250					
Jiroft		Tehran ACC			MI(A/C/S) < 2001	250					
Lar		Tehran ACC			MI(A/C/S) < 2001	250					
Mashhad		Tehran ACC			MI(A/C/S) < 2001	250					
Draz-now (Gorgan)		Tehran ACC			MI(A/C/S) < 2002	250					
Tabas		Tehran ACC			MI(A/C/S) < 2002	250					
Tabriz		Tehran ACC			MI(A/C/S) < 2000	250					
Tehran/Kushke Bazm		Tehran ACC			MI(A/C/S) < 1999	250					ADS-A installed and available in Tehran ACC
Zanjan		Tehran ACC			MI(A/C/S) < 2001	250					
IRAQ											
Baghdad Basrah		Baghdad APP Basrah ACC Basrah APP	I I	60 80	MI(A/C) MI(A/C/S) I	250 250					Mode S is planed In Baghdad

Country/Location	G A	ATS Units Served	PSR	Coverage of SSR (NM)	SSR (A/C/S)	Coverage of SSR (NM)	ADS-B	ADS-C	SMR	PRM	Remarks
1	2	3	4	5	6	7	8	9	10	11	12
ISRAEL											
Tel Aviv		Tel Aviv ACC Ben Gurion APP	I I		I I						
JORDAN											
Amman		Amman ACC	I	80	MI(A/C/)	250					
KUWAIT											
Kuwait		Kuwait ACC	I	80	MI(A/C/)	250					
LEBANON											Implemented Mode S
Beirut		Beirut ACC Beirut APP Beirut TWR	I	60	MI(A/C/)	250					
OMAN											
Muscat		Muscat ACC Muscat APP	I	100	I	250					
Salalah		Salalah ACC Salalah APP	I	100	I	250					
Jaalan Bani Bu Ali		Muscat ACC			I	250					
Wudam Al-Sahil		Muscat ACC			I	250					
Ras Al-Hadd		Muscat ACC			I	250					
Duqm		Muscat ACC			I	250					
Qiroon Hayreeti		Muscat ACC			I	250					
QATAR											
Doha		Doha ACC Doha APP	I		I						
SAUDI ARABIA											
Abha		Jeddah ACC			I	200					
Affif		Jeddah ACC			I	200					} KSA is providing
AL Kharj		Jeddah ACC			I	200					} radar coverage } to all KSA
Badanah		Jeddah ACC			I	200					} airspace } (Jeddah FIR),
Dammam		Dammam APP	I	100	MI	200					} with the } exception of the
Dhahran		Jeddah ACC			I	200					} “Empty Quarter”

Country/Location	G A	ATS Units Served	PSR	Coverage of SSR (NM)	SSR (A/C/S)	Coverage of SSR (NM)	ADS-B	ADS-C	SMR	PRM	Remarks	
1	2	3	4	5	6	7	8	9	10	11	12	
Hail		Jeddah ACC		I	I	200					Mode S will be implemented	
Jeddah		Jeddah APP			I	200						
Nariya		Jeddah ACC			I	200						
Qaisumah		Jeddah ACC			I	200						
Raffina		Jeddah ACC			I	200						
Raghdan		Jeddah ACC			I	200						
Riyadh		Riyadh APP			I	MI	200					
Salbuk		Jeddah ACC			I	200						
Sharurah		Jeddah ACC			I	200						
Sulayel		Jeddah ACC			I	200						
Tabuk		Jeddah ACC			I	200						
Taif		Jeddah ACC			I	200						
Turaif		Jeddah ACC			I	200						
Wejh		Jeddah ACC			I	200						
SYRIA												
Damascus		Damascus ACC			I							
UNITED ARAB EMIRATES												
Abu Dhabi		Emirates ACC Bahrain ACC			MI(A/C)	200						
Abu Dhabi		Abu Dhabi APP Emirates ACC			AF<2001	200				Replacement MSSR		
Abu Dhabi		Abu Dhabi APP Abu Dhabi TWR	AF2004 AF2003	125					X		Replacement PSR	
Al Ain		Al Ain APP	AF2004	80		200						

Country/Location	G A	ATS Units Served	PSR	Coverage of SSR (NM)	SSR (A/C/S)	Coverage of SSR (NM)	ADS-B	ADS-C	SMR	PRM	Remarks						
1	2	3	4	5	6	7	8	9	10	11	12						
Dubai	Emirates ACC	Abu Dhabi APP Emirates ACC	I	80	MI(A/C)	150	I	I	I	New project	MLAT/WAN installed						
		Dubai APP Emirates ACC Dubai TWR															
		Emirates ACC Dubai APP			AF<2004	250											
		Emirates ACC															
Fujairah	Sharjah	Fujairah APP	I	80	MI(A/C)	250	I	I	I	I	I						
Ras Al Khaimah		Ras Al Khaimah APP Emirates ACC															
Sharjah		Emirates ACC Dubai APP Ras Al Khaimah APP			A/C	256											
		Emirates ACC Bahrain ACC Museat ACC Abu Dhabi APP															
Tarif		Emirates ACC			F(A/C) <2001	240											
Yasat Al Safli Qseewrah Umm Al Quwain Al Yahar		Emirates ACC															
YEMEN	Aden Mukalla Sana'a	Aden APP Mukalla APP Sana'a APP	F		I(A/C)		I	I	I	I	I						
					I(A/C)												
					I(A/C)												

Code Allocation Status for Bahrain

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
BAHRAIN					

Code Allocation Status for Egypt

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
EGYPT					
Aswan ERR	02		ad hoc 17/03/2009	NANSC	MICA/ALLOC461
Asyut ERR	03		ad hoc 17/03/2009	NANSC	MICA/ALLOC462
Cairo ERR	11		ICAC 12 7/04/2011	NANSC	MICA/ALLOC630
Hurghada ERR	05		ad hoc 17/03/2009	NANSC	MICA/ALLOC464
Mersa Matruh ERR	06		ad hoc 17/03/2009	NANSC	MICA/ALLOC465

Code Allocation Status for Iran

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
IRAN					

Code Allocation Status for Iraq

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
IRAQ					

Code Allocation Status for Jordan

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
JORDAN					

Code Allocation Status for Kuwait

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
KUWAIT					

Code Allocation Status for Lebanon

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE			OPERATOR	REFERENCE/REMARKS
	II	SI	Effective Date		
LEBANON					
Baysour	02		23/04/2009	DGCA	MICA/ALLOC467

Code Allocation Status for Oman

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE				OPERATOR	REFERENCE/REMARKS	
	II	SI	Effective Date				
OMAN							
Muscat	11		Ad-hoc	29/06/2010	DGMAN	MICA/ALLOC615	

Code Allocation Status for Qatar

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE				OPERATOR	REFERENCE/REMARKS	
	II	SI	Effective Date				
QATAR							

Code Allocation Status for Saudi Arabia

MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE				OPERATOR	REFERENCE/REMARKS	
	II	SI	Effective Date				
SAUDI-ARABIA							
Madinah	04		Ad-hoc	17/03/2010	GACA	MICA/ALLOC529	
Rafha	05		Ad-hoc	17/03/2010	GACA	MICA/ALLOC530	
Turaif	10		Ad-hoc	17/03/2010	GACA	MICA/ALLOC531	
Al-Jouf	08		ICAC	11,21/10/2010	GACA	MICA/ALLOC567	
Al-Wejah	01		ICAC	11,21/10/2010	GACA	MICA/ALLOC568	
Gassim	03		ICAC	11,21/10/2010	GACA	MICA/ALLOC569	
Hail	02		ICAC	11,21/10/2010	GACA	MICA/ALLOC570	
KAIA	08		ICAC	11,21/10/2010	GACA	MICA/ALLOC571	
TABUK	06		ICAC	11,21/10/2010	GACA	MICA/ALLOC572	
ABHA	02		ICAC	12,07/04/2011	GACA	MICA/ALLOC631	
BAHA	06		ICAC	12,07/04/2011	GACA	MICA/ALLOC632	

KFIA	08	ICAC 12,07/04/2011	GACA	MICA/ALLOC633
KKIA	01	ICAC 12,07/04/2011	GACA	MICA/ALLOC634
QAISUMAH	06	ICAC 12,07/04/2011	GACA	MICA/ALLOC635
SODA	11	ICAC 12,07/04/2011	GACA	MICA/ALLOC636
Training Station	09	Ad-hoc, 02/03/2011	GACA	MICA/ALLOC644
AFIF	10	ICAC 13,22/09/2011	GACA	MICA/ALLOC674
HARAD	11	ICAC 13,22/09/2011	GACA	MICA/ALLOC675
Khayber	07	ICAC 13,22/09/2011	GACA	MICA/ALLOC676
Sharurah	08	ICAC 13,22/09/2011	GACA	MICA/ALLOC677
Shaybah	07	ICAC 13,22/09/2011	GACA	MICA/ALLOC678
Wadi Al-Dawasir	07	ICAC 13,22/09/2011	GACA	MICA/ALLOC679

Code Allocation Status for Syria
MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE				OPERATOR	REFERENCE/REMARKS	
	II	SI	Effective Date				
SYRIA							

Code Allocation Status for UAE
MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE				OPERATOR	REFERENCE/REMARKS	
	II	SI	Effective Date				
EMIRATES							

Code Allocation Status for Yemen
MODE S Interrogator Code Allocations as of 06 May 2010 (Cycle 10)

Mode S Station	ALLOCATED CODE				OPERATOR	REFERENCE/REMARKS	
	II	SI	Effective Date				
YEMEN							
