

Fifth MID Region Safety Summit

Kuwait, 26 -28 November 2024

GNSS Radio Interference Incidents

Jehad Faqir

Head of Regional Safety Africa & Middle East

IATA

GNSS Background

- GNSS spoofing

Some of the known RFI sources are reportedly capable of emitting signals that **mimic GNSS signals**

- GNSS Source of Interference

- Personal Privacy Devices
- GPS repeaters
- TV broadcast stations malfunction
- Occur in conjunction with military operations and/or Military force Protection,
 - Counter-unmanned aircraft systems (C-UAS) measures,
 - Protection of senior leadership
 - Protection of critical infrastructure
 - countermeasures against GPS guided offensive weapons

Analysis Scope – Geographic Scope

List of FIRs (Flight Information Regions)

In alphabetical order of FIR Code


DAAA	Algeria	OIIX	Iran, Islamic Republic of
DTTC	Tunisia	OJAC	Jordan
GMMM	Morocco	OKAC	Kuwait
HECC	Egypt	OLBB	Lebanon
HLLL	Libya	OMAE	United Arab Emirates
HSSS	Sudan	OOMM	Oman
LTAA	Türkiye	ORBB	Iraq
LTBB	Türkiye	OSTT	Syrian Arab Republic
OAKX	Afghanistan	OTDF	Qatar
OB BB	Bahrain	OYSC	Yemen, Republic of
OEJD	Saudi Arabia		

IATA MENA States :

Afghanistan, Algeria, Bahrain, Egypt, Iran, Iraq, Jordan, Kuwait, Lebanon, Libya, Morocco, Oman, Qatar, Saudi Arabia, Sudan, Syria, Tunisia, UAE, Yemen


Adjacent States included in this analysis :

Türkiye



GNSS RFI- AN Conf Outcomes

7
2 IATA WPs
2 European Union
Republic of Korea
Singapore
Cameroon



International Civil Aviation Organization
AN-Conf/14-WP/76¹
12/7/24

WORKING PAPER

FOURTEENTH AIR NAVIGATION CONFERENCE
Montréal, Canada, 26 August to 6 September 2024

Agenda Item 2: Timely and safe use of new technologies
2.2: Addressing safety risks related to evolving aviation technologies

GLOBAL NAVIGATION SATELLITE SYSTEM RADIO FREQUENCY INTERFERENCE (GNSS RFI)

(Presented by International Air Transport Association (IATA), International Business Aviation Council (IBAC), International Coordinating Council of Aerospace Industries Associations (ICCAIA), International Federation of Air Line Pilots' Associations (IFALPA), International Federation of Air Traffic Controllers' Associations (IFATCA) and International Federation of Air Traffic Safety Electronics Associations (IFATSEA))


EXECUTIVE SUMMARY

During the International Telecommunications Union (ITU) World Radiocommunications Conference (2023) (WRC-23) (20 November to 15 December 2023, Dubai, United Arab Emirates), the ITU issued a resolution on global navigation satellite system (GNSS) radio frequency interference (RFI). However, that resolution recognizes the right of States, as per the ITU Constitution, to interfere with Radio Navigation Satellite Service (RNSS) for security purposes. Therefore, non-NOTAM interference with GNSS is unlikely to decrease in the near term due to the number of conflict zones, globally.

Deliberate and non-NOTAM interference with essential GNSS based navigation has drastic impacts on civil aviation operations and creates high safety risks for flight crew and passengers.

This paper proposes actions to ensure that deliberate interference with GNSS is reduced to the extent possible.

Action: The Conference is invited to agree to the recommendations in paragraph 4.



International Civil Aviation Organization
AN-Conf/14-WP/78¹
28/6/24

WORKING PAPER

FOURTEENTH AIR NAVIGATION CONFERENCE
Montréal, Canada, 26 August to 6 September 2024

Agenda Item 2: Timely and safe use of new technologies
2.2: Addressing safety risks related to evolving aviation technologies

RATIONALIZATION OF NAVIGATION INFRASTRUCTURE

(Presented by the International Air Transport Association (IATA), International Federation of Air Traffic Controllers' Associations (IFATCA), International Coordinating Council of Aerospace Industries Associations (ICCAIA), International Federation of Air Line Pilots' Associations (IFALPA), International Federation of Air Traffic Safety Electronics Associations (IFATSEA) and International Business Aviation Council (IBAC))

EXECUTIVE SUMMARY

Pragmatic rationalization of ground-based navigation aids (GBNA) with a view to establishing a minimal operating network (MON) includes more use of global navigation satellite system (GNSS) -based procedures.

Key objectives are to streamline the number and type of GBNA, reduce maintenance costs and enhance navigation accuracy and dependability. However, the escalation in non-NOTAM GNSS radio frequency interference (RFI) hinders this objective.

In particular, GNSS RFI associated with conflict zones will necessitate the retention and possible addition of specific GBNA, impacting potential cost savings.


This paper presents a revised IATA/IFATCA/ICCAIA position regarding GBNA and MONs and proposes a review of current and emerging risks with all established MONs.

Action: The Conference is invited to agree to the recommendation in paragraph 4.

GNSS RFI In Flight MENA


All Operators FDX Rate
138.00

Global FDX Rate
39.38



Location Trend

Regional Route Pairs



FDX Rate

GNSS RFI Takeoff and Climb MENA

All Operators FDX Rate


17.49

Global FDX Rate

5.49


Yearly / Quarterly / Monthly Trend

● All Operators FDX Flights ◆ All Operators FDX Rate ♦ Global FDX Rate ◆ Regional FDX Rate



Location Trend

Takeoff Country



FDX Rate


16 December 2024

GNSS RFI Approach MENA

All Operators FDX Rate
36.35


Global FDX Rate
76.65

Yearly / Quarterly / Monthly Trend




GNSS RFI Recorded events


GNSS RFI Recorded events 2023





GNSS RFI Recorded Events (Jan-Jun 2024)




Signal Loss Occurrence Phase of Flight



GPS Signal Loss Occurrence Duration



GNSS RFI– Safety Risk Model (SRA)



GNSS RFI SRA

AIRLINES - Mitigation Measures

Consider using simulator training sessions to explore RFI-related CRM and crew mitigation.

Consider circulating aircrew notices, special crew briefings and supplementary procedures to enhance crew awareness of cockpit effects and required actions before, during and after GPS interference.

Stay in contact with aircraft and equipment manufacturers to receive guidance on operating aircraft and systems during interference and integrate their recommendations into standard procedures.



GNSS RFI- SRA (cont'd)

ANSPs - Mitigation Measures

Coordinate with state spectrum regulator to establish monitoring, notification and mitigation processes.

In coordination with airlines and other airspace users, periodically reassess the national CNS rationalization plan, ensuring minimum operating network (MON) for operational resilience.

Ensure that flights impacted by GNSS RFI are instructed (by NOTAM) to inform ATC so that ANSPs can plan route realignment and other mitigations for longer-term RFI issues.



GNSS RFI– SRA (cont'd)

The European Union Aviation Safety Agency (EASA) issued third revision of [Safety Information Bulletin \(SIB\) 2022-02R3](#)

The bulletin is addressing GNSS RFI including:

- ❑ [FIRs affected by jamming and spoofing \(updated on July 5, 2024\).](#)
- ❑ EASA Recommendations and mitigating measures for different stakeholders.

IATA FDX indicates it has become a safety risk in other geographical areas (FIRs):

- SAM Region
- MID-ASIA Region
- Africa Region

EASA SIB No.: 2022-02R3



Safety Information Bulletin
Operations – ATM/ANS – Airworthiness

SIB No.: 2022-02R3

Issued: 05 July 2024

Subject: Global Navigation Satellite System Outage and Alterations
Leading to Communication / Navigation / Surveillance
Degradation

Revision:
This SIB revises EASA SIB 2022-02R2 dated 06 November 2023.

Applicability:
Competent Authorities (CA), Air Traffic Management/Air Navigation Service Providers (ATM/ANS providers), air operators, aircraft and equipment manufacturers, organisations involved in the design or production of ATM/ANS equipment.

Description:
Since February 2022, there has been an increase in jamming and/or spoofing of Global Navigation Satellite Systems (GNSS). EASA has analysed recent data from the Network of Analysts and open sources and has concluded that GNSS jamming and/or spoofing has shown further increase in the severity of its impact, as well as an overall growth of intensity and sophistication of these events. This issue particularly affects the geographical areas surrounding conflict zones, but it is also encountered in the south and eastern Mediterranean, Black Sea, Middle East, Baltic Sea, and Arctic area.

The list of affected flight information (FIR) regions is published on the EASA website at <https://www.easa.europa.eu/GNSS>.

Recommended Procedure – Entering Risk Area

- **Entering Risk Area**
 - Check enroute FIR NOTAMs for any GPS spoofing advice
 - Cockpit Preparation: Perform full IRS alignment if entering known area with GPS spoofing risk
 - Be aware of typical sensor hierarchy for FMS position: GPS, then IRS, DME/DME, VOR/DME,
 - Consider de-selecting GPS sensor input if option available.
 - Review differences between GPS Jamming and GPS Spoofing.
 - Perform time check and set correct time on personal device or watch.
- Crew to notify Air Traffic Control whenever GNSS RFI events are experienced and notify respective aircraft and avionic OEMs
- Airlines to develop procedures and training based upon information received from OEM & CAA.

Recommendation

- States
 - to report cases of GNSS radio frequency interference to ITU.
 - to ensure & maintain adequate DME Infrastructure and DME based PBN procedures
 - to maintain necessary MON of Nav Aids & secondary surveillance radar infrastructure. (including VOR, ILS Cat I/II/III and DME).
 - to facilitate or deploy as appropriate real-time monitoring and detection solutions for GNSS RFI,
 - issue NOTAMs on GNSS RFI events in a timely manner
 - to establish and ensure **appropriate frequency regulations are in place** and maintained to protect allocated GNSS frequencies from harmful interference.
 - to ensure **contingency /back up procedures** (conventional routes) are established in coordination with ANSPs and airspace users

Thank you.

