



International Civil Aviation Organization

MIDANPIRG/18 and RASG-MID/8 Virtual Meetings

(15-22 February 2021)

Agenda Item 5.2.2 MID Region Air Navigation priorities and targets (MID AN Reports)

MID Region Air Navigation priorities and targets (MID AN Reports)

(Presented by the Secretariat)

SUMMARY This paper presents the MID Air Navigation Report – 2020, for endorsement. The paper is highlighting also the need to collect necessary data for the development of the MID Region Air Navigation Report - 2021. Action by the meeting is at paragraph 3
REFERENCES – MSG/7 Report – MID eANP Vol III – The MID Air Navigation Report – 2019

1. INTRODUCTION

1.1 The MSG/7 meeting, through MSG Conclusion 7/7, endorsed the MID Air Navigation Report-2019. The MID Air Navigation Report-2019 is available on the ICAO MID Office website at <https://www.icao.int/MID/Documents/AN%20Reports/MIDANReport2019.pdf>

2. DISCUSSION

2.1 The meeting may wish to recall that the MSG/7 meeting, through Conclusion 7/8, urged States to provide the ICAO MID Office, with necessary data to develop the MID Air Navigation Report – 2020, by 1 December 2020, and the report to be presented to MIDANPIRG/18 for review and endorsement.

MSG CONCLUSION 7/8: MID REGION AIR NAVIGATION REPORT - 2020

That,

- a) States be urged to provide the ICAO MID Office, with relevant data necessary for the development of the MID Region Air Navigation Report - 2020, by 1 December 2020; and
- b) the MID Region Air Navigation Report-2020 be presented to the MIDANPIRG/18 for endorsement.

2.2 As a follow-up action, State Letter Ref.: 1/7-20/176 was circulated on 28 September 2020. Five (5) States (Bahrain, Lebanon, Qatar, Saudi Arabia and UAE) provided their updates.

2.3 The MID Air Navigation Report provides an update on the status of implementation of priority 1 ASBU Block 0 Modules in the MID Region for the reporting period (1 January to 31 December 2020). The overall Regional Status of priority 1 ASBU Modules increased from 56% in 2019 to 58% in 2020. A consolidated version of the MID Region Air Navigation Report - 2020 is at **Appendix A**.

2.4 The meeting may wish to note that Lebanon, Qatar, Saudi Arabia and UAE made a good progress in the implementation of the priority 1 ASBU Block 0 Modules. From a regional perspective, the progress for the implementation of B0-ACAS, B0-SNET, B0-APTA, B0-AMET and B0-SURF is very good. However, the progress for the implementation of B0-ACDM and B0-CCO is far below expectation.

2.5 For the development of the MID Region Air Navigation Report - 2021, the meeting may wish to urge States to provide the ICAO MID Office, with necessary data by 30 December 2021.

3. ACTION BY THE MEETING

3.1 The meeting is invited to:

- a) review and update, as deemed necessary, the MID Air Navigation Report, at **Appendix A**; and
- b) agree to the following Draft Conclusions:

Why	To report the status of implementation of the priority 1 ASBU Block 0 Modules and associated indicators and targets (Reporting period 2020)
What	The MID Region Air Navigation Report - 2020
Who	MIDANPIRG/18
When	February 2021

DRAFT MIDANPIRG CONCLUSION 18/XX: THE MID REGION AIR NAVIGATION REPORT (2018)

*That, the MID Region Air Navigation Report - 2020 at **Appendix A** is endorsed.*

Why	To present the status of implementation of the priority 1 ASBU threads and elements and measure agreed ANS Key Performance Indicators (KPIs)
What	State Letter requesting provision of data for the development of the MID Region Air Navigation Report - 2021
Who	ICAO
When	October 2022

***DRAFT MIDANPIRG CONCLUSION 18/XX: MID REGION AIR NAVIGATION
REPORT - 2021***

*That, States be urged to provide the ICAO MID Office, with relevant data necessary for the development of the MID Region Air Navigation Report – 2021, by **30 December 2021**.*

AIR NAVIGATION REPORT

ICAO Middle East Region 2020





ICAO

© 2020, International Civil Aviation Organization

Disclaimer

This report makes use of information, which is furnished to the International Civil Aviation Organization (ICAO) by third parties. All third party content was obtained from sources believed to be reliable and was accurately reproduced in the report at the time of printing. However, ICAO specifically does not make any warranties or representations as to the accuracy, completeness, or timeliness of such information and accepts no liability or responsibility arising from reliance upon or use of the same. The views expressed in this report do not necessarily reflect individual or collective opinions or official positions of ICAO Member States.

The maps provided in this document may not reflect actual boundaries and should not be used as a reference for navigational or any other purposes.

Note – The designations employed and the presentation of material in this Report and the maps contained therein do not imply the expression of any opinion whatsoever on the part of ICAO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontier or boundaries.



ICAO MID

MID Air Navigation Report – 3rd Edition 2018

MID Air Navigation Report 2020 – 5th Edition

TABLE OF CONTENTS

EXECUTIVE SUMMARY	6
1. INTRODUCTION	8
1.1 Objectives	8
1.2 Background	8
1.3 Scope	9
1.4 Collection of data	10
1.5 Structure of the Report	11
2. STATUS AND PROGRESS OF ASBU IMPLEMENTATION	12
2.1 MID Region ASBU Block 0 Modules Prioritization	13
2.2 ASBU Implementation status and progress in the MID Region	15
2.2.1 B0-APTA.....	15
2.2.2 B0-SURF	17
2.2.3 B0-ACDM	19
2.2.4 B0-FICE	21
2.2.5 B0-DATM	23
2.2.6 B0-AMET	26
2.2.7 B0-FRTO	28
2.2.8 B0-NOPS	29
2.2.9 B0-ACAS	30
2.2.10 B0-SNET	32
2.2.11 B0-CDO	34
2.2.12 B0-CCO	36
3. ENVIRONMENTAL PROTECTION.....	39
3.1 Introduction	39
3.2 States' Action Plans on CO2 Emissions Reduction	39
3.3 Estimation of the Environmental Benefits accrued from implementation of ASBU Block 0 Modules	40
4. SUCCESS STORIES/BEST PRACTICES	41
5. CONCLUSION.....	45
APPENDIX A	Status of ASBU Block 0 Modules 47






EXECUTIVE SUMMARY



The ICAO MID Air Navigation Report -2020 provides an overview of the status of implementation of the Priority 1 ASBU Block 0 Modules in the MID Region as well as the progress achieved by MID States compared to the MID Air Navigation Report -2019.

The main part of the document includes Section 2, which provide the status of implementation and the Regional Dashboard for the Priority 1 ASBU Block 0 Modules in the MID Region through different statistical maps and charts.

This Section will be complemented by providing the environmental protection matters in Section 3. Section 4 provides some best practices/success stories.

To summarize the implementation status and progress of ASBU Block 0 Modules, the following ASBU Block 0 Implementation Dashboards present status and progress achieved in the implementation of each Module and by State. Detailed status is provided in Section 2.





Note 1 – utmost care was taken in the calculation of percentages, figures and numbers, however the figures and graphs in this report should be considered as approximate and not reflecting the exact reality.

1. INTRODUCTION

1.1 Objectives


The ICAO MID Region Air Navigation Report - 2020 presents an overview of the planning and implementation progress for the Priority 1 ASBU Block 0 Modules (and its detailed elements) within the ICAO MID Region during the reporting period January till December 2020.

The implementation status data covers the fifteen (15) ICAO MID States.

GANP states that the regional national planning process should be aligned and used to identify those Modules which best provide solutions to the operational needs identified. Depending on implementation parameters such as the complexity of the operating environment, the constraints and the resources available, regional and national implementation plans will be developed in alignment with the GANP. Such planning requires interaction between stakeholders including regulators, users of the aviation system, the air navigation service providers (ANSPs), aerodrome operators and supply industry, in order to obtain commitments to implementation.

Accordingly, deployments on a global, regional and sub-regional basis and ultimately at State level should be considered as an integral part of the global and regional planning process through the Planning and Implementation Regional Groups (i.e. MIDANPIRG). The PIRG process will further ensure that all required supporting procedures, regulatory approvals and training capabilities are set in place. These supporting requirements will be reflected in regional online Air Navigation Plan (MID eANPs) developed by MIDANPIRG, ensuring strategic transparency, coordinated progress and certainty of investment. In this way, deployment arrangements including applicability dates can also be agreed and collectively applied by all stakeholders involved in the Region. The MID Region Air Navigation Report which contains all

information on the implementation process of the Priority 1 ASBU Modules of the MID Region Air Navigation Strategy (MID Doc 002) is the key document for MIDANPIRG and its Subsidiary Bodies to monitor and analyze the implementation within the MID Region.



1.2 Background

Following the discussions and recommendations from the Twelfth Air Navigation Conference (AN-Conf/12), the Fourth Edition of the Global Air Navigation Plan (GANP) based on the Aviation Systems Block Upgrades (ASBU) approach was endorsed by the 38th Assembly of ICAO in October 2013. The Assembly Resolution 38-02 which agreed, amongst others, to call upon States, planning and implementation regional groups (PIRGs), and the

aviation industry to provide timely information to ICAO (and to each other) regarding the implementation status of the GANP, including the lessons learned from the implementation of its provisions and to invite PIRGs to use ICAO standardized tools or adequate regional tools to monitor and (in collaboration with ICAO) analyze the implementation status of air navigation systems.

MIDANPIRG and its Subsidiary Bodies monitor the progress and the status of implementation of the ASBU Block 0 Modules in the MID Region.

The MID Region Air Navigation Report is an integral part of the air navigation planning and implementation process in the MID Region; and the main tool for the monitoring and assessing the implementation of Air Navigation Systems and ASBUs in the MID Region.

1.3 Scope

This MID Air Navigation Report addresses the implementation status of the priority 1 ASBU Block 0 Modules for the reference period January to December 2020.

The Report covers the fifteen (15) ICAO MID States:

Bahrain, Egypt, Iran, Iraq, Jordan, Kuwait, Lebanon, Libya, Oman, Qatar, Saudi Arabia, Sudan, Syria, United Arab Emirates and Yemen.




1.4 Collection of data

For the purpose of collecting necessary data for the MID Air Navigation Report-2020, a State Letter Ref.: AN 1/7 – 20/176 was issued on 28 September 2020, to follow-up on the MSG Conclusion 7/8, which urged States to provide the relevant data necessary for the development of the MID Region Air Navigation Report-. However, some States did not respond to the State Letter.

Data collected from States was complemented by some updates provided mainly through the MIDANPIRG Subsidiary Bodies and the MID eANP Volume III. The Status of data reporting is indicated in below map.

Where the required data was not provided, it is indicated in the Report by color coding (Missing Data).



1.5 Structure of the Report

Executive Summary provides an overall review of the ASBU Block 0 implementation in the MID Region.

Section 1 (Introduction) presents the objective and background of the report as well as the scope covered and method of data collection.

Section 2 lists the priority 1 ASBU Block 0 Modules in the MID Region and presents the status of their implementation and their progress in graphical and numeric form.

Section 3 provides an update on the State's CO2 action plans and presents an estimation of environmental benefits, in terms of CO2 emissions reduction, accrued from the implementation of some ASBU Block 0 Modules in the MID Region.

Section 4 concludes the Report by providing a brief analysis on the status of implementation and the progress of the different priority 1 ASBU Block 0 Modules.

Appendix A provides detailed status of the implementation of Priority 1 Block 0 Modules and their associated Elements for the MID States.



2. STATUS AND PROGRESS OF ASBU IMPLEMENTATION

The ICAO Block Upgrades refer to the target availability timelines for a group of operational improvements (technologies and procedures) that will eventually realize a fully-harmonized global Air Navigation System. The technologies and procedures for each Block have been organized into unique Modules which have been determined and cross-referenced based on the specific Performance Improvement Area to which they relate.

Block 0 Modules are characterized by operational improvements which have already been developed and implemented in many parts of the world. It therefore has a near-term implementation period of 2013–2018, whereby 2013 refers to the availability of all components of its particular performance modules and 2018 refers to the target implementation deadline. ICAO has been working with its Member States to help each determine exactly which capabilities they should have in place based on their unique operational requirements.

This chapter of the report gives an overview of the status of implementation for each of the Priority 1 ASBU Block 0 Modules for the MID States. The status of

implementation of each Module versus its target(s) is also provided for each priority 1 ASBU Block 0 Module. The following color scheme is used for illustrating the status of implementation:

Legend	
	Completed
	Partially Completed (50%+)
	Partially Completed/Late (50%-)
	Not Started/Not Implemented
	Not Applicable
	Missing Data

Note – Missing data is excluded in the calculation of the average regional status of implementation.

2.1 MID Region ASBU Block 0 Modules Prioritization

This report covers twelve (out of eighteen) ASBU Block 0 Modules that have been determined by MIDANPIRG/17 as priority 1 for the MID Region (MID Doc 002 Edition April 2019, refers).

Module Code	Module Title	Priority	Start Date	Monitoring		Remarks
				Main	Supporting	
Performance Improvement Areas (PIA) 1: Airport Operations						
B0-APTA	Optimization of Approach Procedures including vertical guidance	1	2014	PBN SG	ATM SG, AIM SG, CNS SG	
B0-WAKE	Increased Runway Throughput through Optimized Wake Turbulence Separation	2				
B0-RSEQ	Improve Traffic flow through Runway Sequencing (AMAN/DMAN)	2				
B0-SURF	Safety and Efficiency of Surface Operations (A-SMGCS Level 1-2)	1	2014	ANSIG	CNS SG	Coordination with RGS WG
B0-ACDM	Improved Airport Operations through Airport-CDM	1	2014	ANSIG	CNS SG, AIM SG, ATM SG	Coordination with RGS WG
Performance Improvement Areas (PIA) 2 Globally Interoperable Systems and Data Through Globally Interoperable System Wide Information Management						
B0-FICE	Increased Interoperability, Efficiency and Capacity through Ground-Ground Integration	1	2014	CNS SG	AIM SG, ATM SG	
B0-DATM	Service Improvement through Digital Aeronautical Information Management	1	2014	AIM SG		
B0-AMET	Meteorological information supporting enhanced operational efficiency and safety	1	2014	MET SG		
Performance Improvement Areas (PIA) 3 Optimum Capacity and Flexible Flights – Through Global Collaborative ATM						
B0-FRTO	Improved Operations through Enhanced En-Route Trajectories	1	2014	ATM SG		
B0-NOPS	Improved Flow Performance through Planning based on a Network-Wide view	1	2014			
B0-ASUR	Initial capability for ground surveillance	2				


B0-ASEP	Air Traffic Situational Awareness (ATSA)	2				
B0-OPFL	Improved access to optimum flight levels through climb/descent procedures using ADS-B	2				
B0-ACAS	ACAS Improvements	1	2014	CNS SG		
B0-SNET	Increased Effectiveness of Ground-Based Safety Nets	1	2017	ATM SG		
Performance Improvement Areas (PIA) 4 Efficient Flight Path – Through Trajectory-based Operations						
B0-CDO	Improved Flexibility and Efficiency in Descent Profiles (CDO)	1	2014	PBN SG		
B0-TBO	Improved Safety and Efficiency through the initial application of Data Link En-Route	2		ATM SG	CNS SG	
B0-CCO	Improved Flexibility and Efficiency Departure Profiles - Continuous Climb Operations (CCO)	1	2014	PBN SG		

2.2 ASBU Implementation Status and Progress in the MID Region

2.2.1 B0-APTA


The use of performance-based navigation (PBN) and ground-based augmentation system (GBAS) landing system (GLS) procedures will enhance the reliability and predictability of approaches to runways, thus increasing safety, accessibility and efficiency. This is possible through the application of Basic global navigation satellite system (GNSS), Baro vertical navigation (VNAV), satellite-based augmentation system (SBAS) and GLS. The flexibility inherent in PBN approach design can be exploited to increase runway capacity.

B0 – APTA: Optimization of Approach Procedures including vertical guidance				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
LNAV	All RWYs Ends at International Aerodromes	Indicator: % of runway ends at international aerodromes with RNAV(GNSS) Approach Procedures (LNAV) Supporting metric: Number of runway ends at international aerodromes with RNAV (GNSS) Approach Procedures (LNAV)	100% (All runway ends at Int'l Aerodromes, either as the primary approach or as a back-up for precision approaches)	Dec. 2016
LNAV/VNAV	All RWYs ENDs at International Aerodromes	Indicator: % of runways ends at international aerodromes provided with Baro-VNAV approach procedures (LNAV/VNAV) Supporting metric: Number of runways ends at international aerodromes provided with Baro-VNAV approach procedures (LNAV/VNAV)	100% (All runway ends at Int'l Aerodromes, either as the primary approach or as a back-up for precision approaches)	Dec. 2017



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-APTA	LNAV															
	LNAV/VNAV															


The progress for B0-APTA is reasonable (with approximately 64 % implementation).



2.2.2 B0-SURF

Basic A-SMGCS provides surveillance and alerting of movements of both aircraft and vehicles on the aerodrome thus improving runway/aerodrome safety. ADS-B information is used when available (ADS-B APT).


B0-SURF: Safety and Efficiency of Surface Operations (A-SMGCS Level 1-2)				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
A-SMGCS Level 1*	OBBI, HECA, OIII, OKBK, OOMS, OTBD, OTHH, OEJN, OERK, OMDB, OMAA, OMDW	Indicator: % of applicable international aerodromes having implemented A-SMGCS Level 1 Supporting Metric: Number of applicable international aerodromes having implemented A-SMGCS Level 1	70%	Dec. 2017
A-SMGCS Level 2*	OBBI, HECA, OIII, OKBK, OOMS, OTBD, OTHH, OEJN, OERK, OMDB, OMAA, OMDW	Indicator: % of applicable international aerodromes having implemented A-SMGCS Level 2 Supporting Metric: Number of applicable international aerodromes having implemented A-SMGCS Level 2	50%	Dec. 2017



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-SURF	A-SMGCS Level 1															
	A-SMGCS Level 2															

The progress for B0-SURF is good (with approximately 63% implementation). B0-SURF is not applicable for 7 States.


B0-SURF Status of implementation in the MID Region



2.2.3 B0-ACDM


To implement collaborative applications that will allow the sharing of surface operations data among the different stakeholders on the airport. This will improve surface traffic management reducing delays on movement and maneuvering areas and enhance safety, efficiency and situational awareness.

B0 – ACDM: Improved Airport Operations through Airport-CDM				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
A-CDM	OBBI, HECA, OIII, OKBK, OOMS, OTBD, OTHH, OEJN, OERK, OMDB, OMAA	Indicator: % of applicable international aerodromes having implemented improved airport operations through airport-CDM Supporting metric: Number of applicable international aerodromes having implemented improved airport operations through airport-CDM	50%	Dec. 2018



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-ACDM	A-CDM	Completed	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Not Started/Not Implemented	Completed	Not Started/Not Implemented

The progress for B0-ACDM is very slow (with approximately 19% implementation), the implementation status in 2020 is less than in 2019 due to Airport expansion in Bahrain.




2.2.4 B0-FICE

To improve coordination between air traffic service units (ATSUs) by using ATS Interfacility Data Communication (AIDC) defined by the ICAO *Manual of Air Traffic Services Data Link Applications* (Doc 9694). The transfer of communication in a data link environment improves the efficiency of this process particularly for oceanic ATSUs.

B0 – FICE: Increased Interoperability, Efficiency and Capacity through Ground-Ground Integration				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
AMHS capability	All States	Indicator: % of States with AMHS capability Supporting metric: Number of States with AMHS capability	70%	Dec. 2017
AMHS implementation /interconnection	All States	Indicator: % of States with AMHS implemented (interconnected with other States AMHS) Supporting metric: Number of States with AMHS implemented (interconnections with other States AMHS)	60%	Dec. 2017
Implementation of AIDC/OLDI between adjacent ACCs	As per the AIDC/OLDI Applicability Table*	Indicator: % of priority 1 AIDC/OLDI Interconnection have been implemented Supporting metric: Number of AIDC/OLDI interconnections implemented between adjacent ACCs	70%	Dec. 2020


B0-FICE Status of implementation in the MID Region



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-FICE	AMHS capability															
	AMHS impl. /interconnection															
	Implementation of AIDC/OLDI between adjacent ACCs															

The progress for B0-FICE is reasonable (with approximately 56% implementation). However, the AIDC/OLDI implementation in 2020 remains similar to 2019.

B0-FICE Status of implementation in the MID Region




2.2.5 B0-DATM

The initial introduction of digital processing and management of information, through aeronautical information service (AIS)/aeronautical information management (AIM) implementation, use of aeronautical information exchange model (AIXM), migration to electronic aeronautical information publication (AIP) and better quality and availability of data.


<i>B0 – DATM: Service Improvement through Digital Aeronautical Information Management</i>				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
AIXM	All States	Indicator: % of States that have implemented an AIXM-based AIS database Supporting Metric: Number of States that have implemented an AIXM-based AIS database	80%	Dec. 2018
eAIP	All States	Indicator: % of States that have implemented an IAID driven AIP Production (eAIP) Supporting Metric: Number of States that have implemented an IAID driven AIP Production (eAIP)	80%	Dec. 2020
QMS	All States	Indicator: % of States that have implemented QMS for AIS/AIM Supporting Metric: Number of States that have implemented QMS for AIS/AIM	90%	Dec. 2018
WGS-84	All States	Indicator: % of States that have implemented WGS-84 for horizontal plan (ENR, Terminal, AD) Supporting Metric: Number of States that have implemented WGS-84 for horizontal plan (ENR, Terminal, AD) Indicator: % of States that have implemented WGS-84 Geoid Undulation Supporting Metric: Number of States that have implemented WGS-84 Geoid Undulation	Horizontal: 100% Vertical: 90%	Dec. 2018 Dec. 2018
Agreement with data originators	All States	Indicator: % of States that have signed Service Level Agreements (SLA) with at least 50% of their AIS data originators Supporting Metric: Number of States that have signed Service Level Agreements (SLA) with at least 50% of their AIS data originators	80%	Dec. 2020

Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-DATM	AIXM															
	eAIP															
	QMS															
	WGS-84 – H															
	WGS-84 – V															
	Agreement with data originators															

The progress for B0-DATM is good (with approximately 60% implementation). However, DATM implementation status increased from 53% in 2019 to 60% in 2020.



B0-DATM Implementation Status in the MID Region




2.2.6 B0-AMET

Global, regional and local meteorological information:

- forecasts provided by world area forecast centres (WAFC), volcanic ash advisory centres (VAAC) and tropical cyclone advisory centres (TCAC);
- aerodrome warnings to give concise information of meteorological conditions that could adversely affect all aircraft at an aerodrome including wind shear; and
- SIGMETs to provide information on occurrence or expected occurrence of specific en-route weather phenomena which may affect the safety of aircraft operations and other operational meteorological (OPMET) information, including METAR/SPECI and TAF, to provide routine and special observations and forecasts of meteorological conditions occurring or expected to occur at the aerodrome.


B0 – AMET: Meteorological information supporting enhanced operational efficiency and safety				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
SADIS FTP	All States	Indicator: % of States having implemented SADIS FTP service Supporting Metric: Number of States having implemented SADIS FTP service	100%	Dec. 2018
QMS	All States	Indicator: % of States having implemented QMS for MET Supporting metric: number of States having implemented QMS for MET	80%	Dec. 2018
SIGMET	All States with MWOs in MID Region	Indicator: % of States having implemented SIGMET Supporting metric: number of States having implemented SIGMET	100%	Dec. 2018
OPMET	All States	Indicator: % of States having implemented METAR and TAF Supporting metric: number of States having implemented METAR and TAF	95%	Dec. 2018
WIND SHEAR	List of Aerodrome where wind shear reports a safety issue	Indicator: Availability of wind shear automated system Supporting metric: TBD	TBD	TBD



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-AMET	SADIS FTP															
	QMS															
	SIGMET															
	OPMET															
	Wind Shear															

The progress for B0-AMET is good (with approximately 64% implementation). The implementation of AMET decreased due to adding new element “wind shear”.

B0-AMET Status of implementation in the MID Region



2.2.7 B0-FRTO

To allow the use of airspace which would otherwise be segregated (i.e. special use airspace) along with flexible routing adjusted for specific traffic patterns. This will allow greater routing possibilities, reducing potential congestion on trunk routes and busy crossing points, resulting in reduced flight length and fuel burn.

B0 – FRTO: Improved Operations through Enhanced En-Route Trajectories				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
Flexible Use of Airspace (FUA) Level 1 Strategic	All States	Indicator: % of States that have implemented FUA Level 1 Supporting metric*: number of States that have implemented FUA Level 1	50%	Dec. 2019
FUA Level 2 Pre-tactical	All States	Indicator: % of States that have implemented FUA Level 2 Supporting metric*: number of States that have implemented FUA Level 2	60%	Dec. 2020
FUA Level 3 Tactical	All States	Indicator: % of States that have implemented FUA Level 3 Supporting metric*: number of States that have implemented FUA Level 3	60%	Dec. 2022

* Implementation should be based on the published aeronautical information

Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-FRTO	Flexible Use of Airspace (FUA) Level 1 Strategic															
	FUA Level 2 Pre-tactical															
	FUA Level 3 Tactical															

2.2.8 B0-NOPS

Air Traffic Flow Management (ATFM) is used to manage the flow of traffic in a way that minimizes delay and maximizes the use of the entire airspace. ATFM can regulate traffic flows involving departure slots, smooth flows and manage rates of entry into airspace along traffic axes, manage arrival time at waypoints or Flight Information Region (FIR)/sector boundaries and re-route traffic to avoid saturated areas. ATFM may also be used to address system disruptions including crisis caused by human or natural phenomena.

Experience clearly shows the benefits related to managing flows consistently and collaboratively over an area of a sufficient geographical size to take into account sufficiently well the network effects. The concept for ATFM and demand and capacity balancing (DCB) should be further exploited wherever possible. System improvements are also about better procedures in these domains, and creating instruments to allow collaboration among the different actors.


B0 – NOPS: Improved Flow Performance through Planning based on a Network-Wide view				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
ATFM Measures implemented in collaborative manner	All States	Indicator: % of States that have established a mechanism for the implementation of ATFM Measures based on collaborative decision Supporting metric: number of States that have established a mechanism for the implementation of ATFM Measures based on collaborative decision	100%	Dec. 2018
ATFM Structure	All States	Indicator: % of States that have established an ATFM Structure Supporting metric: number of States that have established an ATFM Structure	100 %	Dec. 2019

Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-NOPS	ATFM Measures implemented in collaborative manner															
	ATFM Structure															

2.2.9 B0-ACAS


To provide short-term improvements to existing airborne collision avoidance systems (ACAS) to reduce nuisance alerts while maintaining existing levels of safety. This will reduce trajectory deviations and increase safety in cases where there is a breakdown of separation.

B0 – ACAS: ACAS Improvements				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
Avionics (TCAS V7.1)	All States	Indicator: % of States requiring carriage of ACAS (TCAS v 7.1) for aircraft with a max certificated take-off mass greater than 5.7 tons Supporting metric: Number of States requiring carriage of ACAS (TCAS v 7.1) for aircraft with a max certificated take-off mass greater than 5.7 tons	100%	Dec. 2017



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-ACAS	ACAS (TCAS V7.1)															

The progress for B0-ACAS is good (with approximately 80% implementation).




2.2.10 B0-SNET

To enable monitoring of flights while airborne to provide timely alerts to air traffic controllers of potential risks to flight safety. Alerts from short-term conflict alert (STCA), area proximity warnings (APW) and minimum safe altitude warnings (MSAW) are proposed. Ground-based safety nets make an essential contribution to safety and remain required as long as the operational concept remains human centered.

B0 – SNET: Increased Effectiveness of Ground-based Safety Nets				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
Short-Term Conflict Alert (STCA)	All States	Indicator: % of States that have implemented Short-term conflict alert (STCA) Supporting metric*: number of States that have implemented Short-term conflict alert (STCA)	80 %	Dec. 2018
Minimum Safe Altitude Warning (MSAW)	All States	Indicator: % of States that have implemented Minimum safe altitude warning (MSAW) Supporting metric*: number of States that have implemented Minimum safe altitude warning (MSAW)	80 %	Dec. 2018


B0-SNET Status of implementation in the MID Region



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-SNET	Short-term conflict alert (STCA)															
	Minimum safe altitude warning (MSAW)															

The progress for B0-SNET is very good (with approximately 80% implementation).

B0-SNET Status of implementation in the MID Region




2.2.11 B0-CDO

To use performance-based airspace and arrival procedures allowing aircraft to fly their optimum profile using continuous descent operations (CDOs). This will optimize throughput, allow fuel efficient descent profiles and increase capacity in terminal areas.

B0 – CDO: Improved Flexibility and Efficiency in Descent Profiles (CDO)				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
PBN STARs	OBBI, HESN, HESH, HEMA, HEGN, HELX, OIIE, OISS, OIKB, OIMM, OIFM, ORER, ORNI, OJAM, OJAI, OJAQ, OKBK, OLBA, OOMS, OOSA, OTHH, OEJN, OEMA, OEDF, OERK, HSNN, HSOB, HSSS, HSPN, OMAA, OMAD, OMDB, OMDW, OMSJ	Indicator: % of International Aerodromes/TMA with PBN STAR implemented as required. Supporting Metric: Number of International Aerodromes/TMAs with PBN STAR implemented as required.	100% (for the identified Aerodromes/TMAs)	Dec. 2018
International aerodromes/TMAs with CDO	OBBI, HESH, HEMA, HEGN, OIIE, OIKB, OIFM, OJAI, OJAQ, OKBK, OLBA, OOMS, OTHH, OEJN, OEMA, OEDF, OERK, HSSS, HSPN, OMAA, OMDB, OMDW, OMSJ	Indicator: % of International Aerodromes/TMA with CDO implemented as required. Supporting Metric: Number of International Aerodromes/TMAs with CDO implemented as required.	100% (by for the identified Aerodromes/TMAs)	Dec. 2018


B0-CDO Status of implementation in the MID Region



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-CDO	PBN STARs															
	International aerodromes/TMAs with CDO															

The progress for B0-CDO is acceptable (with approximately 52% implementation). The implementation statuses increased from 48% in 2019 to 52% in 2020.

B0-CDO Status of implementation in the MID Region




2.2.12 B0-CCO

To implement continuous climb operations in conjunction with performance-based navigation (PBN) to provide opportunities to optimize throughput, improve flexibility, enable fuel-efficient climb profiles and increase capacity at congested terminal areas.


B0 – CCO: Improved Flexibility and Efficiency Departure Profiles - Continuous Climb Operations (CCO)				
Elements	Applicability	Performance Indicators/Supporting Metrics	Targets	Timelines
PBN SIDs	OBBI, HESN, HESH, HEMA, HEGN, HELX, OIIE, OISS, OIKB, OIMM, OIFM, ORER, ORNI, OJAM, OJAI, OJAQ, OKBK, OLBA, OOMS, OOSA, OTHH, OEJN, OEMA, OEDF, OERK, HSNH, HSOB, HSSS, HSPN, OMAA, OMAD, OMDB, OMDW, OMSJ	Indicator: % of International Aerodromes/TMA with PBN SID implemented as required. Supporting Metric: Number of International Aerodromes/ TMAs with PBN SID implemented as required.	100% (for the identified Aerodromes/TMAs)	Dec. 2018
International aerodromes/TMAs with CCO	OBBI, HESN, HESH, HEMA, HEGN, HELX, OIIE, OIKB, OIFM, ORER, ORNI, OJAM, OJAI, OJAQ, OKBK, OLBA, OOMS, OOSA, OTHH, OEJN, OEMA, OEDF, OERK, HSNH, HSOB, HSSS, HSPN, OMAA, OMDB, OMDW, OMSJ	Indicator: % of International Aerodromes/TMA with CCO implemented as required. Supporting Metric: Number of International Aerodromes/TMAs with CCO implemented as required.	100% (for the identified Aerodromes/TMAs)	Dec. 2018

B0-CCO Status of implementation in the MID Region



Module	Elements	Bahrain	Egypt	Iran	Iraq	Jordan	Kuwait	Lebanon	Libya	Oman	Qatar	Saudi	Sudan	Syria	UAE	Yemen
B0-CCO	PBN SIDs	Red	Green	Red	Yellow	Green	Green	Red	Grey	Green	Green	Green	Green	Grey	Green	Yellow
	Intl ADs/TMAs with CCO	Green	Red	Red	Red	Red	Red	Green	Grey	Red	Green	Green	Red	Grey	Green	Yellow

The progress for B0-CCO is low (with approximately 45% implementation), however, the implementation increased from 42% in 2019 to 45% in 2020.



3 ENVIRONMENTAL PROTECTION

4.1 Introduction

Environmental Protection, to minimize the adverse environmental effects of civil aviation activities, is one of the five strategic objectives of ICAO. With a view to minimizing the adverse effects of international civil aviation on the environment, ICAO formulates policies, develops and updates Standards and Recommended Practices (SARPs) on aircraft noise and aircraft engine emissions, and conducts outreach activities. Information related to the ICAO activities on environmental protection is available on the ICAO website at: <https://www.icao.int/environmental-protection/Pages/default.aspx>

This section provides an update on the States' Action Plans on CO₂ Emissions Reduction; and presents an estimation of environmental benefits, in terms of fuel saving / CO₂ emissions reduction, accrued from the implementation of some ASBU Block 0 Modules in the MID Region.

4.2 States' Action Plans on CO₂ Emissions Reduction

The ICAO Assembly 38 (24 September to 4 October 2013) endorsed the Resolution 38-18 Consolidated statement of continuing ICAO policies and practices related to environmental protection – Climate Change which encouraged States to voluntarily prepare and submit Action Plans on CO₂ emission reduction to ICAO. An ambitious work programme was further laid down for capacity building and assistance to States in the development and implementation of their Action Plans to reduce emissions,

which States were initially invited to submit by the 37th Session of the ICAO Assembly in October 2010.


ICAO Assembly 39 (Montreal, Canada, 27 September – 6 October 2016) encouraged States, through Assembly Resolution 39-2 Consolidated statement of continuing ICAO policies and practices related to environmental protection – Climate change, to submit voluntary Action Plans outlining respective policies and actions, and annual reporting on international aviation CO₂ emissions to ICAO.

The MIDANPIRG/16 meeting (Kuwait, 13 - 16 February 2017) invited States to develop/update their Action Plans for CO₂ emissions reduction and submit them to ICAO through the APER website or the ICAO MID Regional Office.

An Action Plan is a means for States to communicate to ICAO information on activities to address CO₂ emissions from international aviation. The level of information contained in an action plan should be sufficient to demonstrate the effectiveness of actions and to enable ICAO to measure progress towards meeting the global goals set by Assembly Resolution A38-18. Action plans give States the ability to: establish partnerships; promote cooperation and capacity building; facilitate technology transfer; and provide assistance.

The Status of the provision of Action Plans on CO₂ emission in the MID Region is as follows:

State	Action Plans
Bahrain	June 2015
Egypt	July 2016
Iran	-
Iraq	June 2012
Jordan	September 2013
Kuwait	-
Lebanon	-
Libya	-
Oman	-
Qatar	March 2020
Saudi Arabia	April 2018
Sudan	January 2015
Syria	-
UAE	June 2012 (update May 2018)
Yemen	-



4.3 Estimation of the Environmental Benefits accrued from implementation of ASBU Block 0 Modules

CAEP/10 conducted an assessment of the potential environmental benefits (fuel savings / CO₂) for the period between the start of implementation of ASBU Block 0 modules in 2013 and the planned implementation of such modules in 2018 (end of Block 0). In order to accomplish this task, CAEP developed sets of Rules-of-Thumb for each studied module with the overall intent to provide a conservative estimate of ASBU Block 0 fuel saving benefits. Rules-of-Thumb were developed using existing, publically available data, literature, and assumptions, together with the professional judgment of the analysts. A total of twenty-three (23) rules of thumb have been developed for thirteen (13) ASBU Block 0 Modules.


The results of the ASBU Block 0 analysis conducted by CAEP highlight a potential reduction in fuel consumption by 2018 due to the implementation of ASBU Block 0 modules when compared to the 2013 baseline. The results show that the following Block 0 Modules (operational improvements) would have the

biggest contribution to fuel saving in the MID Region:

- **CCO 1 (CCO)**
- **CDO 1 (CDO)**
- **ACDM**
- **CDO 2 (PBN STARs)**
- **ASUR (ADS-B Surveillance)**
- **CCO 2 (PBN SIDs)**
- **APTA 1 (Radius to Fix)**

As the status of implementation of B0-ACDM and B0-ASUR is still low in the MID Region, a Methodology for the Estimation of environmental benefits accrued from the implementation of priority 1 Block 0 Modules in the MID Region has been developed for B0-APTA, CCO and CDO, based on the Rules of Thumb and the available traffic data.

The estimation has shown a **total of 86209.0 Mt to 149037.4 Mt** of fuel saving in the MID Region, as a result of the implementation of the selected Block 0 Modules (APTA, CDO and CCO), as shown below:



SUCCESS STORIES/BEST PRACTICES

5.1 MONTH OF KNOWLEDGE FOR THE FUTURE OF ANS

Throughout the evolving COVID-19 crisis, ICAO's Regional Office in Cairo ensured there was an open dialogue with member States to reduce the risks of the spread of COVID-19 by air transport, and to protect the health of air travellers and aviation personnel, while at the same time maintaining air transport operations and ensuring an orderly return to normal operations in due course. Additionally, they established communication with international and regional organizations to harmonize efforts and planning in the recovery phase.

To help support of these efforts, the UAE General Civil Aviation Authority (GCAA), in collaboration with the International Civil Aviation Organization (ICAO) and the Arab Civil Aviation Organization (ACAO). developed a Month of Knowledge for The Future of Air Navigation Services (ANS). The series of educational and awareness webinars will address different parts of ANS. The aim of the webinars was to share the knowledge and experiences of the proposed subjects with the aviation community.

The webinars, which were provided at no cost, spotlighted the importance of ANS, issues, improvements and benefits for States. Global experts will share their experiences and speakers from international organizations will share their expertise during the webinars. The initiative served as a platform for discussions and guidance on the below topics that were useful for the many industry stakeholders who participated. The statistics for the webinars are provided at the end of this article.



Month of Knowledge
For The Future of ANS



**We Learn To “Change” For a
Better Future**

Series of “ten” educational webinars



5.2 BAHRAIN: NEW AIR-GROUND COMMUNICATION STATIONS

Introduction

The Kingdom of Bahrain has been providing air traffic services since the 1950s in the Bahrain Flight Information Region (FIR).

Throughout this period, Bahrain has been developing the Communications, Navigation and Surveillance (CNS) infrastructure in the interest of safety, efficiency and regularity of air navigation.

As part of Kingdom's of Bahrain strategic plan to develop civil aviation sector in general and with air navigation services in particular, several strategic projects have been fully implemented, planned, or are in progress

Bahrain Civil Aviation Affairs has recently completed an important project for new aeronautical air-ground communications services. This comprises of two stations, one transmitters with the second receivers. These stations are integrated into to a completely new voice communication and control system (VCCS) installed at Bahrain air traffic control center.

Transmitter and Receiver Stations

The transmitter station comprises of nineteen main transmitters, with redundancy catered for with a corresponding number of standbys.

The receiver station has an identical receiver configuration.

In addition, there are four redundant UHF channels. The transmitter site was built on reclaimed land, 0.5 km from the airport perimeter and offset from the extended runway centerline. The total area of the land is 40,000 m² and will allow for future developments and upgrades of air navigation infrastructure – See Figure 1.

The system is connected directly to the air navigation building through a dedicated fiber optic cable (main, and standby).

The receiver station is located within the airport boundary and also connected to the air navigation building through the fiber optic network.

The installed system is a fully digital end to end futureproofed solution, capable of analogue, E1 and ED 137 VOIP technologies

With a class leading VCCS, coupled to the latest VHF radios system, the installation should enjoy many years of operation.

Action Plan

A transition plan from the old to new stations was developed to ensure (zero) service interruption. Both stations continued operations in parallel and transition to the new systems. This was completed successfully during September 2020.



Figure 1. New Transmitter Station

FIC & Tower Emergency Radios

The Flight Information Centre (FIC) and Bahrain Control Tower are also equipped with emergency radios for VHF and UHF communications.

These systems function completely independently and will provide essential communications in the unlikely event of a system failure.

Future

The stations are designed to operate effectively for the upcoming 20 years and should withstand any future expansion and upgrades of communications infrastructure.

The new transmitter and receiver facilities will be integrated into to a “further” expanded VCCS, located in the new Area Control Centre (currently under construction).

The new Area Control Center (ACC). Will be fitted with a completely new ATM system and complimented by the VCCS/Radio development.

The new ACC project is expected to be completed by the end of 2021.

Conclusion

Bahrain Civil Aviation Affairs initiatives are based on the ICAO Global Air Navigation Plan, Regional Air Navigation Plan and Aviation System Block Upgrade (ASBU) regional priorities.


6 CONCLUSION

The overall implementation of priority 1 ASBU Block 0 Modules in the MID Region is around **58%** compared to 56% in 2019. The implementation of some modules has been acceptable/good; such as B0-ACAS, B0-AMET, B0-APTA and B0-SNET. Nevertheless, some States are still facing challenges to implement the majority of the Block 0 Modules.

The progress of status of implementation of the ASBU Block 0 Modules in 2020 also shows that Lebanon, Qatar

and Saudi Arabia made a good progress in the implementation of the priority 1 ASBU Block 0 Modules.

An estimated amount of total of 86209.0 Mt to 149037.4 Mt of fuel saved (total of 94829.9 to 163941.2 Mt of CO₂) has been saved in the MID Region in 2020, as a result of the implementation of the selected Block 0 Modules (APTA, CDO and CCO).



APPENDIX A: STATUS OF ASBU BLOCK 0 MODULES

[illegible]



ICAO MID

International Civil Aviation Organization
Middle East Office
Cairo International Airport
Cairo 11776, EGYPT

Tel.: +20 2 22674840/41/45/46
Fax: +20 2 22674843
Email: icaomid@icao.int

www.icao.int/mid

