CORSIA

EMISSIONS REPORT (ER)

CONTENTS

- 1 Aeroplane operator identification and description of activities
- 2 Underlying basic information of the Emissions Report
- 3 Aeroplane fleet and fuel types
- 4 Fuel density
- 5. Reporting
- 5.1 Reporting State pairs
- 5.2 Reporting Aerodrome pairs
 - 6 Data gaps

Template Information

Template provided by:	ICAO
Version (publication date):	2018-20-12

Note: For the purpose of this template, international flight is defined as in Annex 16, Volume IV, Part II, Chapter 1, 1.1.2, and Chapter 2, 2.1.

Note: This template has been partially filled out in red-colored text and represents an illustrative example of an ER for demonstration purposes only.

1 AEROPLANE OPERATOR IDENTIFICATION AND DESCRIPTION OF ACTIVITIES

a) Name of aeroplane operator

Please enter the name of the aeroplane operator. This name should be the legal entity carrying out the aviation activities.

A1 Airways

a1) Address of the aeroplane operator

Please enter the address of the aeroplane operator.

Address:	Airport Road 1
City:	Airport City
State/Province/Region:	
Postcode/ZIP:	123456
Country:	State A

a2) Contact person

Please enter the contact information of the person within the aeroplane operator who is responsible for the Emissions Report.

Title:	Director
First name:	Mary
Surname:	Air
	Mary.Air@A1A.ast
Telephone number:	(XXX) XX XXX-111
Address line 1:	Airport Road 1
Address line 2:	
City:	Airport City
State/Province/Region:	
Postcode/ZIP:	123456
Country:	State A

a3) Alternate contact person

Please enter the contact information of an additional person within the aeroplane operator who is responsible for the Emissions Report.

Title:	Technical Director
First name:	John
Surname:	Plane
Email address:	John.Plane@A1A.ast
Telephone number:	(XXX) XX XXX-222
Address line 1:	Airport Road 1
Address line 2:	
City:	Airport City
State/Province/Region:	
Postcode/ZIP:	123456
Country:	State A

a4) Legal representative

Please enter a contact address of a representative who is legally resonsible for the aeroplane operator for official correspondence.

Title:	Director
First name:	Mary
Surname:	Air
	Mary.Air@A1A.ast
Telephone number:	(XXX) XX XXX-111
Address line 1:	Airport Road 1
Address line 2:	
City:	Airport City
State/Province/Region:	
Postcode/ZIP:	123456
Country:	State A

b) Aircraft Identification of the aeroplane operator for international flights (Item 7 of the flight plan)

Select the options used for reporting flight attribution to the aeroplane operator.

ICAO Designator

Does Item 7 (aircraft identification) of the flight plan begin with an ICAO Designator according to Doc 8585 — Designators for Aircraft Operating Agencies, Aeronautical Authorities and Services' If yes, please select "ICAO Designator" from the drop down list and complete b1).

Registration marks

Does Item 7 (aircraft identification) of the flight plan correspond to the **nationality or common mark**, and **registration mark**, as explicitly stated in an **AOC** (or equivalent)? If yes, please select "Registration marks" from the drop down list.

ICAO Designator and registration marks

ICAO Designator: according to Doc 8585

Responsibility under the CORSIA

Aeroplane operator that has been assigned the ICAO designator

b1) ICAO Designator

Provide the ICAO Designator (or Designators) used for Air Traffic Control purposes, as listed in Doc 8585 — Designators for Aircraft Operating Agencies, Aeronautical Authorities and Services if the aeroplane operator has an ICAO Designator(s).

AXX

b2) Additional information on flight attribution

If during the monitoring period an additional attribution approach has been used to that identified in section b) and as explained in the EMP, please provide detailed information on the attribution process.

ICAO Designator AXX is used in item 7 of the flight plan. The designator AXX is used for all scheduled operations of A1 Airways.

c) Verification body

Contact information of the engaged accredited verification body.

Verification body:	Best AirVerifiers
Title:	Director
First name of verifier:	Carbon
Surname of verifier:	Neutral
Email address:	carbon.neutral@airverifiers.com
Telephone number:	XXX-XXX-XXX-00
Address line 1:	123 New Road
Address line 2:	
City:	Big City
State/Province/Region:	
Postcode/ZIP:	00AA00
Country:	State A

c1) Accreditation details

Please provide information regarding the national accreditation body.

Authorization based on:	Regulation 1X
Body / Authority:	National Accreditation Body
Number:	123XX456
Country:	State A

2 UNDERLYING BASIC INFORMATION OF THE EMISSIONS REPORT

a)) F	₹€	p	0	rt	in	g	у	e	a	ľ
----	-----	----	---	---	----	----	---	---	---	---	---

Please provide the reporting year.

2019

b) End of reporting period

Usually the last day of the reporting year, as long as the operator has not ceased flight operations during the reporting year. Use the format yyyy-mm-dd.

2019-12-31

c) Date of issue

Date on which the Emissions Report was compiled. Use the format yyyy-mm-dd.

2020-01-18

d) Version

In case of multiple submissions, please enter the Emissions Report version number.

ER_1

e) Current Emissions Monitoring Plan

Please enter the version number of the approved Emissions Monitoring Plan on which this Emissions Report is based.

1

e1) Approval of the current Emissions Monitoring Plan

Please enter the date of the approval of the Emissions Monitoring Plan. Use the format yyyy-mm-dd.

2018-07-12

e2) Emissions Monitoring Plan is valid from

Please enter the date of validity of the current Emissions Monitoring Plan. Use the format yyyy-mm-dd.

2019-01-01

e3) Last update of the Emissions Monitoring Plan

Please enter the date of the Emissions Monitoring Plan on which basis this report was created. Use the format yyyy-mm-dd.

2018-07-12

e4) Was more than one approved Emissions Monitoring Plan version used during the reporting year?

Please choose "yes" if the Emissions Report is based on more than one Emissions Monitoring Plan.

nο

e4.1) ***Ephination**

**Process of the analysis of the same of the control of th

e5) Previous Emissions Monitoring Plan (if applicable)

Please list the previous Emissions Monitoring Plan version with version number and date of approval (if applicable).

N/A

f) Fuel Use Monitoring Method and / or the ICAO CORSIA CO2 Estimation and Reporting Tool (CERT)

Please indicate whether the aeroplane operator used the ICAO CORSIA CO₂ Estimation and Reporting Tool (CERT) and whether the tool was used for all international flights or only for international flights not subject to offsetting requirements.

Fuel Use Monitoring Method A. ICAO CORSIA CERT was not used

g) Fuel Allocation with Block Hour

Please indicate whether the aeroplane operator used the Fuel Use Monitoring Method "Fuel Allocation with Block Hour" during the reporting

no

g1) Underlying sereptame fuel burit.

Finance provides the state restriction for everyor the state and provides present securities state and control of securities and provides and provide

	Can be Foods 25
PAG GEOGRAPIO	Specific Spiritums in Romes per front
22	
4	
38	
38	
32	
94	
36	
91	
A CONTRACTOR OF THE CONTRACTOR	

3 AEROPLANE FLEET AND FUEL TYPES

a) Registration of all aeroplanes operated in the reporting year

Please list all aeroplanes with an MTOM greater than 5 700 kg (12 566 lbs) operated on international flights, as defined in Annex 16, Volume IV, Part II, Chapter 1, 1.1.2, and Chapter 2, 2.1, during the reporting period. If necessary, please attach a separate list.

Please enter the ICAO aircraft type designator, as specified in Doc 8643 — Aircraft Type Designators, the registration marks and state whether the aeroplane is owned or leased. Please mark with an "X" applicable fuel(s) type(s) for each ICAO aircraft type designator.

Additional information about Doc 8643 — Aircraft Type Designators can be found at:

http://www.icao.int/publications/DOC8643/Pages/Search.aspx

	ICAO				Fuel	used	
No.	aircraft type designators		Owned or leased	Jet-A	Jet-A1	Jet-B	AvGas
1	A320	A-BCDE	owned	X			
2	AT72	A-CDEF	owned	X			
3	B789	A-DEFG	owned	X			
4	DH8D	A-EFGH	owned	Х			
5	E190	A-FGHI	leased	Х			
6	MD11	A-GHIJ	leased	X			
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							

4 FUEL DENSITY

a) Fuel density

Please specify whether standard and / or actual density was used to determine the fuel uplift in the reporting year.

standard and actual density

a1) Consistency

Please confirm that the application of density data for CORSIA purposes is fully identical to the actual procedures used for operational and safety reasons.

yes

5 REPORTING

a) Aggregation level of reported data

Please select whether the aeroplane operator reports on a State pair or at an aerodrome pair level as advised by the State. If State pair level is chosen, please continue with "5.1 Reporting - State pairs". If aerodrome pair level is selected, please continue with "5.2 Reporting - Aerodrome pairs".

reporting on an aerodrome pair level

5 REPORTING - STATE PAIRS

	*	1	10	1	9	H	1	W	W	100	W	1					Ŋ		Ø		1	A	×	K	H		W		P	9	*			H	W	N)	N	A	W		Ø	N	À	×	1	H	*		Ø	1	H	e e	W	N.		111		M	M	Ш				M			M					ŝ
						ij										ij																			ij																															1						
	W	W.	ì	V	Z	N.		Ø	W	N		N			X	ù	8		Ñ	ò		S	Š		N	W	S		1	Ñ		à			a	Ø	N	ò	i		i di		ò				ì	ij				b			di	¥	el)	N			W	Ä	V	W		À		ď	ò			
	100	Ť	Š	9			N	H	K	W	ij	B		ij	Š		X	3		S	Ü	ľ	90	S	1	B	g		8	×		1	Š		3	g	8		Š	8	B	ď	8	B	N	1	S	10		ď	Ċ	U	gi.		X	8	Ħ	œ	Ü	Ħ	er T	W.	W	H	1	ji)	Ħ	œ				
		1					I				1					ï														8									10			1												1	11		11	Ħ	11													
a) \$	N.	in.				X	re	à	N		N	M	è	à		ì	À		N	N	ì	i			d	è	m			à	ì																																									
																																																																								ŝ
	30	9	Ħ	X	Ŋ	Ġ	Ø	39	Ø	ij	X	98		Ø	è	Ù	8	Ŕ	n	31	W	g	1		(H	ij	ġ,	8	è	9																																										
		Į,		Ä	Ħ	Ħ	e	W	Ŕ	9	H	N.	Ġ	9	8	Q!	K	ij	SN.	Ø	9	Ħ	16	7	7		100	9	3)	Į.	d	R	6	99	Ġ.	ĮĮ.	Ħ	20	Ħ	Œ.	Ħ	6	8													Ħ		Ħ	Ħ	Ħ			Ħ	Ħ			Ħ	Ħ				3
		77	<u> </u>	200	 100	27. D£		<u> </u>	70		W.	Z,	O)	<u> </u>	g	ii)	20	g	10	C	30	Ų		30	ä	<i>(</i> 0)	36		6		10																			H	H	H	H		#	#	#	H	H				H	H		#	H	H				
		7	2	7	25 10	2	22 26			90 201	2) 61	2	7	27 64	20	7	2	S	2	2	22 60	7	7		7	7		2	8	20		7	7	2	25			2		7											k						H														H	
				1			H				ll.								11									11			11																				H				#	#				#						#	H	H				2
	iii	Ï	ï				ï	iii	iii	iii	iii	iii	ï				ï		ï				iii													Ü												ï	ï					ï	iii.	ä	iii	Ä	Ä	iii		Ü	iii	iii	ï	ij	Ü	Ü		ï	iii	Š
b) \$	illi illi	W				W	ì		Ü			ili			à		ij		Ä																																																					Ĭ
•																																																																								Š
																																																							111	111	1									1						
	116	N	ij			Ш		Ш									ij									Ш									Ш			ij												Ш	Ш	Ш								III	Ш			Ш		1						
	316	S				H		Ш	Ш	Ш	Ш	Ш					ij									H									H			ij												H		H			Ш					Ш			Ш	Ш								
	M	11			H				Ш	Ш	Ш	Ш		Ħ			ij		Ш			Ħ																				Ħ							Ш		H		H		#	#	Ш			Ш	H		Ш	Ш		ij				Ш	H	Ž
	III.	III	ill.	illi	W	III	III	III	111	111	111	111	ill.	ill.	111	111	111	111	W.	ill.	111	ill.	111	111	111	III	111	111	111	111	111	ill.	111	111	III	111	111	111	111	111	111	111	ill.	111	111	ill.	111	Ш	III	III	Ш	III	111	III	:111:	:111.	:111	Ш	Ш	111	Ш	111	111	111	ill.	111.	m	111	111	W.	ill)	Š

b1)	HA eli	gible f	uele c	laitti																				W								
						erox (i Habada										BOR	bele 		1004	aner	ee er	e e	1980	er e	e e e	M.	SISP.		36	18	M	
	espe.							MINI	mn	m	90	111111	71111	mn	ПП	ПШ	HMH.	HHH	m	11717	mm	W			BH		ion	res	ĐΘ	ion		
	Jet	Feedsi	ock Y	SORM	NSIO	1 OKO	868			Bat	le fi		en se	mne	W				oss I	ions	198	Jes						me				
															Ш																	
	••••				Total	emi	Sidn	N.ESCA	iciie	MS 1	οш	n)	NE E	S.	30	833		000	e Au	elle.	136	ine										
(2) 	HHHHH	mmm	umm	umm	uuuu	umm	uuuu	um	mm	um	mm	um	um	um	ww	um	um	en e	um	ww	um	um	w	ww	um	*****	$\omega \omega$	m	m		*****	****

- \	7121	~~~	~~~		aman	mm,
C)	I/SN	MP.	κm	11.247	жек	ATTEN
٠,		mm	mm	mm	mn	HHS.

	ADALS Mere bedalbebeak and edde	

State of departure	STREET COST NO. COST	ubject to
CHERE DA ACTIENTING	SSETTERED (1807H) SECURE SECUR	Line menter
	SMEET LEGGT	

5 REPORTING - AERODROME PAIRS

Explanation: Please complete the list underneath. All aerodrome pairs that were operated during the reporting year have to be reported.

Note I: Please report both directions between aerodrome pairs if applicable (A-B and B-A).

Note II: If you used different type of fuels on the same aerodrome pair with different fuel conversion factors, you need to create an identical aerodrome pair and report this portion of fuel separately. Please note, emissions from CORSIA eligible fuels are calculated with the fuel conversion factor(s) from corresponding aviation fuels.

Note III: Please also complete the CORSIA eligible fuels supplementary information to the Emissions Report, if CORSIA eligible fuels were used during the reporting period.

a) Summary of reported international flights and emissions

Total CO ₂ emissions from international flights (in tonnes):	22943
Total CO ₂ emissions from flights subject to offsetting requirements (in tonnes):	
Total number of international flights during reporting period:	646
Total number of international flights subject to offsetting requirements:	
Total emissions reductions claimed from the use of CORSIA eligible fuels (in tonnes):	

b) Summary of fuel quantities (in tonnes):

Jet-A Jet-A1 Jet-B AvGas	7260
Jet-A1	
Jet-B	
AvGas	

b1) CORSIA eligible fuels claimed

If claiming emission reductions from the use of CORSIA eligible fuels, please complete the table below. Supplementary information about the claim is also required, and can be reported using the CORSIA eligible fuels supplementary information template.

	Fuel type		Total mass of the neat	Approved Life			
Fuel type (e.g., Jet- A)		Conversion process	CORSIA eligible fuel (in tonnes)	Cycle Emissions values	Emission reductions claimed		
	Total emission reductions from the use of CORSIA eligible fuel(s) claimed						

c) Table of all aerodrome pairs

Please list all aerodrome pairs on which international flights were performed and enter the number of flights and the amount of CO₂ emissions.

D	Departure		Arrival		Total	Fuel	Total amount of	Fuel	CO ₂	Subject to
ICAO airport code	State	ICAO airport code	State		flights type	fuel used (in tonnes)	conversion factors		offsetting requirements?	
BIGM	State A	AIPQ	State B	no	117	Jet-A	1059.76	3.16	3348.84	
YSEG	State A	EEFT	State B	no	42	Jet-A	485.18	3.16	1533.17	
AIPQ	State B	BIGM	State A	no	115	Jet-A	979.12	3.16	3094.02	
EEFT	State B	YSEG	State A	no	42	Jet-A	436.45	3.16	1379.18	
BIGM	State A	MHUL	State C	no	104	Jet-A	2027.34	3.16	6406.39	
MHUL	State C	BIGM	State A	no	104	Jet-A	1674.12	3.16	5290.22	
SDVK	State D	EEFT	State B	no	61	Jet-A	327.39	3.16	1034.55	
EEFT	State B	SDVK	State D	no	59	Jet-A	271.08	3.16	787.81	
EEFT	State B	SDVK	State D	yes	2				68.8	

6 DATA GAPS

Explanation: "Data gaps" are missing data which is necessary for the correct determination of CO₂ emissions but cannot be taken from primary sources anymore and cannot be reconstructed from secondary sources.

a) Did any data gaps occur during the reporting year?

ves

b) Is the threshold of 5 per cent for data gaps exceeded?

In 2019 and 2020, 5 per cent refers to international flights, as defined in Annex 16, Volume IV, Part II, Chapter 1, 1.1.2, and Chapter 2, 2.1.
From 2021 onwards, 5 per cent refers to international flights subject to offsetting requirements, as defined in Annex 16, Volume IV, Part II, Chapter 1, 1.1.2, and Chapter 3, 3.1.

The aeroplane operator using a Fuel Use Monitoring Method shall fill data gaps using the ICAO CORSIA CERT, provided that the data gaps during a compliance period do not exceed the thresholds described above.

Estimated emissions should then appear in spreadsheet 5.1 Reporting - State Pairs as separate State pairs (if reporting is done at State pair level) or in spreadsheet 5.2 Reporting - Aerodrome Pairs as separate aerodrome pairs (if reporting is done at aerodrome pair level).

no

b1) Per cent of data gaps

Please enter per cent of data gaps (according to criteria defined in Part II, Chapter 2, 2.5.1 and rounded to the nearest 0.1 per cent)

0.30%

b2)	et of data ga	os if the Sper	DeW Wweshold \	ias been exte	eded III Ille Xi	porting year			***
2	ara seraken d	e las underdeath	Martinetto (Charles	er exceeded					
	- PA	detence			Tune	reguacamer			
	(Describer)	ie idansi gapi, entire		100	unternengert	(December the matt		sions :	
	and the second	light runder et	Cause		agan mena	desembly about			
	an area	A the detector		ine casae	assement no	988 387 88	94,000,000	586705	
	9000000			200	male", Yvervelli	11001200100100100	which are sti	icted (0)	
	Annual Control	gap octored:		100	sverienie", etc. f	Emissions Month	100	980	
	-								
			X					X III	