



- DRONE ENABLE the industry talking to states/regulators
- This will not be business as usual
- This is an opportunity to change the future/dawn of a new renaissance in aviation
- We have a moral obligation to advance the industry

- Strategic and tactical comms needed between all actors
- Should use architectures and processes that already work
- Existing technology for the UAS available to support UTM
- Frequency spectrum issues must not be overlooked



# Stream 1 - Registration, Identification and Tracking

- UTM will feature many stakeholders interconnecting and redefining their roles
- Reasons: safety, security, privacy, financial
- Benefits: planning, de-confliction of UTM, interfacing needs from governments, data exchange industry providers do in same language
- New technologies based on and leverage from existing technology
- Different methods for identification and Broadcast ID exist or are under development
- Different levels of complexity requires scalability
- Services may differ from State to State
- Regulations should not be technology prescriptive
- ICAO as enabler to harmonize protocols for global applicability



# **Stream 2- Communications system**

- Stakeholders are testing different products and the duration of these tests will determine time line for implementation
- Need to define or adapt standards for communications systems which are safety critical
- Need to work on the acceptable safety level and associated collision risk models
- Availability of accurate and validated data
- Need to move forward and continue to share best practices



## Stream 3 - Geofencing-like systems

- Crawl, walk, run mode
- Design for Privacy, Security, Safety
- A range of global standards should be expected, and they should be efficient and affordable
- Good Geo-fencing like systems make good neighbors
- Data integrity and reliable avionics are both essential
- Design should consider ground and air concerns, not only on UAS
- One size doesn't fit all, define integrity level VS risks/ops/UAS
- Geo-fencing systems should be open and globally interoperable
- It should be agile and respond to emerging technology





**AND DRONES** 

Mark your calendars







- Second Global Air Navigation Industry Symposium (GANIS/2)
- Safety and Air Navigation
   Implementation Symposium (SANIS)

ICAO Headquarters, Montréal, Canada, 11 to 15 December 2017

# UTM, Outcomes of DRONE ENABLE, Operations above FL650 Commercial space

https://www.icao.int/Meetings/GANIS-SANIS





# Third Global Remotely Piloted Aircraft Systems Symposium (RPAS2018)

Chengdu, China 10 to 12 September 2018

26 September 2017 9





# DRONE ENABLE

ICAO'S UNMANNED AIRCRAFT SYSTEMS INDUSTRY SYMPOSIUM

Chengdu, China

13 - 14 September 2018

Discover more



International Civil Aviation Organization Unmanned Aircraft System Traffic Management (UTM)

Request for Information

Partneduction;
CAD resignment that the classings is resignancy seminated partner (self-inco national arm)
will be solutioned by agreed upon a partner harmonized, common transversion, to ensure a
will be solutioned by agreed upon a partner harmonized, common transversion, to ensure a
resident partner of the solution and the common and partner of the solution resident, audients,
solutioned and the solution and th

continued graphers are seen an observationing source in continued to the servation of the continued of the c

Problem statement; Multiple Glave and Inglant has exproved exercis in directions of the openies services for (all, experience, permutarly or active environments, it is instinct agreement on the transport and care accusations of Unit as literature services provides and openies and particular services and relative research excluding instinctionary, somes precisions and end serve to give same and ethicial research directions of execution provided across the price.

To that and, CACO is sociously entertraced from Scores, indusing accommis or entertrace for an about a referring a framework to lands entertreeted, subject, and entertracy of and care bencharies of USA. This will serve at reticule ground account reviews a common agreement on a path servers. Any framework for UTIN with include money components, drives of which are fundamental and exist.

all registration operate from which task is according to his task to all the refuse denth(pop) and showing of such List, as operated were and occurs of the nember polytomes section. To accommodate List has an extraording symmetrical first one South to another for either

# Request for Information Announcement 31 January 2018



International Civil Aviation Organization
Unmanned Aircraft System
Traffic Management (UTM)

## Request for Information

## Requ

COC congress that the channels in impairing symmetric arrival follows in assess arrapsion to a location of purpose of the channels of the cha

### n ne couvege a untorner roblem statement: vopie Scales and regions na

Auspie States and regions have expressed enterior in developing UTM to provide services for UAS persons, particularly in urban environments. A common aproments on the instruments and core evidances of UTM-will Institute burniconscious between UTM specims globally and entitle institutive, scholling introductures, service providers and rest overs to grave solicly and efficiently without entities the properties of the properties of the control of the properties of the control of t

To make met, CAO is solicitizing intermination times Salesis, including, accidental or indebitiquis that will solicil in defining a transework (so include effectiveness), sofery, and efficiency) and core boundaries of UPA. This will sare to interest global discussion lessers a common agreement on a part terminate. Any transevery for UTA will include many components, stere of which are fundamental and will

ii) registration system from which data is accessible in read time to allow remote identification and tracking of each tak, as operater/levers and location of the systems producers suscefor accommodate UA that are increasingly transported from one State to absolute for either than the systems.



