Aerodrome Inspectors Workshop

Wildlife

Location: Trinidad & Tobago, 9-13 JUN 2014

Presenter: Kelly J. Slusarski, FAA ACSI



Wildlife

Objective:

- To provide students with a familiarization of ICAO requirements and US FAA standards
- To discuss wildlife control programs
- To review some of the latest in wildlife control technologies and R&D


Major Bird Strike Event



Boeing E-3 AWACS Aircraft



Remains of Geese on Runway post strike



Wildlife Hazard Mitigation





The Problem

- Bird populations in the U.S. are increasing.
 - Canada Geese increased 7.3% per year from 1980 to 2007.
 - 13 of 14 species over 8 pounds have significantly increased.
- Birds staying in urban areas.
- Commercial aircraft movements are increasing. In the U.S. operations have increased:
 - 18 million in 1980
 - 28 million in 2008
 - 35 million estimated in 2025
- Reported strikes in U.S. quadrupled since 1990
 - 1,759 in 1990
 - 7,516 in 2008



Where are reported strikes occurring?

- 59% below 100 feet (30 m)
- 92% below 3,000 feet (900 m)
- Less than 2% above 10,000 feet (3000 m)
- Highest strike: 32,500 feet (10000 m)



Impacts from strikes in U.S.

- 1990 to 2008
- 9 strikes resulted in 16 fatalities
- 49 aircraft destroyed
- 393,521 hours of aircraft downtime
- \$308 U.S million in losses



Our Goal: Reduce Wildlife Strike Risk to Aircraft



Why should we be worried about wildlife?

- Increasing populations of many bird species hazardous to aviation
- Adaptation of birds to urban settings
- Increasing air traffic
- Faster, quieter 2-engine jet aircraft
- Increased liability issues with bird strikes

Wildlife Strike



Deer Strike



Bird Strike



Bird Strike



Wildlife is attracted to aerodromes because they provide:

- Food
- Water
- Habitat- cover
- Security



ICAO Wildlife Control Requirements & recommendations





ICAO Wildlife

- ICAO now has greater focus on the reduction of all wildlife hazards (not just birds)
- US FAA addresses all manner of wildlife
- 14 CFR part 139 includes "triggers" to require a Wildlife Hazard Assessment and a Wildlife Hazard Management Plan (WHMP)

Wildlife strike hazard reduction

- 9.4.1 The wildlife strike hazard on, or in the vicinity of, an aerodrome shall be assessed through:
- a) the establishment of a national procedure for recording and reporting wildlife strikes to aircraft; and
- b) the collection of information from aircraft operators, airport personnel, etc. on the presence of wildlife on or around the aerodrome constituting a potential hazard to aircraft operations.
- c) an ongoing evaluation of the wildlife hazard by competent personnel.



9.4 Wildlife hazard reduction

- 9.4.2 Wildlife strike reports shall be collected and forwarded to ICAO for inclusion in the ICAO Bird Strike Information System (IBIS) database.
- Note.— The IBIS is designed to collect and disseminate information on wildlife strikes to aircraft. Information on the system is included in the Manual on the ICAO Bird Strike Information System (IBIS) Doc 9332

Wildlife hazard reduction

- 9.4.3 Action shall be taken to decrease the risk to aircraft operations by adopting measures to minimize the likelihood of collisions between wildlife and aircraft.
- Note.— Guidance on effective measures for establishing whether or not wildlife, on or near an aerodrome, constitute a potential hazard to aircraft operations, and on methods for discouraging their presence, is given in the Airport Services Manual (Doc 9137), Part 3

Wildlife hazard reduction

 9.4.4 The appropriate authority shall take action to eliminate or to prevent the establishment of garbage disposal dumps or any other source which may attract wildlife to the aerodrome, or its vicinity, unless an appropriate wildlife assessment indicates that they are unlikely to create conditions conducive to a wildlife hazard problem. Where the elimination of existing sites is not possible, the appropriate authority shall ensure that any risk to aircraft posed by these sites is assessed and reduced to as low as reasonably practicable.



9.4 Wildlife hazard reduction

 9.4.5 Recommendation.— States should give due consideration to aviation safety concerns related to land developments in the vicinity of the aerodrome that may attract wildlife.

ICAO Requirements Summary

- Assess the threat
- Establish national reporting process & IBIS connection
- Evaluation process
- Appropriate response measures
- Prevent attractants
- Recommended: land use controls





- 14 CFR Part 139.337 a
- Each certificate holder must take immediate action to alleviate wildlife hazards whenever they are detected.

- 14 CFR Part 139.337 b
- Each certificate holder must ensure that a wildlife hazard assessment is conducted when any of the following triggering events occur on or near the airport
 - Multiple wildlife strike
 - Substantial damage from striking wildlife
 - Engine ingestion
 - Wildlife observed of size of number capable of causing an event described above.

- 14 CFR Part 139.337 c
- The Assessment shall contain at least the following:
 - Analysis of event that prompted assessment
 - Identification of species involved, numbers
 - Identification of attractants
 - Description of hazard to air carrier operations
 - Recommended Actions for reduction
 - Must be performed by individual meeting Advisory Circular 150/5200-36 (qualifications for wildlife biologist) Requirements

- 14 CFR Part 139.337d
- The Wildlife Hazard Assessment shall be submitted to the FAA ...
 - For approval and determination whether or not there is a need for a wildlife hazard management plan.
 - The assessment must contain sufficient data to make the determination of the need for a plan.

Wildlife Hazard Assessment

- Identify species, numbers, locations, local movements
- Daily and seasonal occurrences of observed wildlife
- Describe existing wildlife hazards to air carrier operations
- Review strike records
- Identify wildlife attractants on and off airport
- Provide recommendations for reducing wildlife hazards

Wildlife Hazard Assessment

- Currently require certificated airports to do a WHA if experience a triggering event (engine ingestion, multiple strikes)
- Revising regulation to require all certificated airports to do a WHA.
 - In spirit of Safety Management airports should know and understand the risks at their airports.
- Initiating program to do WHAs or site visits at more than 2,000 General Aviation Airports over next ten years.
- FAA will fund WHAs and Wildlife Management Plans with Airport Improvement Program grants.

Wildlife Hazard Management Plan

- Provide measures to alleviate or eliminate wildlife hazards.
- Identify persons who have authority for implementing the plan.
- Priorities for needed habitat modification.
- Identification of resources for the plan.
- Procedures to be followed during air carrier operations.
- Wildlife control measures.
- Plan reviewed and approved by FAA



Managing Wildlife Problems:



Contact a qualified Wildlife Biologist ("site visit")

Wildlife Hazard Assessment

(Required with Trigger)

Wildlife Hazard

No need for plan but

Management Plan

procedures added

to Airport Certification Manual

Procedures Added to Airport Certification Manual



Wildlife Control

Modification to

Environment



What do we look at during the FAA inspection?

- Access points for wildlife
- Birds on and around airport
- Locations for birds to nest or loaf
- Wildlife other than birds
- "Scat" on runways and taxiways
- Attractants
- Wildlife observation logs/sheets
- Compliance with ACM procedures
- Training for Airport Personnel with wildlife control/reporting duties



FAA Advisory Circular Reference

- AC <u>150/5200-33</u> HAZARDOUS WILDLIFE ATTRACTANTS ON OR NEAR AIRPORTS
- AC 150/5200-36 QUALIFICATIONS FOR WILDLIFE BIOLOGIST CONDUCTING WILDLIFE HAZARD ASSESSMENTS AND TRAINING CURRICULUMS FOR AIRPORT PERSONNEL INVOLVED IN CONTROLLING WILDLIFE HAZARDS ON AIRPORTS

Control Methods








Control Methods

Check perimeter fence for gaps or holes, damage, deterioration, vegetation overgrowth, wildlife digging



Wildlife Control Strategies

- Habitat Modification And Exclusion
- Flight Schedule Modification
- Repellent And Harassment Techniques
- Wildlife Removal



Habitat Modification

- Food
 - -Grass, seed, agricultural operation, rodents,
- Cover
 - -Grass height, trees, brush, holes, culverts, buildings
- Water
 - -Ponds, streams, water retention devices

Flight Schedule Modification

- Determine Critical Wildlife Times/Seasons
- Document Wildlife Types and Patterns
- Work with Air Carriers to Avoid or Modify Crucial Times



Repellent And Harassment



Repelling and Harassment Techniques

- Chemical
 - "Hot" Foot, lethal
- Audio
 - Distress, Cannons, Bangers
 - Pyrotechnics






- Visual
 - Laser, "Eyes," Fake Predators



Repelling and Harassment Techniques



Using Dogs for Repellent And Harassment



Critical Factors for Repellants

- No "silver bullets" or "magic"
- No standard protocol
- Repelling is art and science
- Each wildlife species is unique



Wildlife Removal

- Capture
- Live trapping
- Relocating
- Nest & egg removal
- Lethal



Must Integrate All Control Techniques

- Flight Schedule Modification
- Habitat Modification Exclusion
- Repelling and Harassment
- Wildlife Removal

Wildlife control must also include strike reporting, species identification and data analysis.



Strike reporting

- In the U.S. bird strike reporting is voluntary.
- Recent study showed 39 percent of strikes are reported.
 - This rate is adequate to develop national policy and determine trends
 - Are doing outreach to encourage strike reporting.



Wildlife Data Collection

- How do we get information on wildlife strikes?
 - http://wildlife.pr.erau.edu/strikeform/birdstrikeform.html
 - FAA form 5200-7
- What do we do with the information?
 - National Strike Database
 - http://wildlifemitigation.tc.faa.gov/public_html/index.html#acc ess
- What more can we do with the information?
 - Develop a proactive approach, Prevent instead of react
 - Develop projects for funding



Bird species identification



Smithsonian Institution

Feather Identification Lab

Washington, DC



Bird Identification

- To assist development of mitigation, we need to know species involved in bird strikes.
- U.S. Smithsonian Institute Feather Identification Lab uses DNA technology to identify strike remains.

Smithsonian

Institution

FAA Wildlife R&D Elements

Wildlife Mitigation R&D

- Hazardous <u>species</u> <u>control</u>
 - Habitat management

- Strike <u>reporting</u>
- Strike <u>database</u>
- Wildlife web site
- Strike <u>remains ID</u>

wildlife.faa.gov

- Commercially available avian radars
- Sensing and alerting technologies

Technology Assessments



USDA - Research Activities

Wildlife Habitat Management and Land-use Studies

- **New York City collared goose** movement
 - Scientific Manuscript published in journal "Human Wildlife Conflicts" Vol. 3 No. 2 Fall 2009
- Evaluation of trash-transfer facilities
 - Final Report published DOT/FAA/AR-09/62
 - Scientific Manuscript for Peer-Reviewed Journal in preparation
- **Evaluation of fully enclosed** trash-transfer facilities (FETTS)

Long Term Study of FETTS - Potential NY sites evaluated

- Tall Fescue Variety Trials on **Airfields**
 - Second growth data collected at 9 airports and entered into DB

Human-Williams Conflicts 3/21/242-250 Fell 2009

Observations of neck-collared Canada geese near John F. Kennedy International Airport, New York

THOMAS W. SEAMANN, U.S. Department of Agricultura/Width Services' Natural Width Re

Scott E. CLEMBIN, 11.6 Department of Agricum/Milatile Sendon, 1920 Route P. Cardinko.

AV 12033-9653, USA

ALLER L. Gosson, U.S. Department of Agriculture/Middle Services, 1830 Raule 8, Continon

Abstract: Canada geese (Bradit canadimnis) often cases algorithmic damage when they period across? They are responsible for a reported minimum of \$1.8 firmion in definings per year to dust suitable in the United States, Arpailladge of goods indicements in protein to service as a second above whollow mercephis to allocate since and funds to mercephis to the possible since and funds to mercephis to the possible since and funds to mercephis on 3.00 Canada gooss within 5 from 5 both John F. Romandy informational Airport need college on 3.00 Canada Airport in New York, New York, We conducted weekly observations to 2 years within a 15-minuted of the Calabarda Airport in New York, New colored gases remained within an A-brit feding of J-KVA, and four work initial at J-KVA, in any other control operations, We observed bridge at fiver project of the strength of the strength

Klay woods, eisport, tird-eisprell solleton, Brants candokreis, Canada godes human-wegitte conflicts, moreoverita, rauk collers

2009, Dulberr and Waght 2009, Dave et al. 2009. Exchanicide: 2003). Linnell et al. 2009) in the United States cost civil In the northeasure. Usued State

American continues were not (Peupeli et emperage (Le. sixtalt isii assembly), no per al. 2009), Seer (CeVauli 2008, VerCentenen er of an alrevall can austain a genee strike without al. 2009), and birds (Bernhards et al. 2009, Dale suffering some level of damage (Dolfsoer and


evistims on estimated \$628 studies per year trends from North American Breading Canada green (Brasin constitute) alone cause Bird Survey data allow that Canada grims a mindraum of \$2.6 million of domage per your populations have increased from 1966 to 2007 (Deliver and Weight 2006). From 1996 to 2007, by 12.6% per year (Sauer of al. 2008), in New Canada gome cassed 14 secidents with dvil York Stein, the resident population of Canada arcraft that resulted in human injuries (Duffeer game in astimated to be 200,000 (N.). Size-and Wright 2006, Dove et al. 2009). In 1995, 2009). Knowledge of goose movements in Canada gone resided a U.S. Air Force (USAF) areas suscessed with surports is critical for AWACS aircraft to crash on talouall, resulting in sale surpoin operations, given the year-round the death of all 24 crew members and the com- ubiquity of Caronta green throughout must piete loss of the \$190-million alectals (Weight of the constrental United States (Washinson at 1997), Canada goose strikes in USAF stream at 2007, Groepper et al 2708). Fee comple cost, no average, \$710,000 per strike (USAF Cooper (1991) identified individual Canada 2005) In a renking of wildlife huanders to grow that routinity traveled into attripute at avaition, gause (primarily Carada peace) were the Minerapoliti-St. Paul International Aleptor ranked thins ext at 21 species groups (Dolberr and maggested that managers could select at at 2000). With the pussible exception of the title politectual bards that should be represed



USDA R&D

Wildlife Habitat Management and Land-use Studies

- Monitoring goose movements in NYC using satellite telemetry
 - Location data processing continues
 - Currently no active satellite transmitters remain deployed in NYC area
- Monitoring goose movements in North Carolina using satellite telemetry
 - Cooperation with NC State and NC Wildlife Services
 - No active transmitters remain operational









USDA R&D Wildlife Damage Methods

- Translocation of bald eagles
- Evaluation of wire grids to cover water features
- Perching Deterrents
 - Manuscript being prepared for peer-reviewed journal submission
- Earthworm control at airports
 - Chemical and physical barriers are being evaluated at 36 test plots at NASA Plum Brook facility
- Enhancing Perceived Threat of Predation to Reduce Deer - Use of Anthropogenic Resources
 - 2010 behavioral data being analyzed




USDA R&D

Wildlife Damage Methods

- Understanding Avian Response to Object Approach
 - Behavioral response of Canada Geese to approaching aircraft
 - Processing physiological response of goose retinas
- Prairie Studies
 - Data collection on bird and mammal communities at three airports and adjacent tall grass prairies in Ohio.
- Assessment of Suitability of Biofuel Crops on and near Airports
 - Cellulose-based Biofuel and forage crops
 - Advantages: perennial, fewer cuttings, growth in marginal soils, and a burgeoning market for these crops.
 - Study plots established in Mississippi.



U.S. Wildlife Website



http://wildlife.faa.gov Website Key Elements


- Full access to the FAA's Wildlife Strike Database
 - Fully down-loadable database in Microsoft Access format
 - Easy search interface
 - Export results to MS Excel
- Online Strike Reporting
 - Submit a strike report online
 - Edit a previously reported strike

- Wildlife Strike Hazard Information
- News stories, photos, links to reports and guidance, FAQs

FAA Bird Detection Technology

Bird Radar Performance Assessment

Use science-based assessment methods to assure the FAA and the public that use of commercial avian radars at airports is justified based on proven performance, does not compromise safety, and is compatible with all aspects of airport operations







Avian Radar Components

The major components of any avian radar system are a radar unit, an antenna, a digital radar

processor and a visual display.



Antenna



Processor



Display

Avian Radar

Examples of Commercial Systems









Wildlife



Bird Strike



Points to Remember

- Be proactive
- Continuously look for evidence of wildlife
- Expect the unexpected
- Conduct frequent patrols
- There is no silver-bullet response
- Requires a regional/national response
- Complacency kills

Points to Remember

- Habitat modification
- Repelling and harassment
- Removal
- Wildlife alerting system
 - Portable radar
 - GIS integration
- Species Identification
- Strike database
- Assessments and management plans
- Land use controls
- All integrated into a national program

Questions???

