



OACI

Organización de Aviación Civil Internacional  
Oficina para Norteamérica, Centroamérica y Caribe

NOTA DE ESTUDIO

NACC/WG/5 — NE/32REV

21/04/17

**Quinta Reunión del Grupo de Trabajo de Norteamérica, Centroamérica y Caribe (NACC/WG/5)**

Puerto España, Trinidad y Tabago, 22-26 de mayo de 2017

**Cuestión 3**

**del Orden del Día**

**Implementación de Asuntos de Navegación Aérea**

**3.5 Revisión del Plan de Implementación de Navegación Aérea Basado en la Performance para las Regiones NAM/CAR - Avance de la implementación de las Mejoras por bloques del sistema de aviación (ASBU)**

**ENMIENDA PROPUESTA DEL RPBANIP**

(Preparada por Canadá y Estados Unidos)

**RESUMEN EJECUTIVO**

Esta nota de estudio presenta una propuesta para modificar el Plan regional NAM/CAR de implementación de navegación aérea basado en la performance (RPBANIP), incluyendo los Formatos de Notificación de Navegación Aérea (ANRF), ambos son usados para el monitoreo y reporte del estado de implementación de las Mejoras por Bloques del Sistema de Aviación (ASBU) del sistema de navegación aérea para los Estados NACC.

|                                |   |
|--------------------------------|---|
| <b>Acción:</b>                 | Las acciones sugeridas se presentan en la Sección 3.  |
| <b>Objetivos Estratégicos:</b> | <ul style="list-style-type: none"><li>• Seguridad Operacional</li><li>• Capacidad y eficiencia de la navegación aérea</li></ul>   |
| <b>Referencias:</b>            | <ul style="list-style-type: none"><li>• OACI Doc9750 - <i>Plan Mundial de Navegación Aérea (GANP)</i></li><li>• Documento de trabajo OACI para las Mejoras por Bloques del Sistema de Aviación (ASBU), Marco para la Armonización Global publicado en julio de 2016</li><li>• Plan Regional NAM/CAR de Implementación de Navegación Aérea Basado en la Performance (RPBANIP) v3.1; abril de 2014</li><li>• Segunda Reunión del Grupo de Trabajo sobre implementación de Navegación Aérea para las Regiones NAM/CAR (ANI/WG/3) – WP/14 - <i>Proposal to modify Air Navigation Reporting Form (disponible únicamente en inglés)</i></li></ul> |

## 1. Introducción

1.1 La más reciente edición del Plan Mundial de Navegación Aérea (GANP) 2016-2030 fue aprobada por la Asamblea de la OACI en octubre del 2016. En esa edición algunos cambios se hicieron a los módulos de los bloques ASBU, incluyendo los plazos, racionalizando la redacción y clarificando los elementos de los módulos para hacer más fácil para los Estados el desarrollo de sus planes de implementación.

1.2 El Formato de Notificación de Navegación Aérea (ANRF) también ha sido actualizado por algunas regiones en el Volumen III de sus eANP, que pretende organizar la información claramente, permitiendo a los Estados representar fácilmente lo que planean implementar y cuándo. Con esta actualización, se abre espacio para la inclusión de los objetivos regionales (ver el **Apéndice A disponible únicamente en inglés**).

## 2. RPBANIP Existente

### *Términos de Referencia y Programa de Trabajo*

2.1 El RPBANIP actual incluye información obsoleta de versiones anteriores del Plan Mundial de Navegación Aérea (GANP), incluyendo Iniciativas del Plan Mundial (IPM) y numeración de bloques de las Mejoras por Bloques del Sistema de Aviación (ASBU). La redacción de algunas Áreas de Mejoramiento de la Eficiencia (PIA), códigos y descripciones de Módulos ASBU, también se ven en la necesidad de ser actualizados para corresponder con lo que aparece en el GANP 2016. Se recomienda que el Grupo Ad hoc del ASBU tome la tarea de revisar el RPBANIP para alinearse a la versión 2016 del GANP.

2.2 Los **Objetivos de Performance Regionales** (RPO) están bien relacionados con los Módulos ASBU en la Tabla 1; sin embargo, también deben estar mejor definidos como objetivos de los Estados NACC, incluyendo cómo se relacionan con los componentes de la Gestión del Tránsito Aéreo (ATM), y cómo los Estados pueden utilizar esto en su plan para la implementación ASBU. Sería de mucha ayuda contar con una tabla o gráfica que muestre cómo todos los acrónimos se relacionan: ATM, RPO, ASBU, PIA, etc.

2.3 Las Categorías y Prioridades de Módulo del Bloque 0 son ambas buena información para tener para apoyar a los Estados a desarrollar sus planes de implementación. Sin embargo, hay duplicación en las dos tablas B-1 y B-2. Se recomienda fusionar estas tablas con una columna adicional para incluir un conjunto adicional de información (ver **Apéndice B** como ejemplo, *disponible únicamente en inglés*).

**Table B-1**

| Performance Improvement Areas (PIA) | Performance Improvement Area Name | Module     | Module Name   | Category |
|-------------------------------------|-----------------------------------|------------|---|----------|
| PIA 1                               | Airport Operations                | B0-15 RSEQ | Improved Traffic flow through Runway Sequencing (AMAN/DMAN)     | O        |
|                                     |                                   | B0-65 APTA | Optimization of Approach Procedures including Vertical Guidance | D        |

**Table B-2**

| <b>PIA</b> | <b>Module Description</b>                                       | <b>Module</b> | <b>Priority</b> |
|------------|---|---------------|-----------------|
| PIA 1      | Improve Traffic Flow through Runway Sequencing (AMAN/DMAN)      | B0-15<br>RSEQ | 2               |
|            | Optimization of Approach Procedures including Vertical Guidance | B0-65<br>APTA | 1               |

2.4 Las figuras y tablas deben actualizarse para corresponder con la información suministrada en el GANP 2016 Y para representar una visión más clara de cómo el RPBANIP se coordina con el GANP y con los eANP regionales.

2.5 La Armonización global y regional

### 3. Acciones sugeridas

Se invita a la Reunión a:

- a) tomar nota de la propuesta con respecto a la enmienda del RPBANIP; Y
- b) tomar nota de la propuesta del Grupo Ad hoc del ASBU para revisar y armonizar el RPBANIP con el GANP 2016-2030.

-----

## APÉNDICE A

**ANRFs for NACC Region reporting**  
(disponible únicamente en inglés)

**Yellow highlight** = suggested text to link the Regional objectives to the ANRF

| [STATE] ASBU Air Navigation Reporting Form (ANRF)   |   |                       |                                 |                             |
|---|---|-----------------------|---------------------------------|-----------------------------|
| <b>PIA</b>  | 1   | <b>Block - Module</b> | B0 - ACDM                       | <b>Date</b> Month Day, 2017 |
| <b>Module Description:</b> To implement collaborative applications that will allow the sharing of surface operations data among the different stakeholders on the airport. This will improve surface traffic management reducing delays on movement and manoeuvring areas and enhance safety, efficiency and situational awareness. |   |                       |                                 |                             |
| <b>Regional Performance Objective:</b> Improve Cap/Efficiency Aerodrome Operations  |   |                       |                                 |                             |
| <b>Element Implementation Status</b>  |   |                       |                                 |                             |
| <b>1</b>  | <b>Element Description:</b><br>Interconnection between aircraft operator systems and ANSP systems to share surface operations information           |                       | <b>Date Planned/Implemented</b> | <b>Status</b>               |
|   | <b>Status Details</b>   |                       |                                 |                             |
| <b>2</b>  | <b>Element Description:</b><br>Interconnection between aircraft operator and airport operator systems to share surface operations information       |                       | <b>Date Planned/Implemented</b> | <b>Status</b>               |
|   | <b>Status Details</b>   |                       |                                 |                             |
| <b>3</b>  | <b>Element Description:</b><br>Interconnection between airport operator and ANSP systems to share surface operations information                    |                       | <b>Date Planned/Implemented</b> | <b>Status</b>               |
|   | <b>Status Details</b>   |                       |                                 |                             |
| <b>4</b>  | <b>Element Description:</b><br>Interconnection between airport operator, aircraft operator and ANSP systems to share surface operations information |                       | <b>Date Planned/Implemented</b> | <b>Status</b>               |
|   | <b>Status Details</b>   |                       |                                 |                             |
| <b>5</b>  | <b>Element Description:</b><br>Collaborative departure queue management   |                       | <b>Date Planned/Implemented</b> | <b>Status</b>               |
|   | <b>Status Details</b>   |                       |                                 |                             |
| <b>Achieved Benefits</b>  |   |                       |                                 |                             |
| <i>Access and Equity</i>  |   |                       |                                 |                             |
| <i>Capacity</i>   |   |                       |                                 |                             |
| <i>Efficiency</i>   |   |                       |                                 |                             |
| <i>Environment</i>  |   |                       |                                 |                             |
| <i>Safety</i>   |   |                       |                                 |                             |

|                                     |
|-------------------------------------|
| <b>Implementation Challenges</b>    |
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)  |   |                                 |               |
|--|---|---------------------------------|---------------|
| <b>PIA</b>   | 1   | <b>Block - Module</b>           | B0 - APTA     |
| <b>Date</b>  | Month Day, 2017   |                                 |               |
| <b>Module Description:</b> The use of Performance-based Navigation (PBN) and ground-based augmentation system (GBAS) landing system (GLS) procedures will enhance the reliability and predictability of approaches to runways, thus increasing safety, accessibility and efficiency. This is possible through the application of basic global navigation satellite system (GNSS), Baro-vertical navigation (VNAV), satellite-based augmentation system (SBAS) and GLS. The flexibility inherent in PBN approach design can be exploited to increase runway capacity. |   |                                 |               |
| <b>Regional Performance Objective: PBN Implementation</b>  |   |                                 |               |
| <b>Element Implementation Status</b>   |   |                                 |               |
| <b>1</b>   | <b>Element Description:</b><br>PBN approach procedures with vertical guidance to LNAV/VNAV minima | <b>Date Planned/Implemented</b> | <b>Status</b> |
| <b>Status Details</b>  |   |                                 |               |
| <b>2</b>   | <b>Element Description:</b><br>PBN approach procedures with vertical guidance to LPV minima       | <b>Date Planned/Implemented</b> | <b>Status</b> |
| <b>Status Details</b>  |   |                                 |               |
| <b>3</b>   | <b>Element Description:</b><br>PBN Approach Procedures without vertical guidance to LNAV minima   | <b>Date Planned/Implemented</b> | <b>Status</b> |
| <b>Status Details</b>  |   |                                 |               |
| <b>4</b>   | <b>Element Description:</b><br>GBAS Landing System (GLS) Approach procedures                      | <b>Date Planned/Implemented</b> | <b>Status</b> |
| <b>Status Details</b>  |   |                                 |               |
| <b>Achieved Benefits</b>   |   |                                 |               |
| <i>Access and Equity</i>   |   |                                 |               |
| <i>Capacity</i>  |   |                                 |               |
| <i>Efficiency</i>  |   |                                 |               |

|                                     |
|-------------------------------------|
| <i>Environment</i>                  |
| <i>Safety</i>                       |
| <b>Implementation Challenges</b>    |
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)  |   |                                 |                 |
|--|---|---------------------------------|-----------------|
| <b>PIA</b>   | 1   | <b>Block - Module</b>           | B0 - RSEQ       |
|  |   | <b>Date</b>                     | Month Day, 2017 |
| <b>Module Description:</b> To manage arrivals and departures (including time-based metering) to and from a multi-runway aerodrome or locations with multiple dependent runways at closely proximate aerodromes, to efficiently utilize the inherent runway capacity. |   |                                 |                 |
| <b>Regional Performance Objective:</b> Demand and Capacity Balancing (DCB); as well as ATM Situational Awareness   |   |                                 |                 |
| <b>Element Implementation Status</b>   |   |                                 |                 |
| 1  | <b>Element Description:</b><br>AMAN via controlled time of arrival to a reference fix | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                                 |                 |
| 2  | <b>Element Description:</b><br>Departure management                                   | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                                 |                 |
| 3  | <b>Element Description:</b><br>Departure flow management                              | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                                 |                 |
| 4  | <b>Element Description:</b><br>Point merge  | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                                 |                 |
| <b>Achieved Benefits</b>   |   |                                 |                 |
| <i>Access and Equity</i>   |   |                                 |                 |
| <i>Capacity</i>  |   |                                 |                 |
| <i>Efficiency</i>  |   |                                 |                 |

|                                     |
|-------------------------------------|
| <i>Environment</i>                  |
| <i>Safety</i>                       |
| <b>Implementation Challenges</b>    |
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)   |  |                                 |               |
|---|--|---------------------------------|---------------|
| <b>PIA</b>  | 1  | <b>Block - Module</b>           | B0 - SURF     |
| <b>Date</b>   | Month Day, 2017  |                                 |               |
| <b>Module Description:</b> First levels of advanced-surface movement guidance and control systems (A-SMGCS) provides surveillance and alerting of movements of both aircraft and vehicles at the aerodrome, thus improving runway/aerodrome safety. Automatic dependent surveillance-broadcast (ADS-B) information is used when available (ADS-B APT). Enhanced vision systems (EVS) is used for low-visibility operations. |  |                                 |               |
| <b>Regional Performance Objective:</b> ATM Situational Awareness; as well as Improve Cap/Efficiency Aerodrome Operations  |  |                                 |               |
| <b>Element Implementation Status</b>  |  |                                 |               |
| <b>1</b>  | <b>Element Description:</b><br>A-SMGCS with at least one cooperative surface surveillance system | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |
| <b>2</b>  | <b>Element Description:</b><br>ADS-B APT   | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |
| <b>3</b>  | <b>Element Description:</b><br>A-SMGCS alerting with flight identification information           | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |
| <b>4</b>  | <b>Element Description:</b><br>EVS for taxi operations   | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |
| <b>5</b>  | <b>Element Description:</b><br>Airport vehicles equipped with transponders                       | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |

|                                     |
|-------------------------------------|
| <b>Achieved Benefits</b>            |
| <i>Access and Equity</i>            |
| <i>Capacity</i>                     |
| <i>Efficiency</i>                   |
| <i>Environment</i>                  |
| <i>Safety</i>                       |
| <b>Implementation Challenges</b>    |
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

|  |   |                       |           |                                 |                 |
|--|---|-----------------------|-----------|---------------------------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>   |   |                       |           |                                 |                 |
| <b>PIA</b>   | 1   | <b>Block - Module</b> | B0 - WAKE | <b>Date</b>                     | Month Day, 2017 |
| <b>Module Description:</b> Improved throughput on departure and arrival runways through optimized wake turbulence separation minima, revised aircraft wake turbulence categories and procedures. |   |                       |           |                                 |                 |
| <b>Regional Performance Objective:</b> none  |   |                       |           |                                 |                 |
| <b>Element Implementation Status</b>   |   |                       |           |                                 |                 |
| <b>1</b>   | <b>Element Description:</b><br>New PANS-ATM wake turbulence categories and separation minima  |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |
| <b>2</b>   | <b>Element Description:</b><br>Dependent diagonal paired approach procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart             |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |
| <b>3</b>   | <b>Element Description:</b><br>Wake independent departure and arrival operations (WIDAO) for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |

|                                     |  |                                 |               |
|-------------------------------------|--|---------------------------------|---------------|
| 4                                   | <b>Element Description:</b><br>Wake turbulence mitigation for departures (WTMD) procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart based on observed crosswinds | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| 5                                   | <b>Element Description:</b><br>6 wake turbulence categories and separation minima  | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| <b>Achieved Benefits</b>            |  |                                 |               |
| <i>Access and Equity</i>            |  |                                 |               |
| <i>Capacity</i>                     |  |                                 |               |
| <i>Efficiency</i>                   |  |                                 |               |
| <i>Environment</i>                  |  |                                 |               |
| <i>Safety</i>                       |  |                                 |               |
| <b>Implementation Challenges</b>    |  |                                 |               |
| <i>Ground system Implementation</i> |  |                                 |               |
| <i>Avionics Implementation</i>      |  |                                 |               |
| <i>Procedures Availability</i>      |  |                                 |               |
| <i>Operational Approvals</i>        |  |                                 |               |
| <b>Notes</b>                        |  |                                 |               |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)   |  |                |                                 |               |                 |
|---|--|----------------|---------------------------------|---------------|-----------------|
| PIA   | 2  | Block - Module | B0 - AMET                       | Date          | Month Day, 2017 |
| <p><b>Module Description:</b><br/>                     Global, regional and local meteorological information:<br/>                     a) forecasts provided by world area forecast centres (WAFCs), volcanic ash advisory centres (VAACs) and tropical cyclone advisory centres (TCAC);<br/>                     b) aerodrome warnings to give concise information of meteorological conditions that could adversely affect all aircraft at an aerodrome, including wind shear; and<br/>                     c) SIGMETs to provide information on occurrence or expected occurrence of specific en-route weather phenomena which may affect the safety of aircraft operations and other operational meteorological (OPMET) information, including METAR/SPECI and TAF, to provide routine and special observations and forecasts of meteorological conditions occurring or expected to occur at the aerodrome.<br/>                     This information supports flexible airspace management, improved situational awareness and collaborative decision-making, and dynamically-optimized flight trajectory planning. This Module includes elements which should be viewed as a subset of all available meteorological information that can be used to support enhanced operational efficiency and safety.</p> |  |                |                                 |               |                 |
| <b>Regional Performance Objective: MET</b>  |  |                |                                 |               |                 |
| <b>Element Implementation Status</b>  |  |                |                                 |               |                 |
| 1   | <b>Element Description:</b><br>WAFS  |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |
| 2   | <b>Element Description:</b><br>IAVW  |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |
| 3   | <b>Element Description:</b><br>TCAC forecasts                                    |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |
| 4   | <b>Element Description:</b><br>Aerodrome warnings                                |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |
| 5   | <b>Element Description:</b><br>Wind shear warnings and alerts                    |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |
| 6   | <b>Element Description:</b><br>SIGMET  |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |
| 7   | <b>Element Description:</b><br>Other OPMET information (METAR, SPECI and/or TAF) |                | <b>Date Planned/Implemented</b> | <b>Status</b> |                 |
|   | <b>Status Details</b>  |                |                                 |               |                 |

|                                     |  |                                 |               |
|-------------------------------------|--|---------------------------------|---------------|
| <b>8</b>                            | <b>Element Description:</b><br>QMS for MET | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                      |                                 |               |
| <b>Achieved Benefits</b>            |  |                                 |               |
| <i>Access and Equity</i>            |  |                                 |               |
| <i>Capacity</i>                     |  |                                 |               |
| <i>Efficiency</i>                   |  |                                 |               |
| <i>Environment</i>                  |  |                                 |               |
| <i>Safety</i>                       |  |                                 |               |
| <b>Implementation Challenges</b>    |  |                                 |               |
| <i>Ground system Implementation</i> |  |                                 |               |
| <i>Avionics Implementation</i>      |  |                                 |               |
| <i>Procedures Availability</i>      |  |                                 |               |
| <i>Operational Approvals</i>        |  |                                 |               |
| <b>Notes</b>                        |  |                                 |               |

|  |  |                                 |               |             |                 |
|--|--|---------------------------------|---------------|-------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>   |  |                                 |               |             |                 |
| <b>PIA</b>   | 2  | <b>Block - Module</b>           | B0 - DATM     | <b>Date</b> | Month Day, 2017 |
| <b>Module Description:</b> The initial introduction of digital processing and management of information from origination to publication through, aeronautical information service (AIS)/aeronautical information management (AIM) implementation, use of aeronautical exchange model (AIXM), migration to electronic aeronautical information publication (AIP) and better quality and availability of data. |  |                                 |               |             |                 |
| <b>Regional Performance Objective: AIM</b>   |  |                                 |               |             |                 |
| <b>Element Implementation Status</b>   |  |                                 |               |             |                 |
| <b>1</b>   | <b>Element Description:</b><br>Standardized Aeronautical Information Exchange Model (AIXM) | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|  | <b>Status Details</b>  |                                 |               |             |                 |
| <b>2</b>   | <b>Element Description:</b><br>eAIP  | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|  | <b>Status Details</b>  |                                 |               |             |                 |
| <b>3</b>   | <b>Element Description:</b><br>Digital NOTAM   | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|  | <b>Status Details</b>  |                                 |               |             |                 |

|                                     |  |                                 |               |
|-------------------------------------|--|---------------------------------|---------------|
|                                     | <b>Status Details</b>                      |                                 |               |
| 4                                   | <b>Element Description:</b><br>eTOD        | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                      |                                 |               |
| 5                                   | <b>Element Description:</b><br>WGS-84      | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                      |                                 |               |
| 6                                   | <b>Element Description:</b><br>QMS for AIM | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                      |                                 |               |
| <b>Achieved Benefits</b>            |  |                                 |               |
| <i>Access and Equity</i>            |  |                                 |               |
| <i>Capacity</i>                     |  |                                 |               |
| <i>Efficiency</i>                   |  |                                 |               |
| <i>Environment</i>                  |  |                                 |               |
| <i>Safety</i>                       |  |                                 |               |
| <b>Implementation Challenges</b>    |  |                                 |               |
| <i>Ground system Implementation</i> |  |                                 |               |
| <i>Avionics Implementation</i>      |  |                                 |               |
| <i>Procedures Availability</i>      |  |                                 |               |
| <i>Operational Approvals</i>        |  |                                 |               |
| <b>Notes</b>                        |  |                                 |               |

|  |  |                       |           |                                 |                 |
|--|--|-----------------------|-----------|---------------------------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>   |  |                       |           |                                 |                 |
| <b>PIA</b>   | 2  | <b>Block - Module</b> | B0 - FICE | <b>Date</b>                     | Month Day, 2017 |
| <b>Module Description:</b> To improve coordination between air traffic service units (ATSUs) by using ATS interfacility data communication (AIDC) defined by ICAO's <i>Manual of Air Traffic Services Data Link Applications</i> (Doc 9694). An additional benefit is the improved efficiency of the transfer of communication in a data link environment. |  |                       |           |                                 |                 |
| <b>Regional Performance Objective: COM</b>   |  |                       |           |                                 |                 |
| <b>Element Implementation Status</b>   |  |                       |           |                                 |                 |
| 1  | <b>Element Description:</b><br>AIDC to provide initial flight data to adjacent ATSUs |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |

|                                     |  |                                 |               |
|-------------------------------------|--|---------------------------------|---------------|
|                                     | <b>Status Details</b>  |                                 |               |
| 2                                   | <b>Element Description:</b><br>AIDC to update previously coordinated flight data                   | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| 3                                   | <b>Element Description:</b><br>AIDC for control transfer   | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| 4                                   | <b>Element Description:</b><br>AIDC to transfer CPDLC logon information to the Next Data Authority | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| <b>Achieved Benefits</b>            |  |                                 |               |
| <i>Access and Equity</i>            |  |                                 |               |
| <i>Capacity</i>                     |  |                                 |               |
| <i>Efficiency</i>                   |  |                                 |               |
| <i>Environment</i>                  |  |                                 |               |
| <i>Safety</i>                       |  |                                 |               |
| <b>Implementation Challenges</b>    |  |                                 |               |
| <i>Ground system Implementation</i> |  |                                 |               |
| <i>Avionics Implementation</i>      |  |                                 |               |
| <i>Procedures Availability</i>      |  |                                 |               |
| <i>Operational Approvals</i>        |  |                                 |               |
| <b>Notes</b>                        |  |                                 |               |

|  |   |                                 |               |             |                 |
|--|---|---------------------------------|---------------|-------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>   |   |                                 |               |             |                 |
| <b>PIA</b>   | 3   | <b>Block - Module</b>           | B0 - ACAS     | <b>Date</b> | Month Day, 2017 |
| <b>Module Description:</b> To provide short-term improvements to existing airborne collision avoidance systems (ACAS) to reduce nuisance alerts while maintaining existing levels of safety. This will reduce trajectory deviations and increase safety in cases where there is a breakdown of separation. |   |                                 |               |             |                 |
| <b>Regional Performance Objective: COM</b>   |   |                                 |               |             |                 |
| <b>Element Implementation Status</b>   |   |                                 |               |             |                 |
| 1  | <b>Element Description:</b><br>ACAS II (TCAS version 7.1) | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|  |   |                                 |               |             |                 |

|                                     |  |                                 |               |
|-------------------------------------|--|---------------------------------|---------------|
|                                     | <b>Status Details</b>                        |                                 |               |
| 2                                   | <b>Element Description:</b><br>APFD function | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                        |                                 |               |
| 3                                   | <b>Element Description:</b><br>TCAP function | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                        |                                 |               |
| <b>Achieved Benefits</b>            |  |                                 |               |
| <i>Access and Equity</i>            |  |                                 |               |
| <i>Capacity</i>                     |  |                                 |               |
| <i>Efficiency</i>                   |  |                                 |               |
| <i>Environment</i>                  |  |                                 |               |
| <i>Safety</i>                       |  |                                 |               |
| <b>Implementation Challenges</b>    |  |                                 |               |
| <i>Ground system Implementation</i> |  |                                 |               |
| <i>Avionics Implementation</i>      |  |                                 |               |
| <i>Procedures Availability</i>      |  |                                 |               |
| <i>Operational Approvals</i>        |  |                                 |               |
| <b>Notes</b>                        |  |                                 |               |

|   |  |                                 |               |             |                 |
|---|--|---------------------------------|---------------|-------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>  |  |                                 |               |             |                 |
| <b>PIA</b>  | 3  | <b>Block - Module</b>           | B0 - ASEP     | <b>Date</b> | Month Day, 2017 |
| <b>Module Description:</b> Two air traffic situational awareness (ATSA) applications which will enhance safety and efficiency by providing pilots with the means to enhance traffic situational awareness and achieve quicker visual acquisition of targets:<br>a) AIRB (basic airborne situational awareness during flight operations).<br>b) VSA (visual separation on approach). |  |                                 |               |             |                 |
| <b>Regional Performance Objective:</b> none   |  |                                 |               |             |                 |
| <b>Element Implementation Status</b>  |  |                                 |               |             |                 |
| 1   | <b>Element Description:</b><br>ATSA-AIRB | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|   | <b>Status Details</b>                    |                                 |               |             |                 |

|                                     |   |                                 |               |
|-------------------------------------|---|---------------------------------|---------------|
| 2                                   | <b>Element Description:</b><br>ATSA-VSA | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>                   |                                 |               |
| <b>Achieved Benefits</b>            |   |                                 |               |
| <i>Access and Equity</i>            |   |                                 |               |
| <i>Capacity</i>                     |   |                                 |               |
| <i>Efficiency</i>                   |   |                                 |               |
| <i>Environment</i>                  |   |                                 |               |
| <i>Safety</i>                       |   |                                 |               |
| <b>Implementation Challenges</b>    |   |                                 |               |
| <i>Ground system Implementation</i> |   |                                 |               |
| <i>Avionics Implementation</i>      |   |                                 |               |
| <i>Procedures Availability</i>      |   |                                 |               |
| <i>Operational Approvals</i>        |   |                                 |               |
| <b>Notes</b>                        |   |                                 |               |

|  |   |                                 |               |             |                 |
|--|---|---------------------------------|---------------|-------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>   |   |                                 |               |             |                 |
| <b>PIA</b>   | 3   | <b>Block - Module</b>           | B0 - ASUR     | <b>Date</b> | Month Day, 2017 |
| <b>Module Description:</b> To provide initial capability for lower cost ground surveillance supported by new technologies such as ADS-B OUT and wide area multilateration (MLAT) systems. This capability will be expressed in various ATM services, e.g. traffic information, search and rescue and separation provision. |   |                                 |               |             |                 |
| <b>Regional Performance Objective:</b> ATM Situational Awareness   |   |                                 |               |             |                 |
| <b>Element Implementation Status</b>   |   |                                 |               |             |                 |
| 1  | <b>Element Description:</b><br>ADS-B                  | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|  | <b>Status Details</b>                                 |                                 |               |             |                 |
| 2  | <b>Element Description:</b><br>Multilateration (MLAT) | <b>Date Planned/Implemented</b> | <b>Status</b> |             |                 |
|  | <b>Status Details</b>                                 |                                 |               |             |                 |
| <b>Achieved Benefits</b>   |   |                                 |               |             |                 |
| <i>Access and Equity</i>   |   |                                 |               |             |                 |
| <i>Capacity</i>  |   |                                 |               |             |                 |

|                                     |
|-------------------------------------|
| <i>Efficiency</i>                   |
| <i>Environment</i>                  |
| <i>Safety</i>                       |
| <b>Implementation Challenges</b>    |
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)   |  |                                 |                 |
|---|--|---------------------------------|-----------------|
| <b>PIA</b>  | 3  | <b>Block - Module</b>           | B0 - FRTO       |
|   |  | <b>Date</b>                     | Month Day, 2017 |
| <b>Module Description:</b> To allow the use of airspace which would otherwise be segregated (i.e. special use airspace) along with flexible routing adjusted for specific traffic patterns. This will allow greater routing possibilities, reducing potential congestion on trunk routes and busy crossing points, resulting in reduced flight lengths and fuel burn. |  |                                 |                 |
| <b>Regional Performance Objective:</b> PBN Implementation; as well as Flexible Use of Airspace  |  |                                 |                 |
| <b>Element Implementation Status</b>  |  |                                 |                 |
| <b>1</b>  | <b>Element Description:</b><br>CDM incorporated into airspace planning               | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|   | <b>Status Details</b>  |                                 |                 |
| <b>2</b>  | <b>Element Description:</b><br>Flexible Use of Airspace (FUA)                        | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|   | <b>Status Details</b>  |                                 |                 |
| <b>3</b>  | <b>Element Description:</b><br>Flexible routing                                      | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|   | <b>Status Details</b>  |                                 |                 |
| <b>4</b>  | <b>Element Description:</b><br>CPDLC used to request and receive re-route clearances | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|   | <b>Status Details</b>  |                                 |                 |
| <b>Achieved Benefits</b>  |  |                                 |                 |
| <i>Access and Equity</i>  |  |                                 |                 |
| <i>Capacity</i>   |  |                                 |                 |

|                                     |
|-------------------------------------|
| <i>Efficiency</i>                   |
| <i>Environment</i>                  |
| <i>Safety</i>                       |
| <b>Implementation Challenges</b>    |
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)   |  |                                 |               |
|---|--|---------------------------------|---------------|
| <b>PIA</b>  | 3  | <b>Block - Module</b>           | B0 - NOPS     |
| <b>Date</b>   | Month Day, 2017  |                                 |               |
| <b>Module Description:</b> Air traffic flow management (ATFM) is used to manage the flow of traffic in a way that minimizes delays and maximizes the use of the entire airspace. Collaborative ATFM can regulate traffic flows involving departure slots, smooth flows and manage rates of entry into airspace along traffic axes, manage arrival time at waypoints or flight information region (FIR)/sector boundaries and reroute traffic to avoid saturated areas. ATFM may also be used to address system disruptions including crisis caused by human or natural phenomena. |  |                                 |               |
| <b>Regional Performance Objective:</b> Demand and Capacity Building (DCB)   |  |                                 |               |
| <b>Element Implementation Status</b>  |  |                                 |               |
| <b>1</b>  | <b>Element Description:</b><br>Sharing prediction of traffic load for next day                 | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |
| <b>2</b>  | <b>Element Description:</b><br>Proposing alternative routings to avoid or minimize ATFM delays | <b>Date Planned/Implemented</b> | <b>Status</b> |
|   | <b>Status Details</b>  |                                 |               |
| <b>Achieved Benefits</b>  |  |                                 |               |
| <i>Access and Equity</i>  |  |                                 |               |
| <i>Capacity</i>   |  |                                 |               |
| <i>Efficiency</i>   |  |                                 |               |
| <i>Environment</i>  |  |                                 |               |
| <i>Safety</i>   |  |                                 |               |
| <b>Implementation Challenges</b>  |  |                                 |               |

|                                     |
|-------------------------------------|
| <i>Ground system Implementation</i> |
| <i>Avionics Implementation</i>      |
| <i>Procedures Availability</i>      |
| <i>Operational Approvals</i>        |
| <b>Notes</b>                        |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)  |  |                                 |               |
|--|--|---------------------------------|---------------|
| <b>PIA</b>   | 3  | <b>Block - Module</b>           | B0 - OPFL     |
| <b>Date</b>  | Month Day, 2016                                |                                 |               |
| <b>Module Description:</b> To enable aircraft to reach a more satisfactory flight level for flight efficiency or to avoid turbulence for safety. The main benefit of ITP is fuel/emissions savings and the uplift of greater payloads. |  |                                 |               |
| <b>Regional Performance Objective:</b> none  |  |                                 |               |
| <b>Element Implementation Status</b>   |  |                                 |               |
| <b>1</b>   | <b>Element Description:</b><br>ITP using ADS-B | <b>Date Planned/Implemented</b> | <b>Status</b> |
|  | <b>Status Details</b>                          |                                 |               |
| <b>Achieved Benefits</b>   |  |                                 |               |
| <i>Access and Equity</i>   |  |                                 |               |
| <i>Capacity</i>  |  |                                 |               |
| <i>Efficiency</i>  |  |                                 |               |
| <i>Environment</i>   |  |                                 |               |
| <i>Safety</i>  |  |                                 |               |
| <b>Implementation Challenges</b>   |  |                                 |               |
| <i>Ground system Implementation</i>  |  |                                 |               |
| <i>Avionics Implementation</i>   |  |                                 |               |
| <i>Procedures Availability</i>   |  |                                 |               |
| <i>Operational Approvals</i>   |  |                                 |               |
| <b>Notes</b>   |  |                                 |               |

|  |   |                       |           |                                 |                 |
|--|---|-----------------------|-----------|---------------------------------|-----------------|
| <b>PIA</b>   | 3   | <b>Block - Module</b> | B0 - SNET | <b>Date</b>                     | Month Day, 2017 |
| <b>Module Description:</b> To enable monitoring of flights while airborne to provide timely alerts to air traffic controllers of potential risks to flight safety. Alerts from short-term conflict alert (STCA), area proximity warnings (APW) and minimum safe altitude warnings (MSAW) are proposed. Ground-based safety nets make an essential contribution to safety and remain required as long as the operational concept remains human centred. |   |                       |           |                                 |                 |
| <b>Regional Performance Objective:</b> ATM Situational Awareness   |   |                       |           |                                 |                 |
| <b>Element Implementation Status</b>   |   |                       |           |                                 |                 |
| <b>1</b>   | <b>Element Description:</b><br>Short Term Conflict Alert (STCA)     |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |
| <b>2</b>   | <b>Element Description:</b><br>Area Proximity Warning (APW)         |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |
| <b>3</b>   | <b>Element Description:</b><br>Minimum Safe Altitude Warning (MSAW) |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |
| <b>4</b>   | <b>Element Description:</b><br>Medium Term Conflict Alert (MTCA)    |                       |           | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>   |                       |           |                                 |                 |
| <b>Achieved Benefits</b>   |   |                       |           |                                 |                 |
| <i>Access and Equity</i>   |   |                       |           |                                 |                 |
| <i>Capacity</i>  |   |                       |           |                                 |                 |
| <i>Efficiency</i>  |   |                       |           |                                 |                 |
| <i>Environment</i>   |   |                       |           |                                 |                 |
| <i>Safety</i>  |   |                       |           |                                 |                 |
| <b>Implementation Challenges</b>   |   |                       |           |                                 |                 |
| <i>Ground system Implementation</i>  |   |                       |           |                                 |                 |
| <i>Avionics Implementation</i>   |   |                       |           |                                 |                 |
| <i>Procedures Availability</i>   |   |                       |           |                                 |                 |
| <i>Operational Approvals</i>   |   |                       |           |                                 |                 |
| <b>Notes</b>   |   |                       |           |                                 |                 |

|  |  |                       |          |                                 |                 |
|--|--|-----------------------|----------|---------------------------------|-----------------|
| <b>PIA</b>   | 4  | <b>Block - Module</b> | B0 - CCO | <b>Date</b>                     | Month Day, 2017 |
| <b>Module Description:</b> To implement continuous climb operations in conjunction with performance-based navigation (PBN) to provide opportunities to optimize throughput, improve flexibility, enable fuel-efficient climb profiles, and increase capacity at congested terminal areas. The application of PBN enhances CDO. |  |                       |          |                                 |                 |
| <b>Regional Performance Objective: PBN Implementation</b>  |  |                       |          |                                 |                 |
| <b>Element Implementation Status</b>   |  |                       |          |                                 |                 |
| 1  | <b>Element Description:</b><br>Procedure changes to facilitate CCO |                       |          | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>  |                       |          |                                 |                 |
| 2  | <b>Element Description:</b><br>Airspace changes to facilitate CCO  |                       |          | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>  |                       |          |                                 |                 |
| 3  | <b>Element Description:</b><br>PBN SIDs                            |                       |          | <b>Date Planned/Implemented</b> | <b>Status</b>   |
|  | <b>Status Details</b>  |                       |          |                                 |                 |
| <b>Achieved Benefits</b>   |  |                       |          |                                 |                 |
| <i>Access and Equity</i>   |  |                       |          |                                 |                 |
| <i>Capacity</i>  |  |                       |          |                                 |                 |
| <i>Efficiency</i>  |  |                       |          |                                 |                 |
| <i>Environment</i>   |  |                       |          |                                 |                 |
| <i>Safety</i>  |  |                       |          |                                 |                 |
| <b>Implementation Challenges</b>   |  |                       |          |                                 |                 |
| <i>Ground system Implementation</i>  |  |                       |          |                                 |                 |
| <i>Avionics Implementation</i>   |  |                       |          |                                 |                 |
| <i>Procedures Availability</i>   |  |                       |          |                                 |                 |
| <i>Operational Approvals</i>   |  |                       |          |                                 |                 |
| <b>Notes</b>   |  |                       |          |                                 |                 |

|  |   |                       |          |             |                 |
|--|---|-----------------------|----------|-------------|-----------------|
| <b>[STATE] ASBU Air Navigation Reporting Form (ANRF)</b>   |   |                       |          |             |                 |
| <b>PIA</b>   | 4 | <b>Block - Module</b> | B0 - CDO | <b>Date</b> | Month Day, 2017 |
| <b>Module Description:</b> To use performance-based airspace and arrival procedures allowing aircraft to fly its optimum profile using continuous descent operations (CDOs). This will optimize throughput, allow fuel efficient descent profiles, and increase capacity in terminal areas. The application of PBN enhances CDO. |   |                       |          |             |                 |
| <b>Regional Performance Objective: PBN Implementation</b>  |   |                       |          |             |                 |
| <b>Element Implementation Status</b>   |   |                       |          |             |                 |

|                                     |  |                                 |               |
|-------------------------------------|--|---------------------------------|---------------|
| 1                                   | <b>Element Description:</b><br>Procedure changes to facilitate CDO | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| 2                                   | <b>Element Description:</b><br>Airspace changes to facilitate CDO  | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| 3                                   | <b>Element Description:</b><br>PBN STARs                           | <b>Date Planned/Implemented</b> | <b>Status</b> |
|                                     | <b>Status Details</b>  |                                 |               |
| <b>Achieved Benefits</b>            |  |                                 |               |
| <i>Access and Equity</i>            |  |                                 |               |
| <i>Capacity</i>                     |  |                                 |               |
| <i>Efficiency</i>                   |  |                                 |               |
| <i>Environment</i>                  |  |                                 |               |
| <i>Safety</i>                       |  |                                 |               |
| <b>Implementation Challenges</b>    |  |                                 |               |
| <i>Ground system Implementation</i> |  |                                 |               |
| <i>Avionics Implementation</i>      |  |                                 |               |
| <i>Procedures Availability</i>      |  |                                 |               |
| <i>Operational Approvals</i>        |  |                                 |               |
| <b>Notes</b>                        |  |                                 |               |

| [STATE] ASBU Air Navigation Reporting Form (ANRF)  |  |                       |                                 |                               |
|--|--|-----------------------|---------------------------------|-------------------------------|
| <b>PIA</b>   | 4  | <b>Block - Module</b> | B0 - TBO                        | <b>Date</b>   Month Day, 2017 |
| <b>Module Description:</b> To implement a set of data link applications supporting surveillance and communications in air traffic services, which will lead to flexible routing, reduced separation and improved safety. |  |                       |                                 |                               |
| <b>Regional Performance Objective:</b> ATM Situational Awareness; as well as COM   |  |                       |                                 |                               |
| <b>Element Implementation Status</b>   |  |                       |                                 |                               |
| <b>1</b>   | <b>Element Description:</b><br>ADS-C over oceanic and remote areas |                       | <b>Date Planned/Implemented</b> | <b>Status</b>                 |
|  | <b>Status Details</b>  |                       |                                 |                               |
| <b>2</b>   | <b>Element Description:</b><br>CPDLC over continental areas        |                       | <b>Date Planned/Implemented</b> | <b>Status</b>                 |
|  | <b>Status Details</b>  |                       |                                 |                               |
| <b>3</b>   | <b>Element Description:</b><br>CPDLC over oceanic and remote areas |                       | <b>Date Planned/Implemented</b> | <b>Status</b>                 |
|  | <b>Status Details</b>  |                       |                                 |                               |
| <b>Achieved Benefits</b>   |  |                       |                                 |                               |
| <i>Access and Equity</i>   |  |                       |                                 |                               |
| <i>Capacity</i>  |  |                       |                                 |                               |
| <i>Efficiency</i>  |  |                       |                                 |                               |
| <i>Environment</i>   |  |                       |                                 |                               |
| <i>Safety</i>  |  |                       |                                 |                               |
| <b>Implementation Challenges</b>   |  |                       |                                 |                               |
| <i>Ground system Implementation</i>  |  |                       |                                 |                               |
| <i>Avionics Implementation</i>   |  |                       |                                 |                               |
| <i>Procedures Availability</i>   |  |                       |                                 |                               |
| <i>Operational Approvals</i>   |  |                       |                                 |                               |
| <b>Notes</b>   |  |                       |                                 |                               |

| [STATE] ASBU Air Navigation Reporting Form (ANRF) |                      |                          |                 |
|---|----------------------|--------------------------|-----------------|
| PIA   | Block - Module       | Date                     | Month Day, 2017 |
| <b>Module Description:</b>                        |                      |                          |                 |
| Regional Performance Objective: Improve SAR       |                      |                          |                 |
| <b>Element Implementation Status</b>              |                      |                          |                 |
| 1   | Element Description: | Date Planned/Implemented | Status          |
|   | Status Details       |                          |                 |
| 2   | Element Description: | Date Planned/Implemented | Status          |
|   | Status Details       |                          |                 |
| 3   | Element Description: | Date Planned/Implemented | Status          |
|   | Status Details       |                          |                 |
| <b>Achieved Benefits</b>                          |                      |                          |                 |
| <i>Access and Equity</i>                          |                      |                          |                 |
| <i>Capacity</i>                                   |                      |                          |                 |
| <i>Efficiency</i>                                 |                      |                          |                 |
| <i>Environment</i>                                |                      |                          |                 |
| <i>Safety</i>                                     |                      |                          |                 |
| <b>Implementation Challenges</b>                  |                      |                          |                 |
| <i>Ground system Implementation</i>               |                      |                          |                 |
| <i>Avionics Implementation</i>                    |                      |                          |                 |
| <i>Procedures Availability</i>                    |                      |                          |                 |
| <i>Operational Approvals</i>                      |                      |                          |                 |
| <b>Notes</b>                                      |                      |                          |                 |

-----

**TABLE B-1 CATEGORIZATION AND PRIORITIZATION OF ASBU MODULES**  
(disponible únicamente en inglés)

These categories and priorities are fully explained in Appendix B of the RPBANIP:

E = Essential    D = Desirable    S = Specific    O = Optional  
Priority 1 = immediate implementation      Priority 2 = recommended implementation

| Performance Improvement Area (PIA) | PIA Name                                | ASBU Module | Module Description   | Category | Priority |
|------------------------------------|---|-------------|--|----------|----------|
| PIA1                               | Airport Operations                      | B0-APTA     | Optimization of approach procedures including vertical guidance                                    | D        | 1        |
|                                    |   | B0-WAKE     | Increased runway throughput through optimized wake turbulence separation                           | S        | 2        |
|                                    |   | B0-RSEQ     | Improve traffic flow through sequencing (AMAN/DMAN)  | O        | 2        |
|                                    |   | B0-SURF     | Safety and efficiency of surface operations (A-SMGCS levels 1-2) and enhanced vision systems (EVS) | O        | 2        |
|                                    |   | B0-ACDM     | Improved airport operations through Airport-CDM  | D        | 1        |
| PIA2                               | Globally interoperable systems and data | B0-FICE     | Increased interoperability, efficiency and capacity through ground-ground integration              | E        | 1        |
|                                    |   | B0-DATM     | Service improvement through digital aeronautical information management                            | E        | 1        |
|                                    |   | B0-AMET     | Meteorological information supporting enhanced operational efficiency and safety                   | D        | 1        |
| PIA3                               | Optimum capacity and flexible flights   | B0-FRTO     | Improved operations through enhanced enroute trajectories  | O        | 1        |
|                                    |   | B0-NOPS     | Improved flow performance through planning based on a network-wide view                            | D        | 1        |
|                                    |   | B0-ASUR     | Initial capability for ground surveillance   | D        | 1        |

| Performance Improvement Area (PIA) | PIA Name               | ASBU Module | Module Description  | Category | Priority |
|------------------------------------|------------------------|-------------|---|----------|----------|
|                                    |                        | B0-ASEP     | Air traffic situational awareness (ATSA)  | S        | 2        |
|                                    |                        | B0-OPFL     | Improved access to optimum flight levels through climb/descent procedures using ADS-B             | S        | 2        |
|                                    |                        | B0-ACAS     | Airborne collision avoidance systems (ACAS) improvements  | E        | 2        |
|                                    |                        | B0-SNET     | Increased effectiveness of ground-based safety nets   | D        | 2        |
| PIA4                               | Efficient flight paths | B0-CDO      | Improved flexibility and efficiency in descent profiles using continuous descent operations (CDO) | D        | 2        |
|                                    |                        | B0-TBO      | Improved safety and efficiency through the initial application of data link and SATVOICE enroute  | D        | 2        |
|                                    |                        | B0-CCO      | Improved flexibility and efficiency departure profiles – continuous climb operations (CCO)        | D        | 2        |