New Barbados State Air Navigation Plan



Date: November 8th, 2018 – Draft

Prepared by: Barbados Civil Aviation Department



Document History Record

Release	Date	Author(s)/Comments
Draft	November 8th 2018	Barbados Civil Aviation Department
Version 1.0	November 8th 2018	

Table of Contents

1. Introduction	Error! Bookmark not de	fined.
1.1 Background		5
1.2 Environment		5
1.2.1 Authority of Barbados Civil Aviation	Department	6
1.2.2 Airspace		6
1.2.3 Aerodromes		7
1.2.4 Traffic Forecast		8
1.3 Planning Methodology		8
1.4 Air Navigation Planning Process		9
1.4.1 Analysis and Work Flow Process		9
1.4.2 Monitoring and Reporting Results		10
1.5 Problem Identification		11
1.5.1 Existing Problems		11
2. Barbados Civil Aviation Department's Avia	tion System Block Upgrade (ASBU) Implementation Statu	is5
	argets, and Status	
1	d Targets	
•	nmary	
1	d Status	
	d Status	
2.4 ASBU Block 3 Implementation Targets and	d Status	23
	provements (RASI) Status	
-	e Aviation System Improvements (SASI) Status	
10		
<u> </u>		
5. Your State/Organization State ANP Next R	eview Schedule	24
	es	
	ment ASBU Block 0 ANRFs	
	ment ASBU Block 1 ANRFs	
	ment SBU Block 2 ANRFs	
	ment ASBU Block 3 ANRFs	
	nent RASI ANRFs	
Appendix I: Barbados Civil Aviation Departm	nent SASI ANRFs	51

Introduction

This document is Barbados Civil Aviation Department Air Navigation Plan (ANP) describing the plan and status of aviation technology implementation. The background of the State ANP and the environment of our air navigation system are presented along with the method and process to evaluate and monitor aviation technology implementation.

1.1 Background

The ICAO Global Air Navigation Plan (Doc 9750, GANP) provides ICAO's vision to achieve sustainable growth of the global civil aviation system. It also presents all States with a comprehensive planning tool supporting a harmonized global air navigation system. The GANP is an overarching framework that includes key civil aviation policy principles to assist ICAO Regions and States with the preparation of their Regional and State Air Navigation Plans (ANPs).

Planning and Implementation Regional Groups (PIRGs) are expected to develop the regional ANPs reflecting the regional requirements. GANP obligates States to map their individual or regional programmes against the harmonized GANP, but provides them with far greater certainty of investment. GANP requires active collaboration among States through the PIRGs in order to coordinate initiatives within applicable regional ANPs.

The GANP introduces the Aviation System Block Upgrades (ASBU) methodology. The ASBU methodology and its description of future aviation capabilities define programmatic and flexible global systems engineering approaches allowing all States to advance their air navigation capacities based on their specific operational requirements.

To this extent, the North American, Central American and Caribbean (NACC) Regional Office (RO), has published the NAM/CAR Regional Performance-Based Air Navigation Implementation Plan (RPBANIP, v3.1 in April 2014) aligning the activities and strategies with the ICAO ASBU methodology.

This document is the ANP for Barbados aligning activities and strategies to the GANP and RPBANIP. The information contained in the Barbados Civil Aviation Department ANP is related mainly to:

- Planning: objectives set, priorities and targets planned at the state level
- Implementation monitoring and reporting: monitoring the progress of implementation towards targets planned. This information should be used for reporting purposes (i.e.: global and regional air navigation reports and performance dashboards); and/or
- Guidance: providing state guidance material for the implementation of specific system/procedures in a harmonized manner.

The Barbados Civil Aviation Department ANP would be used as a tool for planning, monitoring, and reporting the status of implementation of the aviation capabilities.

1.2 Environment

The environments of Air Navigation of Barbados Civil Aviation Department, such as authority, airspace and airports, and air traffic are described in this section.

The Barbados Civil Aviation Department (BCAD) was established on 10th March 1913 and amended in 2007, not until Good Friday March 29th 1929 that the first international flight made our shores.

MISSION

To provide a safe, efficient, reliable and economical air navigation service and to promote quality and excellence in Barbados' Aviation industry through professional and cost effective safety regulation.

1.2.1 Authority of Barbados Civil Aviation Department

VISION

Excellence and the highest standards of civil aviation that are second to none in the region.

The BCAD comprises of two sections operations and regulatory. The regulatory section is responsible for regulating all civil aviation matters, responsible for updating Barbados ANP and overseeing that the airport operates smoothly in accordance to the Annexes ICAO Standard Procedures. The operations section is responsible for managing the aerodrome, airspace usage, provides air traffic services and flight information service. The Department is headed by Director of Civil Aviation who is supported by one Technical Officer, five inspectors, a Chief Aeronautical Information Service Officer (CAISO), Chief Air Traffic Control Officer (CATCO) and other supported staff. The BCAD organization is outlined in Figure 1.2.1, the positions labelled in black implemented, purple not implemented and the post highlighted for two positions in the regulatory only one position filled except for the Aviation Security Inspector and the assistant.




Figure 1.2.1: Organizational Structure of the Barbados Civil Aviation Department

1.2.2 Airspace

The airspace of Barbados territory including adjacent international waters comprises a TMA (Barbados TMA) which is located within the Piarco Flight Information Region (FIR) that is managed by Piarco. Our airspace is designed in a horse shoe shape which begins from 3000ft and extend to F245. Air Traffic Control is exercised in TMA and CTR at Grantley Adams International Airport which is a controlled

aerodrome equipped with approach and landing aids. Flight information service, alerting service and air traffic control service are provided by Adams. Radar services is an integral part of Air Traffic Service system. Refer to Figure 1.2.2 for the airspace around Barbados (TBPB) or Piarco FIR.




Figure 1.2.2: TTZP FIR and TBPB TMA

Barbados

1.2.3 Aerodromes

The airspace of Barbados territory including adjacent international waters comprises a TMA (Barbados TMA) which is located within the Piarco CTA/FIR. Air traffic control is exercised in the TMA and CTR at the Grantley Adams Airport which is a controlled aerodrome equipped with approach and landing aids. Flight information service, alerting service and air traffic control service are provided by Adams Approach within the Barbados TMA/CTR.

Radar service is an integral part of the ATS system. The major aerodrome in Barbados is the Grantley Adams International Airport TBPB. This aerodrome is listed in the ICAO's regional ANP titled, "Caribbean and South American Air Navigation Plan, Volume I (dated October 2015), Table AOP I-1, International Aerodromes Required in the CAR/SAM Regions".

The TBPB has the capacity of 20 air traffic movements per hour.

Runway Information on Grantley Adams International (TBPB)

	Runway 09	Runway 27
Length x Width	11017ft x 148 ft	11017ft x 148 ft
Surface Type	Asphalt	asphalt
TDZ-Elev	169ft	160ft
Lighting	Edge, centreline, end, approach	edge
Displace Threshold	394ft	N/A

1.2.4 Traffic Forecast

The number of typical daily operation (arrivals/departures) for Grantley Adams International Airport are 50/50 (total of 100 movements). The RPBANIP forecasted that average annual growth of air traffic in the Caribbean region would increase 5.9% during 2011-2031. The Grantley Adams International Airport believes that this overall Caribbean regional forecast of annual increase of 5.9% is too optimistic and a more moderate number of 3.0% annual increase might be a realistic anticipation. The estimated daily operations at TBPB are shown in Tables 1.2.4a and 1.2.4b applying the increase forecasts to each year from 2017 to 2031.

ICAO	Your	Used
Annual	Annual	Annual
Increase	Increase	Increase
0.059	0.03	0.05

	0.059	0.03
Year	5.9% annual increase	3% Annual Increase
2017	100	100
2018	106	103
2019	112	106
2020	119	109
2021	126	113
2022	133	116
2023	141	119
2024	149	123
2025	158	127
2026	168	130
2027	177	134
2028	188	138
2029	199	143
2030	211	147
2031	223	151

1.3 Planning Methodology

Guided by the GANP and RPBANIP, the state planning process starts by identifying the state responsible ATM areas, major traffic flows and international aerodromes. An analysis of this data leads to the identification of opportunities for performance improvement. Available technologies and ASBU Elements are evaluated to identify which Elements best provide the needed operational improvements.

Depending on the complexity of the selected technology or Elements, additional planning steps may need to be undertaken including financing and training needs. Finally, state plans would be developed for the deployment of improvements and supporting requirements. This is an iterative planning process which may require repeating several steps until a final plan with specific regional targets is in place. This planning methodology requires full involvement of States, service providers, airspace users and other stakeholders, thus ensuring commitment by all for implementation.

Considering that some of the ASBU Modules contained in the GANP are specialized packages of implementable capabilities, called Elements, that may be applied where specific operational requirements or corresponding benefits exist, States will decide how each ASBU Element would fit into national and regional plans.

In establishing and updating the implementation priorities detailed in the Grantley Adams International Civil Aviation Department ANP, due consideration should be given to the safety priorities set out in the Global Aviation Safety Plan (GASP) and the NAM/CAR regional safety strategy. Grantley Adams International would establish its own air navigation objectives, priorities and targets to meet its individual needs and circumstances in line with the global and regional air navigation objectives, priorities, and targets.

1.4 Air Navigation Planning Process

The air navigation planning process prescribes evaluation, implementation, reviewing, reporting, and monitoring activities. It is recommended to conduct the process on a cyclical, annual basis. An Air Navigation Reporting Form (ANRF) is a tool to monitor and report the implementation status of capabilities. The Grantley Adams International Civil Aviation Department ANRF is a customized tool for the application of setting planning targets, monitoring implementation, and identifying challenges, measuring implementation/performance and reporting. The ANRF reflects selected key performance areas as defined in the Manual on Global Performance of the Air Navigation System (ICAO Doc 9883).

Many of the future capabilities are described in terms of ASBU Elements. Some capabilities are specific to the need of the Caribbean Region and/or the State needs. These specific needs are described as Regional Aviation System Improvements (RASI) and State Aviation System Improvements (SASI). Both Analysis and Work Flow and ANRF are useful to manage the implementation status of ASBU, RASI, and SASI capabilities.

1.4.1 Analysis and Work Flow Process

Figure 1.4.1 depicts the workflow for analyzing and implementing ASBU Elements. This flow process should be applied to each of the ASBU Elements. If the Element is applicable to an airport, each airport needs to be evaluated through this flow process. This same flow process is applicable to RASI and SASI.

The significance of each step in the workflow as it pertains to regional planning is as follows:

- Analysis Not Started The requirement to implement this ASBU Element has not yet been assessed
- **Analysis In Progress** A Need Analysis as to whether or not this ASBU Element is required, is in progress
- N/A The ASBU Element is not required
- **Need** The Need Analysis concluded that the ASBU Element is required, but planning for the implementation has not yet begun
- Planning Implementation of this ASBU Element is planned, but not yet started

- **Developing** Implementation of this ASBU Element is in the development phase, but not yet operational
- **Partially Implemented** Implementation of this ASBU Element is partially completed and/or operational but all planned implementations are not yet complete
- **Implemented** Implementation of this ASBU Element has been completed and/or is fully operational everywhere the need was identified

Figure 1.4.1: Analysis and Work Flow

The Need Analysis of ASBU Elements will identify which ASBU Elements are required. In this context, "required" means that the benefits estimated from the implementation would justify the associated implementation costs, or, the potential safety benefits are deemed to justify the implementation costs. The implementation status of ASBU Elements which are not required should be indicated as "N/A", meaning "not applicable".

The analysis and implementation status determined in accordance with the above is reflected in the applicable ANRFs and in the ASBU Implementation Status Tables.

1.4.2 Monitoring and Reporting Results

Monitoring and reporting results will be analyzed by the Regions, States and the ICAO Secretariat to steer the air navigation improvements, take corrective actions and review the allocated objectives, priorities and targets if needed. The results will also be used by ICAO and aviation partner stakeholders to develop the annual Global Air Navigation Report. The report results will provide an opportunity for the international civil aviation community to compare progress across different ICAO regions in the establishment of air navigation infrastructure and performance-based procedures. The reports will also provide the ICAO Council with detailed annual results on the basis of which tactical adjustments will be made to the performance framework work programme, as well as triennial policy adjustments.

The information provided in the Grantley Adams International Civil Aviation Department ANRFs should be periodically reviewed and updated if subsequent analysis results in a change to the applicability of any ASBU Elements, whether or not they were selected. The explanation of ANRF is provided in Appendix A. The customized Grantley Adams International Civil Aviation Department ASBU Air Navigation Reporting Form Template is provided in Appendix B. The Grantley Adams International Civil Aviation Department RASI and SASI Air Navigation Reporting Form Templates are provided in Appendix C.

1.5 Problem Identification

To provide and promote safe and efficient aviation services to the customers, it is important to resolve ongoing challenges that hindering the mission. It is also important to anticipate and address the potential problems in the future.

1.5.1 Existing Problems

The current infrastructure at the TBPB airport, notwithstanding upgrades and expansions over the years, does not adequately meet peak capacity demand. In addition aged buildings, obsolete equipment and procedures need to be upgraded; These include new Air Traffic Services Building, Jet bridges, runway, taxiway and apron restructuring and resurfacing to accommodate A380 heavy aircraft.

New communication, navigation, and surveillance equipment to accommodate Performance Based Navigation procedures (PBN); as well as the establishment of Standard Instrument Departure procedures (SIDs) and Standard arrival routes (STARS) are presently being constructed to improve on the safety, efficiency and management of airspace capacity.

While Airport Collaborative Decision Making (ACDM) is currently done there needs to be improvements in this area

Weather and aeronautical information can be improved with the implementation of a Certified Quality Management System . In addition equipment to provide information such as aerodrome warnings and wind shear warnings/alerts will increase safety of operations.

A fundamental component which is critical concern, is the availability of human resource to meet the wide-ranging needs of airport operations. The provision of relevant training for that human resource is paramount.

1.5.2 Future Problems

The human resource issues, if not addressed in tandem with the infrastructure and procedure development, could result in deficient service provision and delivery. Human resource acquisition and development must coincide with the infrastructure and procedure development.

2. The Barbados Civil Aviation Department S Aviation System Block Upgrade (ASBU) Implementation Status

The status of ASBU implementation is provided in this section. Though there are Block 0 to Block 4 (B0, B1, B2, and B3), only B0 capacities are ready to be implemented with supporting documents such as standards, procedures, specifications, and training materials. ICAO will provide supporting documents for B1 in 2019, B2 in 2025, and B3 in 2031.

2.1 ASBU Block 0 Implementation Metrics, Targets, and Status

ASBU B0 Implementation Targets and Status are presented in this section. Barbados Civil Aviation Department considers one airport, Grantley Adams International Airport.

2.1.1 ASBU B0 Implementation Metrics and Targets

Table 2.1.1 provides the ASBU B0 Implementation Metrics, Targets, and Progress for each B0 Element.

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
		Performance Improvement Area 1: Airpor	t Operations	
ACDM	1. Interconnection between aircraft operator & ANSP systems to share surface operations information	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None, or I	B0-ACDM-1 Target 1: Assessed in Sep 1990 a. Yes b. 1 (TBPB) B0-ACDM-1 Target 2: Implemented in Dec 2000 c. 1	Status – Implemented
	2. Interconnection between aircraft operator & airport operator systems to share surface operations information	Number of aerodromes to be considered: I a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-ACDM-2 Target 1: Assessed in Sep 1990 a. Yes b. 1 (TBPB) B0-ACDM-2 Target 2: Implemented in Dec 2000 c. 1	Status – Implemented
	3. Interconnection between airport operator & ANSP systems to share surface operations information	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I. c. How many aerodromes implemented the capability? None or I.	B0-ACDM-3 Target 1: Assessed in Sep 2010 a. Yes b. 1 (TBPB) B0-ACDM-3 Target 2: Implemented in Dec 2012 c. 1	Status – Implemented
	4. Interconnection between airport operator, aircraft operator & ANSP systems to share surface operations information	Number of aerodromes to be considered: I a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-ACDM-4 Target 1: Assessed in Sep 2010 a. Yes b. 1 (TBPB) B0-ACDM-4 Target 2: Implemented in Dec 2012 c. 1	Status – Implemented
	5. Collaborative departure queue management	Number of aerodromes to be considered: I a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-ACDM-5 Target 1: Assessed in Dec 1990 a. Yes b. None B0-ACDM-5 Target 2: Implemented in Dec 2000 c. None	Status – N/A
АРТА	1. PBN approach procedures with vertical guidance to LNAV/VNAV minima	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-APTA-1 Target 1: Assessed in Sep 2016 a. Yes b. 1 (TBPB) B0-APTA-1 Target 2: Implement by Aug 2019 c. None	Status – Developing
	2. PBN approach procedures with vertical guidance to LPV minima	Number of aerodromes to be considered: I a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-APTA-2 Target 1: Assessed in Sep 2016 a. Yes b. 1 (TBPB) B0-APTA-2 Target 2: Implement by Aug 2019 c: None	Status- N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	3. PBN Approach Procedures without vertical guidance (LP, LNAV minima; using SBAS)	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-APTA-3. Target 1: Assessed in Sep 2016 a. Yes b. None B0-APTA-3 Target 2: Implement by Aug 2019 c. None	Status – N/A
	4. GBAS Landing System (GLS) Approach procedures	Number of aerodromes to be considered: I a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-APTA-4. Target 1: Assessed in Sep 2016 a. Yes b. 1 (TBPB) B0-APTA-4. Target 2: Implement by Dec 2019 c. None	Status – Developing
RSEQ	1. AMAN via controlled time of arrival to a reference fix	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-RSEQ-1. Target 1: Assessed in Dec 2016 a. Yes b. None B0-RSEQ-1 Target 2: Implement by Dec 2019 c. None	Status – N/A
	2. Departure management	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-RSEQ-2. Target 1: Assessed in Dec 2016 a. Yes b. None B0-RSEQ-2. Target 2: c. None	Status — N/A
	3. Departure flow management	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-RSEQ-3, Target 1: Assessed in Dec 2016 a. Yes b. None B0-RSEQ-3, Target 2: c. None	Status – N/A
	4. Point merge	Number of aerodromes to be considered: a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-RSEQ-4. Target 1: Assessed in Dec 2016 a. Yes b. None B0-RSEQ-4. Target 2: c. None	Status – N/A
SURF	1. A-SMGCS with at least one cooperative surface surveillance system	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-SURF-1. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-SURF-1. Target 2 Implement by March 2019 c. None	Status – Developing
	2. Including ADS-B APT as an element of A-SMGCS	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-SURF-2. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-SURF-2. Target 2: Implement by March 2019 c. None	Status – Developing

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	3. A-SMGCS alerting with flight identification information	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-SURF-3. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-SURF-3. Target 2: Implement by March 2019 c. None	Status – Developing
	4. EVS for taxi operations	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-SURF-4. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-SURF-4. Target 2: Implement by March 2019 c. None	Status – Developing
	5. Airport vehicles equipped with transponders	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-SURF-5. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-SURF-5. Target 2: Implement by March 2019 c. None	Status – Developing
WAKE	1. New PANS- ATM wake turbulence categories and separation minima	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-WAKE-1. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-WAKE-1. Target 2: Implemented in Jan 2017 c. None	Status – Implemented
	2. Dependent diagonal paired approach procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-WAKE-2. Target 1: Assessed in Dec 2016 a. Yes b. None B0-WAKE-2. Target 2: c. None	Status – N/A
	3. Wake independent departure and arrival procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or c. How many aerodromes implemented the capability? None or 1	B0-WAKE-3. Target 1: Assessed in Dec 2016 a. Yes b. None B0-WAKE-3. Target 2: c. None	Status – N/A
	4. Wake turbulence mitigation for departures procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-WAKE-4. Target 1: Assessed in Dec 2016 a. Yes b. None B0-WAKE-4. Target 2: c. None	Status – N/A
	5. 6 wake turbulence categories and separation minima	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or I c. How many aerodromes implemented the capability? None or I	B0-WAKE-5. Target 1: Assessed in Dec 2016 a. Yes b. None B0-WAKE-5. Target 2: c. None	Status – N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
AMET	1. WAFS	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-AMET-1. Target 1: a. No b. TBD B0-AMET-1. Target 2: Implement in TBD c. No	Status – Analysis in progress
	2. IAVW	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-AMET-2. Target 1: a. No b. TBD B0-AMET-2. Target 2: Implement in TBD c. No	Status – Analysis in progress
	3. TCAC forecasts	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-AMET-3. Target 1: a. No b. Implement in TBD B0-AMET-3.Target 2: TBD c. No	Status – Analysis in progress
	4. Aerodrome warnings	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or 1 c. How many aerodromes implemented the capability? None, or 1	B0-AMET-4. Target 1: a. No b. TBD B0-AMET-4. Target 2: Implement in TBD c. No	Status – Analysis in progress
	5. Wind shear warnings and alerts	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None, or I	B0-AMET-5. Target 1: a. No b. TBD B0-AMET-5. Target 2: Implement in TBD c. No	Status - Analysis in progress
	6. SIGMET	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-AMET-6. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-AMET-6. Target 2: Implemented in Dec 2017 c. Yes	Status – Implemented
	7. Other OPMET information (METAR, SPECI and/or TAF)	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None or 1 c. How many aerodromes implemented the capability? None or 1	B0-AMET-7. Target 1: Assessed in Dec 2016 a. Yes b. 1 TBPB B0-AMET-7. Target 2: Implemented in Jan 2017 c. 1	Status – Implemented
	8. QMS for MET	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-AMET-8. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-AMET-8. Target 2: Implement by Dec 2019 c. No	Status - Developing
DATM	1. Aeronautical Information Exchange Model (AIXM)	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-DATM-1. Target 1: Assessed in Dec 2017 a. yes b. yes B0-DATM-1. Target 2: Implement by Dec 2019 c. No	Status - Planning

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	2. eAIP	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-DATM-2. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-DATM-2. Target 2: Implemented in Jan 2017 c. Yes	Status -Partially Implemented
	3. Digital NOTAM	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-DATM-3. Target 1: Assess by Dec 2017 a. yes b. yes B0-DATM-3. Target 2: Implement by Dec 2019 c. No	Status - Planning
	4. eTOD	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None or I	B0-DATM-4. Target 1: Assessed in Dec 2017 a. Yes b. 1 B0-DATM-4. Target 2: Implement by Dec 2019 c. No	Status - Planning
	5. WGS-84	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-DATM-5. Target 1: Assessed in Dec 1992 a. Yes b. Yes B0-DATM-5. Target 2: Implemented in Jan 1993 c. Yes	Status – Implemented
	6. QMS for AIM	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-DATM-6. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-DATM-6. Target 2: Implement by Dec 2019 a. No	Status – Developing
FICE	AIDC to provide initial flight data to adjacent ATSUs	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FICE-1. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-FICE-1. Target 2: Implement by Dec 2019 c. No	Status – Developing
	2. AIDC to update previously coordinated flight data	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FICE-2. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-FICE-2. Target 2: Implement by Dec 2019 c. No	Status – Developing
	3. AIDC for control transfer	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FICE-3. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-FICE-3. Target 2: Implement by Dec 2019 c. No	Status – Developing
	4. AIDC to transfer CPDLC logon information to the Next Data Authority	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FICE-4. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-FICE-4. Target 2: Implement by Dec 2019 c. No	Status – Developing

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	Per	rformance Improvement Area 3: Optimum Capac	city and Flexible Flights	
ACAS	1. ACAS II (TCAS version 7.1)	a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No	B0-ACAS-1. Target 1: Assess by Dec 2019 a. No b. TBD B0-ACAS-1. Target 2: Implement by TBD	Status - Analysis Not Started
	2. Auto Pilot/Flight Director (AP/FD) TCAS	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	c. No B0-ACAS-2. Target 1: Assess by Dec 2019 a. No b. TBD B0-ACAS-2. Target 2: Implement by TBD c. No	Status - Analysis Not Started
	3. TCAS Alert Prevention (TCAP)	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-ACAS-3. Target 1: Assess by Dec 2019 a. No b. TBD B0-ACAS-3. Target 2: Implement by TBD c. No	Status - Analysis Not Started
ASEP	1. ATSA-AIRB	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-ASEP-1. Target 1: Assess by Dec 2019 a. No b. TBD B0-ASEP-1. Target 2: Implement by TBD c. No	Status - Analysis Not Started
	2. ATSA-VSA	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-ASEP-2. Target 1: Assess by Dec 2019 a. No b. TBD B0-ASEP-2. Target 2: Implement by TBD c. No	Status - Analysis Not Started
ASUR	1. ADS-B	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-ASUR-1. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-ASUR-1. Target 2: Implement by Dec 2019 c. No	Status – Partially Implemented
	2. Multilateration (MLAT)	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or 1 c. How many aerodromes implemented the capability? None, or 1	B0-ASUR-2. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-ASUR-2. Target 2: Implement by Dec 2019 c. No	Status – Partially Implemented
FRTO	1. CDM incorporated into airspace planning	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FRTO-1. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-FRTO-1. Target 2: Implemented in Dec 2019 c. Yes	Status – Partially Implemented
	2. Flexible Use of Airspace (FUA)	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FRTO-2. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-FRTO-2. Target 2: Implement by TBD c. No	Status - Developing

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	3. Flexible route systems	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FRTO-3. Target 1 Assessed in Dec 2016: a. Yes b. Yes B0-FRTO-3. Target 2: Implement by TBD c. No	Status - Developing
	4. CPDLC used to request and receive re-route clearances	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-FRTO-4. Target 1: Assess by Dec 2019 a. No b. TBD B0-FRTO-4. Target 2: Implement by TBD c. No	Status – analysis not started
NOPS	1. Sharing prediction of traffic load for next day	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-NOPS-1. Target 1: Assessed in Sep 2017 a. Yes b. Yes B0-NOPS-1. Target 2: Implemented in Jan 2018 c. Yes	Status – Partially Implemented
	2. Proposing alternative routings to avoid or minimize ATFM delays	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-NOPS-2. Target 1: Assessed in Sep 2017 a. Yes b. Yes B0-NOPS-2. Target 2: Implemented in Jan 2018 c. Yes	Status - Implemented
OPFL	1. ITP using ADS-B	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-OFTL-1. Target 1: Assessed in Dec 2016 a. Yes b. No B0-OFTL-1. Target 2: c. No	Status - N/A
SNET	1. Short Term Conflict Alert (STCA)	a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No	B0-SNET-1. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-SNET-1. Target 2: Implement by Dec 2019 c. No	Status - Developing
	2. Area Proximity Warning (APW)	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-SNET-2. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-SNET-2. Target 2: Implement by Dec 2019 c. No	Status - Developing
	3. Minimum Safe Altitude Warning (MSAW)	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-SNET-3. Target 1: Assessed in Dec 2016 a. Yes b. Yes B0-SNET-3. Target 2: Implement by Dec 2019 c. No	Status - Developing
	4. Medium Term Conflict Alert (MTCA)	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-SNET-4. Target 1: Assessed in Dec 2016 a. Yes b. No B0-SNET-4. Target 2: c. No	Status - N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
		Performance Improvement Area 4: Efficien	nt Flight Paths	
CCO	1. Procedure changes to facilitate CCO	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None, or I	B0-CCO-1. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-CCO-1. Target 2: Implement by Dec 2019 c. None	Status - Developing
	2. Route changes to facilitate CCO	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or 1 c. How many aerodromes implemented the capability? None, or 1	B0-CCO-2. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-CCO-2. Target 2: Implement by Dec 2019 c. None	Status - Developing
	3. PBN SIDs	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None, or I	B0-CCO-3. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-CCO-3. Target 2: Implement by Dec 2019 c. None	Status – Developing
CDO	1. Procedure changes to facilitate CDO	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None, or I	B0-CDO-1. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-CDO-1. Target 2: Implement by Dec 2019 c. None	Status - Developing
	2. Route changes to facilitate CDO	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None, or I	B0-CDO-2. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-CDO-2. Target 2: Implement by Dec 2019 c. None	Status - Developing
	3. PBN STARs	Number of aerodromes to be considered: 1 a. Have we assessed the need? Yes or No b. How many aerodromes need this capability? None, or I c. How many aerodromes implemented the capability? None, or I	B0-CDO-3. Target 1: Assessed in Dec 2016 a. Yes b. 1 B0-CDO-3. Target 2: Implement by Dec 2019 c. None	Status – Developing
ТВО	1. ADS-C over oceanic and remote areas	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-TB0-1. Target 1: Assessed in Dec 2016 a. Yes b. None B0-TB0-1. Target 2: c. No	Status - N/A
	2. CPDLC over continental areas	 a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No 	B0-TB0-2. Target 1: Assessed in Sep 2017 a. Yes b. None B0-TB0-2. Target 2: c. No	Status - N/A
	3. CPDLC over oceanic and remote areas	a. Have we assessed the need? Yes or No b. Do we need this capability? Yes or No c. Have we implemented the capability? Yes or No	B0-TBO-3. Target 1: Assessed in Dec 2016 a. Yes b. None B0-TBO-3. Target 2: c. No	Status - N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	4. SATVOICE direct	a. Have we assessed the need?	B0-TBO-4. Target 1:	Status - N/A
	controller-pilot	Yes or No	Assessed in Dec 2016	
	communication	b. Do we need this capability?	a. Yes	
	(DCPC)	Yes or No	b. None	
		c. Have we implemented the capability?	B0-TBO-4. Target 2:	
		Yes or No	c. No	

Table 2.1.1: ASBU B0 Implementation Metrics and Targets

2.1.2 ASBU B0 Implementation Status Summary


The summary of ASBU B0 implementation status is provided in the Table 2.1. The details of ASBU B0 implementation status is recorded using ANRFs and provided in Appendix D.

	Need A			nalysis		Implementation Status (if Element is needed)			
Module	Elements	Not Started In Progress Need N/A		Planning	Developing	Partially Implemented	Implemented		
	Performance Improvement Area 1: Airpo	ort Ope	rations						
ACDM	 Interconnection between aircraft operator & ANSP systems to share surface operations information 								1
	2. Interconnection between aircraft operator & airport operator systems to share surface operations information								1
	3. Interconnection between airport operator & ANSP systems to share surface operations information								1
	4. Interconnection between airport operator, aircraft operator & ANSP systems to share surface operations information								1
	5. Collaborative departure queue management				1				
APTA	PBN approach procedures with vertical guidance to LNAV/VNAV minima						1		
	2. PBN approach procedures with vertical guidance to LPV minima				1				
	3. PBN approach procedures without vertical guidance to LNAV minima				1				
	4. GBAS Landing System (GLS) procedures to CAT I minima						1		
RSEQ	1. AMAN via controlled time of arrival to a reference fix				1				
	2. Departure management				1				
	3. Departure flow management				1				
	4. Point merge				1				
SURF	1. A-SMGCS with at least one cooperative surface surveillance system						1		
	2. Including ADS-B APT as an element of A-SMGCS						1		
	3. A-SMGCS alerting with flight identification information						1		
	4. EVS for taxi operations						1		
	5. Airport vehicles equipped with transponders						1		
WAKE	New PANS-ATM wake turbulence categories and separation minima								1
	Dependent diagonal paired approach procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart				1				
	 Wake independent departure and arrival operations (WIDAO) for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart 				1				
	 Wake turbulence mitigation for departures (WTMD) procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart based on observed crosswinds 				1				
	5. 6 wake turbulence categories and separation minima				1				
	Performance Improvement Area 2: Globally Interop	erable	System	s and I)ata				
AMET	1. WAFS		√						
	2. IAVW		√						
	3. TCAC forecasts		√						

			Need A	analysis	5	_		ation St t is need	
Module	Elements	Not Started	In Progress	Need	N/A	Planning	Developing	Partially Implemented	Implemented
	4. Aerodrome warnings		1						
	5. Wind shear warnings and alerts		1						
	6. SIGMET								
	7. Other OPMET information (METAR, SPECI and/or TAF)								1
	8. QMS for MET								
DATM	Standardized Aeronautical Information Exchange Model (AIXM)					√			
	2. eAIP							√	
	3. Digital NOTAM					√			
	4. eTOD					1			
	5. WGS-84								√
	6. QMS for AIM						√		
FICE	AIDC to provide initial flight data to adjacent ATSUs						V		
	2. AIDC to update previously coordinated flight data						√		
	3. AIDC for control transfer								
	4. AIDC to transfer CPDLC logon information to the Next Data						V		
	Authority						٧		
			•	1	1				
ACAS	1. ACAS II (TCAS version 7.1)	√							
	2. AP.FD function	V							
	3. TCAP function	V							
ASEP	1. ATSA-AIRB	V							
	2. ATSA-VSA	√						1	
ASUR	1. ADS-B							√	
	2. Multilateration (MLAT)							1	
FRTO	CDM incorporated into airspace planning						1	√	
	2. Flexible Use of Airspace (FUA)						√ /		
	3. Flexible routing	,					√		
******	4: CPDLC used to request and receive re-route clearances	V						1	
NOPS	Sharing prediction of traffic load for next day							√	1
OPER	Proposing alternative routings to avoid or minimize ATFM delays ADG D TO D T				1				√
OPFL	1. ITP using ADS-B				√		1		
SNET	Short Term Conflict Alert implementation (STCA) And Propriet Warring (ADW)						√ √		
	2. Area Proximity Warning (APW)		-				√ √		
	3. Minimum Safe Altitude Warning (MSAW)	_	-		1		٧		
	4. Medium Term Conflict Alert (MTCA)	4 Eli:-	h4 Da4h	_	√				
CCO	Performance Improvement Area 4: Effici	ent Flig	nt Path	S			1		
cco	Procedure changes to facilitate CCO Airmond changes to facilitate CCO	<u> </u>					1		
	Airspace changes to facilitate CCO DRN SID:	-					1		
CDO	PBN SIDs Procedure changes to facilitate CDO	-					1		
CDO	Airspace changes to facilitate CDO Airspace changes to facilitate CDO	—					1		
	Airspace changes to facilitate CDO PBN STARs	-							
TPO		<u> </u>			-1		1		
TBO	ADS-C over oceanic and remote areas CPDLC over continental areas.				√ √				
	CPDLC over continental areas CPDLC over cooping and remote areas.								
	CPDLC over oceanic and remote areas CATYOICE direct controller pilot communication (DCDC)				√ √				
	3. SATVOICE direct controller-pilot communication (DCPC)	<u> </u>			V				

Table 2.1.2 ASBU B0 Implementation Status Summary

PIE CHART 1



2.2 ASBU Block 1 Implementation Targets and Status

This section will be written after 2019. Appendix E is reserved for ASBU B1 ANRFs.

2.3 ASBU Block 2 Implementation Targets and Status

This section will be written after 2025. Appendix F is reserved for ASBU B2 ANRFs.

2.4 ASBU Block 3 Implementation Targets and Status

This section will be written after 2031. Appendix G is reserved for ASBU B3 ANRFs.

3. ICAO NACC Regional Aviation System Improvements (RASI) Status

The RPBANIP is aligned with GANP and provides guidance to States in the NACC region. The ICAO NACC RO also provides guidance to implement certain capabilities outside the ASBU scope, yet regionally important improvements. RASI ANRF for ICAO NACC Regional Initiatives is prepared and provided in Appendix H.

- Aerodrome certification Status: Implemented at TBPB
- Heliport operational approval There is no approved or certified heliport currently. Individual request for operations are dealt with individually.
- Visual aids for navigation Status: Implemented
- Aerodrome Bird/Wildlife Organization and Control Programme Status: Implemented

4. Barbados Civil Aviation Department 's System Improvements (SASI) Status

Barbados Civil Aviation System Improvements (SASI) are broken into three categories; (1) Equipment upgrades; (2) Procedure upgrades; and (3) Infrastructure upgrades. The details of upgrades were recorded using SASI ANRFs and provided in Appendix I.

4.1 Equipment Upgrades

4.2 Procedure Upgrades

4.3 Infrastructure Upgrades

5. Barbados Civil Aviation Department 's ANP Next Review Schedule

The next review and revision of this document is scheduled in November 2019.

Appendix A: ANRF Explained

An ASBU ANRF should be completed for each applicable ASBU Module as follows:

PIA The Performance Improvement Area (1, 2, 3 or 4) for the ASBU Module, as per

the NAM ASBU Handbook.

Block - Module The Module Designation for the ASBU Module, as per the NAM ASBU

Handbook.

Date The date when the form was completed or updated.

Module Description The Summary Description for the ASBU Module, as per the NAM ASBU

Handbook.

Element The descriptive text for each Element, as per the NAM ASBU Handbook. It is not

> necessary to include the Defined, Derived from or Identified By information. Insert additional rows, if necessary, to accommodate all of the Elements listed for

the ASBU Module.

Date Planned or Implemented The month and year when the Element was fully implemented or the year

when it is planned for the Element to be fully implemented by all applicable States or at all applicable aerodromes. This field should be left blank if the Status for the Element is "Analysis Not Started" or "Not Applicable" for all States or

aerodromes in the Region.

Status The Need Analysis or Implementation status for the Element, in accordance with Table NAM ASBU III-1, III-2, III-3 or III-4. Indicate the status as follows:

Not Started: if the Need Analysis has not been started for any of the States or

aerodromes

In Progress: if at least one Need Analysis has been started but none have yet been completed

Need: if at least on Need Analysis has determined a requirement for the Element, but no implementation planning has yet been initiated

Not Applicable: 1) if all of the Need Analyses completed to date have concluded the Element is not required, or 2) if the Element is not an aerodrome-related improvement and the Region has not adopted the improvement for region-wide implementation.

Planning: if at least one implementation is in the Planning phase and no implementations have yet been completed.

Developing: if at least one implementation is in the Developing phase but no implementations have yet been completed.

Partially Implemented: if at least one, but not all, implementations have been completed.

Implemented: if all of Needed implementations have been completed.

Status Details Further information to support or explain the reported status. The reason(s) an

Element was found to be "Not Applicable" for all the aerodromes (or States) in the Region. The reason(s) why the Need Analysis has not been completed for all or some of the aerodromes (or States) in the Region. Information on where implementation has or has not been completed (as appropriate) if the reported

status is "Partially Implemented".

Achieved Benefits

Describe the achieved benefits for the entire Module or particular Elements. The benefits can be quantitative or qualitative. The benefits should be described for the following 5 of the 11 Key Performance Areas (KPAs) defined the *Manual on Global Performance of the Air Navigation System* (Doc 9883):

Access & Equity: Improving the operating environment so as to ensure all airspace users have the right of access to ATM resources needed to meet their specific operational requirements; and ensuring that the shared use of the airspace for different airspace users can be achieved safely. Providing equity for all airspace users that have access to a given airspace or service. Generally, the first aircraft ready to use the ATM resources will receive priority, except where significant overall safety or system operational efficiency would accrue or national defence considerations or interests dictate by providing priority on a different basis.

Capacity: Improving the ability to meet airspace user demand at peak times and locations while minimizing restrictions on traffic flow. Responding to future growth by increasing capacity, efficiency, flexibility, and predictability while ensuring that there are no adverse impacts to safety and giving due consideration to the environment. Increasing resiliency to service disruption and minimising resulting temporary loss of capacity.

Efficiency: Improving the operational and economic cost effectiveness of gate-to-gate flight operations from the airspace users' perspective. Increasing the ability for airspace users to depart and arrive at the times they select and fly the trajectory they determine to be optimum in all phases of flight.

Environment: Contributing to the protection of the environment by minimizing or reducing noise, gaseous emissions, and other negative environmental effects in the implementation and operation of the air navigation system.

Safety: Reducing the likelihood or severity of operational safety risks associated with the provision or use of air navigation services.

Implementation Challenges A description of any circumstances that have been encountered or are foreseen that might prevent or delay implementation. Challenges should be categorized and described under the applicable subject area.

Notes Any further information as deemed appropriate.

Appendix B: ASBU ANRF Template

	State Name ASBU Air Navigation Reporting Form (ANRF)							
PIA	<u>4</u>	Block - Module	B0 – CDO	Date April 17, 2017				
Mo	Module Description: To use performance-based airspace and arrival procedures allowing an aircraft to fly its							
	optimum profile using continuous descent operations. This will optimize throughput, allow fuel efficient descent							
	profiles, and increase capacity in terminal areas. The application of PBN enhances CDO.							
Ele		plementation Status						
1		t Description:		Date Planned/Implemented	Status			
		re changes to facilitat	e CDO	Dec 15, 2013	Implemented			
	Status 1							
	Describ				T			
2		t Description		Date Planned/Implemented	Status			
		hanges to facilitate CI	00	Dec 15, 2013	Planning			
	Status 1							
	Describ			I D . DI . 107	I a			
3	PBN ST	t Description		Date Planned/Implemented	Status			
	Status 1			Dec 15, 2013	Developing			
	Describ							
Aol	nieved B							
	ess and l							
		Describe if you can, e	lse leave it blank					
		Describe if you can, e						
	pacity	<u> </u>						
	ciency							
	rironmen	ţ						
Safe								
	•	tion Challenges						
		em Implementation						
Avi	onics Imp	olementation						
Pro	cedures 1	Availability						
Ope	erational	Approvals						
Not								
Pro	vide note	s if applicable.						

Appendix C: RASI and SASI ANRF Templates

RASI and SASI ANRF templates are the same with ASBU ANRF template with exception of the header as shown in this Appendix. The first header is for the ICAO NACC Regional Office specific improvements while the second header is for the State specific improvements.

Section C.1: Regional Aviation System Improvements (RASI) ANRF Header

Enter appropriate State Name and Date. Describe the Module (i.e., improvement group description.)

State Name RASI Air Navigation Reporting Form (ANRF)						
ICAO NACC Regional Initiatives	Date	September 1, 2017				
Module Description: ICAO NACC RO has identified airport improvements.						
Refer to the ASBU ANRF for the remaining sections (i.e., Element Implementation Status, Achieved Benefits, Implementation Challenges, and Notes)						

Section C.2: State Aviation System Improvements (RASI) ANRF Header

Enter appropriate State Name, Upgrades category (i.e., Equipment, Procedure, Infrastructure, etc.), Date. Describe the Module (i.e., Upgrades category description.)

State Name SASI Air Navigation Reporting Form (ANRF)					
Infrastructure Upgrades	Date	September 1, 2017			
Module Description: Describe module.					
Refer to the ASBU ANRF for the remaining sections (i.e., Eleme Implementation Challenges, and Notes)	nt Implen	nentation Status, Achieved Benefits,			

Appendix D: Barbados Civil Aviation Department ASBU Block 0 ANRFs

	[Barbados] ASF		n Reporting Form (ANRF)					
Block - Module	B0 - ACDM	Date Nov	vember 6 th 2018					
	II.		ns that will allow the sharing of s	urface operations data				
			rove surface traffic management					
				reducing delays on				
	movement and manoeuvring areas and enhance safety, efficiency and situational awareness. Element Implementation Status							
			Data Dlamad/Immlamantad	Status				
Element Descript		nd ANCD avatama	Date Planned/Implemented 2000	Implemented				
	Interconnection between aircraft operator and ANSP systems 2000 Implemented to share surface operations information.							
	Status Details							
	:1 4h4:	. :f A.T.	Cid					
			C provides gate information to ce	rtain airimes directly.				
		ith dates and parki	ng positions assignments.	T Ct. 4				
Element Descript		1 .	Date Planned/Implemented	Status				
	etween aircraft operator ar		November 2018	Implemented				
	o share surface operations	sinformation						
Status Details		4						
		the aircraft operat	or and the airport operation. Oil s	spills, Foreign Object				
Debris e.g can be o				T				
Element Descript			Date Planned/Implemented	Status				
	etween airport operator an		November 2018	Implemented				
	perations information 3&1	<u>l</u>						
Status Details								
			the two parties. List of parking pe					
		Manager. Surface	inspections conducted daily by G	AIA Inc. and				
information comm	nunicated to the tower.							
Element Descript			Date Planned/Implemented	Status				
	etween airport operator, ai		November 2018	Implemented				
and ANSP systems	s to share surface operation	ons information						
Status Details								
Push back procedu	ares and flow control mea-	sures have been es	stablished and communicated with	h all parties. Any				
delays and emerge	encies are communicated.							
Element Descript	ion:		Date Planned/Implemented	Status				
Collaborative depa	arture queue management		November 2018	N/A				
Status Details				•				
Manual Internal pr	rocedures airlines advise o	of delays and coor	dination procedures are in place v	with FIR				
Achieved Benefits			•					
		here problems can be	communicated through the Duty Mana	ıger				
	xeholders have access to the			0				
	one focal point allows the							
Environment	ne joear point anows me	process to work eg	jeenvery					
Safety Safety								
Implementation (
Ground system Im								
Avionics Implemen								
Procedures Availa								
Operational Appro	ovais							
Notes								

	[Barbados] ASBU Air Navigation Reporting Form (ANRF)								
PI		Date	November 6 th 2018						
	dule Description: The use of Performance-based Navigation (tation system					
	BAS) landing system (GLS) procedures will enhance the reliabi								
	s increasing safety, accessibility and efficiency. This is possible								
	igation satellite system (GNSS), Baro-vertical navigation (VNA								
	GLS. The flexibility inherent in PBN approach design can be								
	ment Implementation Status	мртопес	to mercuse runway capa	erey.					
1	*								
_	PBN approach procedures with vertical guidance to	Nover	nber 6 th , 2020	Developing					
	LNAV/VNAV minima	110701		20 votoping					
	Status Details	II.		<u> </u>					
	All the SIDS and STARS are not completed. Technical Office	r Trainiı	ng and Systems in collabo	oration with					
	Cartographer		8 · · · · · · · · · · · · · · · · · · ·						
2	Element Description:	Date 1	Planned/Implemented	Status					
	PBN approach procedures with vertical guidance to LPV	N/A	<u>.</u>	N/A					
	minima								
	Status Details	1		•					
	Not Report								
3	Element Description:	Date 1	Planned/Implemented	Status					
	PBN approach procedures without vertical guidance to	N/A	_	N/A					
	LNAV minima								
	Status Details								
	No Report								
4	Element Description:		Planned/Implemented	Status					
	GBAS Landing System (GLS) procedures to CAT I minima	Imple	ment by	Developing					
		Nover	nber 6 th , 2019						
	Status Details								
	Technicians are currently sourcing equipment								
	nieved Benefits								
	ess and Equity								
_	pacity: Will accommodate more aircraft in the airspace								
	ciency :Less Fuel Burn								
	vironment :Fewer Greenhouse emissions								
	ety : Safety will increase over all								
	plementation Challenges								
	ound system Implementation								
	onics Implementation								
	ocedures Availability								
	erational Approvals								
No	tes								
1									

	Barbados ASBU Air Navigation Reporting Form (ANRF)							
PIA	Block - Module B0 - RSEQ	Date November 6, 2018						
	dule Description: To manage arrivals and departures (include							
run	way aerodrome or locations with multiple dependent runways	at closely proximate aerodromes,	to efficiently					
util	utilize the inherent runway capacity.							
Ele	ment Implementation Status							
1	Element Description:	Date Planned/Implemented	Status					
	AMAN via controlled time of arrival to a reference fix	N/A	N/A					
	Status Details							
	No Report							
2	Element Description:	Date Planned/Implemented	Status					
	Departure management	N/A	N/A					
	Status Details							
	No Report							
3	Element Description:	Date Planned/Implemented	Status					
	Departure flow management	N/A	N/A					
	Status Details							
	No Report							
4	Element Description:	Date Planned/Implemented	Status					
	Point merge	N/A	N/A					
	Status Details							
	No Report							
	nieved Benefits							
Acc	ress and Equity							
Cap	pacity							
Effi	ciency							
Env	vironment							
Saf	ety	-						
	plementation Challenges							
	ound system Implementation							
Avi	onics Implementation							
Pro	cedures Availability							
Ope	erational Approvals							
Not	tes							

	[Barbados] ASBU Air Navigation Reporting Form (ANRF)							
PIA		Date	November 6 th 2018					
	dule Description: First levels of advanced-surface movement			-SMGCS)				
	vides surveillance and alerting of movements of both aircraft and							
	way/aerodrome safety.			1 - 8				
	omatic dependent surveillance-broadcast (ADS-B) information	is used	when available (ADS-B	APT). Enhanced				
	on systems (EVS) is used for low-visibility operations.		`	,				
Ele	Element Implementation Status							
1	Element Description:	Imple	mented by	Status				
	A-SMGCS with at least one cooperative surface surveillance January 2019 Developing							
	system							
	Status Details							
	Equipment is being installed training and procedures to be imp			_				
2	Element Description:		mented by	Status				
	ADS-B APT	Januar	y 2019	Developing				
	Status Details	_						
	Equipment is being installed training and procedures to be imp			1				
3	Element Description:		mented by	Status				
	A-SMGCS alerting with flight identification information	Januar	y 2019	Developing				
	Status Details							
	Equipment is being installed training and procedures be imple			T				
4	Element Description:		mented by	Status				
	EVS for taxi operations	Januar	y 2019	Developing				
	Status Details							
	Equipment currently being tested	1		Τα				
5	Element Description:		mented by	Status				
	Airport vehicles equipped with transponders	Januar	y 2019	Developing				
	Status Details	.4 4 .	1					
A -1	Some vehicles equipped with transponders awaiting the new sieved Benefits	ystem to	be operational					
	ess and Equity							
	acity ciency							
	crency ironment							
	tronment ty: Will enhance surveillance and safety during night and low		diti ana					
	<u>, , , , , , , , , , , , , , , , , , , </u>	visibilly	y conailions					
	blementation Challenges und system Implementation							
	una system implementation onics Implementation							
	onics implementation cedures Availability							
	rational Approvals							
Not	es							

	Barbados ASBU Air Navigation Rep	orting Form (ANRF)	
PIA		Date November 6 2018	
	dule Description: Improved throughput on departure and arriv		ke turbulence
	aration minima, revised aircraft wake turbulence categories and	procedures.	
-	ment Implementation Status	1	
1	Element Description:	Date Planned/Implemented	Status
	New PANS-ATM wake turbulence categories and separation	November 6, 2000	Implemented
	minima		
	Status Details		
	Procedures currently in place	In . n	Ta
2	Element Description:	Date Planned/Implemented	Status
	Dependent diagonal paired approach procedures for parallel	N/A	N/A
	runways with centrelines spaced less than 760 meters (2,500		
	feet) apart		
	Status Details This is not applicable to our signort		
2	This is not applicable to our airport	Data Blannad/Ilaa-t - 3	Status
3	Element Description: Wake independent departure and arrival operations	Date Planned/Implemented N/A	Status N/A
	(WIDAO) for parallel runways with centrelines spaced less	IN/A	IN/A
	than 760 meters (2,500 feet) apart		
	Status Details		
	This is not applicable to our airport		
4	Element Description:	Date Planned/Implemented	Status
4	Wake turbulence mitigation for departures (WTMD)	N/A	N/A
	procedures for parallel runways with centrelines spaced less	IV/A	IV/A
	than 760 meters (2,500 feet) apart based on observed		
	crosswinds		
	Status Details		
	This is not applicable to our airport		
5	Element Description:	Date Planned/Implemented	Status
	6 wake turbulence categories and separation minima	N/A	N/A
	Status Details	1	
	Provisions have just been made for three categories but provisions	sion must be made for super heavy	aircraft
Acl	nieved Benefits		
Acc	ess and Equity		
_	pacity		
	ciency		
	ironment		
Safe	ety		
	plementation Challenges		
	ound system Implementation		
	onics Implementation		
	cedures Availability		
	erational Approvals		
Not	**		

PIA 2 Block - Module B0 - AMET Date November 6, 2017	Barbados ASBU Air Navigation Reporting Form (ANRF)							
	PIA	2	Block - Module	B0 - AMET	Date	November 6, 2017		

Module Description: Global, regional and local meteorological information:

- a) forecasts provided by world area forecast centres (WAFC), volcanic ash advisory centres (VAAC) and tropical cyclone advisory centres (TCAC);
- b) aerodrome warnings to give concise information of meteorological conditions that could adversely affect all aircraft at an aerodrome including wind shear; and
- c) SIGMETs to provide information on occurrence or expected occurrence of specific enroute weather phenomena which may affect the safety of aircraft operations and other operational meteorological (OPMET) information, including METAR/SPECI and TAF, to provide routine and special observations and forecasts of meteorological conditions occurring or expected to occur at the aerodrome.

This information supports flexible airspace management, improved situational awareness and collaborative decision making, and dynamically optimized flight trajectory planning.

This module includes elements which should be viewed as a subset of all available meteorological information that can be used to support enhanced operational efficiency and safety.

Cuii	be used to support emianeed operational emicroney and surety.					
Ele	Element Implementation Status					
1	Element Description:	Date Planned/Implemented	Status			
	WAFS	TBD	Analysis in			
			Progress			
	Status Details					
	No Report					
2	Element Description:	Date Planned/Implemented	Status			
	IAVW	TBD	Analysis in			
			progress			
	Status Details					
	No Report					
3	Element Description:	Date Planned/Implemented	Status			
	TCAC forecasts	TBD	Analysis in			
			progress			
	Status Details					
	No Report		_			
4	Element Description:	Date Planned/Implemented	Status			
	Aerodrome warnings	TBD	Analysis in			
			Progress			
	Status Details					
	Met personnel uses the meteorological information to determine applicable Aerodrome Warnings					
5	Element Description:	Date Planned/Implemented	Status			
	Wind shear warnings and alerts	TBD	Analysis in			
			Progress			
	Status Details					
	Currently as pilots report the Wind shear information to the to	wer the tower passes the informat	tion to the MET			
	and the Met info is updated		1			
6	Element Description:	Date Planned/Implemented	Status			
	SIGMET	Dec 2000	Implemented			
	Status Details					
	Information is updated in the ATIS and made available to ATCO and Pilots					
7	Element Description:	Date Planned/Implemented	Status			
	Other OPMET information (METAR, SPECI and/or TAF)	Dec 2000	Implemented			
	Status Details					
	Hourly weather reports received from Met Office					
8	Element Description:	Date Planned/Implemented	Status			
	OMS for MET	TRD	Developing			

Status Details
No Report
chieved Benefits
ccess and Equity
apacity
ficiency
nvironment
ıfety
nplementation Challenges
round system Implementation
vionics Implementation
ocedures Availability
perational Approvals
otes

Barbados ASBU Air Navigation Reporting Form (ANRF)									
PIA		Date November 6, 2018							
	dule Description: The initial introduction of digital processi								
origination to publication, through aeronautical information service (AIS)/aeronautical information management									
(AIM) implementation, use of aeronautical exchange model (AIXM), migration to electronic aeronautical									
information publication (AIP) and better quality and availability of data.									
Ele	ment Implementation Status								
1	Element Description:	Date Planned/Implemented	Status						
	Standardized Aeronautical Information Exchange Model	August 2016	Planning						
	(AIXM)								
	Status Details								
	Analysis has been done and this is required								
2	Element Description:	Implemented by	Status						
	eAIP	February 2019	Partially						
			Implemented						
	Status Details								
	The information is not in HDML format as is required		Τ						
3	Element Description:	Implemented by	Status						
	Digital NOTAM	Feb 2019	Planning						
	Status Details								
_	Piarco sourcing the appropriate with AIXM will enable the	<u> </u>							
4	Element Description:	Date Planned/Implemented	Status						
	eTOD	November 2016	Planning						
	Status Details Equipment to be sourced based on the availability of funds								
5	Element Description: WGS-84	Date Planned/Implemented	Status						
		November 6, 2000	Implemented						
	Status Details								
	All the chart information is currently derived using this syste		.						
6	Element Description:	Date Planned/Implemented	Status						
	QMS for AIM	TBD	Developing						
	Status Details The MO Good State of the Month of the Mont								
The ISO Certification is required									
Achieved Benefits									
Achieved Benefits									
Access and Equity									
Capacity									
Efficiency									
Environment									
Safety									
Implementation Challenges									
Ground system Implementation									
Avionics Implementation									
Procedures Availability									
Notes									

	Barbados ASBU Air Navigation Reporting Form (ANRF)								
PL		Date November 6 2018							
Mo	Module Description: To improve coordination between air traffic service units (ATSUs) by using ATS interfacility								
	data communication (AIDC) defined by ICAO's Manual of Air Traffic Services Data Link Applications (Doc 9694).								
	An additional benefit is the improved efficiency of the transfer of communication in a data link environment.								
Ele	Element Implementation Status								
1	Element Description:	Date Planned/Implemented	Status						
	AIDC to provide initial flight data to adjacent ATSUs	November 6 2018	Developing						
	Status Details								
	Equipment is installed and awaiting the fully implementation		1						
2	Element Description:	Date Planned/Implemented	Status						
	AIDC to update previously coordinated flight data	November 6 2018	Developing						
	Status Details								
	Equipment is installed and awaiting the fully implementation		•						
3	Element Description:	Date Planned/Implemented	Status						
	AIDC for control transfer	November 6 2018	Developing						
	Status Details								
	Equipment is installed and awaiting the fully implementation		•						
4	Element Description:	Date Planned/Implemented	Status						
	AIDC to transfer CPDLC logon information to the Next	November 6 2018	Developing						
	Data Authority								
	Status Details								
L.	Equipment is installed and awaiting the fully implementation	of Piarco's equipment							
	hieved Benefits								
	cess and Equity								
	pacity								
	iciency								
	vironment								
Saf									
	plementation Challenges								
	ound system Implementation								
	onics Implementation								
	ocedures Availability								
	erational Approvals								
No	tes								

	[Barbados] ASBU Air Navigation Reporting Form (ANRF)								
PIA		Date	November 6 2018						
	Module Description: To provide short-term improvements to existing airborne collision avoidance systems								
	(ACAS) to reduce nuisance alerts while maintaining existing levels of safety. This will reduce trajectory deviations								
	and increase safety in cases where there is a breakdown of separation.								
	ment Implementation Status	T							
1	Element Description:		Planned/Implemented	Status					
	ACAS II (TCAS version 7.1)	TBD		Analysis Not					
	Grand Brand			Started					
	Status Details								
2	No Report Element Description:	Dotol	Dlammad/Tourslamantad	Status					
2	AP/FD function	TBD	Planned/Implemented	Analysis Not					
	Ar/I'D function	IBD		Started					
	Status Details			Started					
	No Report								
3	Element Description:	Date 1	Planned/Implemented	Status					
	TCAP function	TBD		Analysis Not					
				Started					
	Status Details								
	No Report								
_	nieved Benefits								
	ess and Equity								
	pacity								
	ciency								
23.0,	ironment								
Saf	*								
	plementation Challenges								
	ound system Implementation								
	onics Implementation								
	cedures Availability								
	erational Approvals								
No	es								

	Barbados ASBU Air Navigation Reporting Form (ANRF)								
PIA	. 3	Block - Module B0 - ASEP	Date	November 6 2018					
	Module Description: Two air traffic situational awareness (ATSA) applications which will enhance safety and								
		viding pilots with the means to enhance traffic s	ituational	awareness and achieve q	uicker visual				
	uisition of tar								
		rborne situational awareness during flight opera	ations).						
		paration on approach).							
		entation Status			T =				
1	Element De			Planned/Implemented	Status				
	ATSA-AIRI	,	TBD		Analysis Not				
-					Started				
	Status Deta	ls							
	No Report				T				
2	Element De	scription:		Planned/Implemented	Status				
	ATSA-VSA		TBD		Analysis Not				
-					Started				
	Status Deta	ls							
	No Report								
	ieved Benefi								
	ess and Equit	y							
	acity								
Effi	ciency								
23.07	ironment								
Safe	•								
Imp	lementation	Challenges							
Gro	und system In	ıplementation							
Avia	Avionics Implementation								
Pro	cedures Avail	ability							
Ope	rational App	ovals							
Not	es								

	Barbados ASBU Air Navigation Reporting Form (ANRF)								
PIA	3		Block - Module	B0 - ASUR	Date		November 6, 2018		
Mo	Module Description: To provide initial capability for lower cost ground surveillance supported by new								
tech	nolog	gies such	as ADS-B OUT an	d wide area multilate	ration (MLAT	') sy	ystems. This capability	will be expressed	
in v	ariou	s ATM s	services, e.g. traffic	nformation, search ar	nd rescue and	sep	aration provision.		
Ele	ment	Implem	entation Status						
1			scription:				nented by	Status	
	ADS	S-B			Janu	ıary	y 2019	Partially	
								Implemented	
	~ • • • • •	us Detai							
				eing tested training t					
2			scription:				nented by	Status	
	MLA	AТ			Janu	ıary	y 2019	Partially	
								Implemented	
		us Detai							
		•		eing tested training t	o commence				
		l Benefi	•6						
		nd Equit	y						
_	pacity								
	cienc _:								
23.07	rironn	nent							
Safe	_								
_			Challenges						
			nplementation						
		Impleme							
		res Avail							
_		nal Appi	rovals						
Not	es								

	Barbados ASBU Air Navigation Reporting Form (ANRF)									
PIA		Date	November 6 2018							
Mo	Module Description: To allow the use of airspace which would otherwise be segregated (i.e. special use airspace)									
alo	along with flexible routing adjusted for specific traffic patterns. This will allow greater routing possibilities,									
red	reducing potential congestion on trunk routes and busy crossing points, resulting in reduced flight lengths and fuel									
	burn.									
Ele	Element Implementation Status									
1	Element Description:		mented by	Status						
	CDM incorporated into airspace planning	Feb 20	119	Partially						
				Implemented						
	Status Details									
	Flexible routes are not in place by Piarco as yet			1 ~						
2	Element Description:		Planned/Implemented	Status						
	Flexible Use of Airspace (FUA)	Noven	nber 2017	Developing						
	Status Details									
_	Airspace now being redesigned	D 4 T	N 1/T 1 4 1	Gt t						
3	Element Description:		Planned/Implemented hber 2017	Status						
	Flexible routing Status Details	Noven	10er 2017	Developing						
	Routes are now being established by ACC									
4	Element Description:	Data I	Planned/Implemented	Status						
7	CPDLC used to request and receive re-route clearances	TBD	ianneu/impiementeu	Analysis Not						
	er ble used to request and receive to route creatances	100		Started						
	Status Details	I		Started						
	No Report									
Acl	nieved Benefits									
Acc	ess and Equity									
Cap	pacity									
Effi	ciency									
Env	ironment									
Saf	ety									
Im	olementation Challenges									
Gra	nund system Implementation									
	onics Implementation									
	cedures Availability									
	erational Approvals									
Not										

		[Rarbadas] ASBU Air Navigation Re	norting	Form (ANDE)			
PIA	3	Block - Module	B0 - NOPS	Date	November 6 2018			
	Module Description: Air traffic flow management (ATFM) is used to manage the flow of traffic in a way that							
			use of the entire airspace. Co					
			s and manage rates of entry					
			n region (FIR)/sector bounda					
			stem disruptions including a	crisis ca	used by human or natura	l phenomena.		
Ele		entation Status						
1	Element Des				Planned/Implemented	Status		
	Sharing pred	iction of traffic load	for next day	Jan 20	13	Partially		
						Implemented		
	Status Detai		1	.•				
			longer inputting the information	tion as re	equired new equipment b	eing tested to		
2	Element Des	re effective collabora	ition	Da4a I	Nonnad/Invaloreantad	Status		
2		-	avoid or minimize ATFM	Jan 20	Planned/Implemented	Implemented		
	delays	conductive fournings to	avoid of minimize ATTWI	Jan 20	12	Implemented		
	Status Detai	ls						
	Routes are al	lready activated and l	being utilized					
Acl	nieved Benefi							
Acc	ess and Equit	y						
Cap	pacity							
Effi	ciency : Assisi	t in preventing delay:	s and assist with traffic flows	Ĭ				
Env	rironment							
Saf								
	olementation	U						
		nplementation						
	onics Impleme							
	cedures Avail							
_	erational Appr	ovals						
Not	es							

	Barbados ASBU Air Navigation Reporting Form (ANRF)									
PIA		3	Block - Module	B0 - OPFL	Date	November 6, 2018				
Mo	Module Description: To enable aircraft to reach a more satisfactory flight level for flight efficiency or to avoid									
turb	ulen	ce for safe	ety. The main benef	it of ITP is fuel/emiss	sions savings a	nd the uplift of greater pay	loads.			
Elei	men	t Implem	entation Status							
1			scription:		Date	Planned/Implemented	Status			
	ITP	using AI	OS-B		N/A		N/A			
	~	tus Detai	ls							
	No	Report								
Ach	iieve	ed Benefit	ts							
Acc	ess c	ınd Equity	V							
Cap	acit _.	y								
Effi	cieno	сy								
Env	iron	ment								
Safe	ety									
Imp	lem	entation	Challenges							
Gro	und	system In	ıplementation							
Avio	onics	s Impleme	ntation							
Pro	cedu	ıres Availd	ability							
Оре	ratio	onal Appr	ovals							
Not	es		_	_		_				

	[Barbados] ASBU Air Navigation Reporting Form (ANRF)									
PIA		Date	November 6, 2018							
Mo	Module Description: To enable monitoring of flights while airborne to provide timely alerts to air traffic									
con	controllers of potential risks to flight safety. Alerts from short-term conflict alert (STCA), area proximity warnings									
(AF	(APW) and minimum safe altitude warnings (MSAW) are proposed. Ground-based safety nets make an essential									
con	tribution to safety and remain required as long as the operational	al concep	t remains human centred	l .						
Ele	ment Implementation Status									
1	Element Description:	Imple	mented by	Status						
	Short Term Conflict Alert (STCA)	Januar	y 2019	Developing						
	Status Details									
	Equipment installed, under testing									
2	Element Description:		mented by	Status						
	Area Proximity Warning (APW)	Januar	y 2019	Developing						
	Status Details									
	Equipment installed, under testing									
3	Element Description:		mented by	Status						
	Minimum Safe Altitude Warning (MSAW)	Januar	y 2019	Developing						
	Status Details									
	Equipment installed, under testing									
4	Element Description:		Planned/Implemented	Status						
	Medium Term Conflict Alert (MTCA)	N/A		N/A						
	Status Details									
	This is not applicable for our jurisdiction									
	nieved Benefits									
	ess and Equity									
	pacity									
	ciency									
	ironment									
	ety: When equipment is commissioned safety will be enhanced.									
	olementation Challenges									
	und system Implementation									
	onics Implementation									
Pro	cedures Availability									
	erational Approvals									
Not	es									

BARBADOS ASBU Air Navigation Reporting Form (ANRF)										
PIA	Block - Module B0 - CCO	Date November 6, 201	.8							
	Module Description: To implement continuous climb operations in conjunction with performance-based									
	navigation (PBN) to provide opportunities to optimize throughput, improve flexibility, enable fuel-efficient climb									
	files, and increase capacity at congested terminal areas. The ap	plication of PBN enhances C	CO.							
Ele	ment Implementation Status									
1	Element Description:	Date Planned/Implement								
	Procedure changes to facilitate CCO	November 6, 2018	Developing							
	Status Details									
	Draft of the airspace redesign has been developed and comm	unicated with Piarco but proc	edures are still							
	unavailable									
2	Element Description:	Implemented by	Status							
	Airspace changes to facilitate CCO	Dec 2020	Developing							
	Status Details									
	Draft of the airspace redesign has been developed and comm									
3	Element Description:	Implemented by	Status							
	PBN SIDs	Dec 2020	Developing							
	G(4 . D 4 . B									
	Status Details									
	They have been developed but feedback is required from diff	erent aircraft types								
_	nieved Benefits									
	ess and Equity									
_	pacity									
	ciency									
	ironment :when tested and implemented less fuel emission									
Safe	·									
	olementation Challenges									
	und system Implementation									
	onics Implementation									
	cedures Availability									
	rational Approvals									
Not	es									

Module Description: To use performance-based airspace and arrival procedures allowing an aircraft to fly its primum profile using continuous descent operations. This will optimize throughput, allow fuel efficient descent rofiles, and increase capacity in terminal areas. The application of PBN enhances CDO. Element Implementation Status	Barbados ASBU Air Navigation Reporting Form (ANRF)									
primum profile using continuous descent operations. This will optimize throughput, allow fuel efficient descent rofiles, and increase capacity in terminal areas. The application of PBN enhances CDO. Comment Implementation Status										
Element Description: Date Planned/Implemented Developing	Module Description: To use performance-based airspace and arrival procedures allowing an aircraft to fly its									
Element Description: Date Planned/Implemented Developing	optimum profile using continuous descent operations. This will optimize throughput, allow fuel efficient descent									
Element Description: Procedure changes to facilitate CDO November 6, 2017 Status Details Draft of the airspace redesign have been developed and communicated with Piarco procedures not completed Airspace changes to facilitate CDO Element Description: Airspace changes to facilitate CDO November 6, 2017 Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: Date Planned/Implemented November 6, 2017 Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARS Date Planned/Implemented November 6, 2017 Status Developing Status Developing Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage achieved Benefits Caess and Equity Will be available for the benefit for all of the airlines Capacity Cifficiency Convironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft affety Implementation Challenges Ground system Implementation Procedures Availability Departional Approvals					inal areas. The applic	cation of P	BN en	hances CDO.		
Procedure changes to facilitate CDO Status Details Draft of the airspace redesign have been developed and communicated with Piarco procedures not completed Element Description: Airspace changes to facilitate CDO Status Details Draft of the airspace redesign have been developed and communicated with Piarco Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARS Date Planned/Implemented November 6, 2017 Status Developing Status Developing Status Developing Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage schieved Benefits sccess and Equity Will be available for the benefit for all of the airlines capacity Element: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety mplementation Challenges Ground system Implementation Procedures Availability Departional Approvals	Element Implementation Status									
Status Details Draft of the airspace redesign have been developed and communicated with Piarco procedures not completed Element Description: Airspace changes to facilitate CDO November 6, 2017 Developing Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARS Date Planned/Implemented November 6, 2017 Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Efficiency Environment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afafety mplementation Challenges Ground system Implementation Procedures Availability Departional Approvals	1			•						
Draft of the airspace redesign have been developed and communicated with Piarco procedures not completed Element Description: Airspace changes to facilitate CDO November 6, 2017 Developing Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARS Date Planned/Implemented November 6, 2017 Status Developing Status Developing	-			•	DO]	Noven	nber 6, 2017	Developing	
Element Description: Airspace changes to facilitate CDO Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARS Date Planned/Implemented November 6, 2017 Status Developing		~		-						
Airspace changes to facilitate CDO Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARS Date Planned/Implemented November 6, 2017 Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Christonement: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety Implementation Challenges Ground system Implementation Procedures Availability Department Approvals	_				e been developed an					
Status Details Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARs Date Planned/Implemented November 6, 2017 Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Chrironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety Implementation Challenges Ground system Implementation Procedures Availability Departmental Approvals	2				_					
Draft of the airspace redesign have been developed and communicated with Piarco Element Description: PBN STARs Date Planned/Implemented November 6, 2017 Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Environment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety mplementation Challenges Ground system Implementation Procedures Availability Operational Approvals	F			•	0		Noven	nber 6, 2017	Developing	
Element Description: PBN STARs Date Planned/Implemented November 6, 2017 Status Developing Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Capacity Circiency Cinvironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety mplementation Challenges Circinal system Implementation Circinal Approvals								tat mi		
PBN STARs November 6, 2017 Developing Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Christonment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals	_			1 -	e been developed an					
Status Details They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Circiciency Convironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals	3			cription:				-		
They have been developed but feedback is required from different airlines with respect to usage Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Efficiency Convironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft fafety Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals		PBN	STARS				Noven	nber 6, 201/	Developing	
Achieved Benefits Access and Equity Will be available for the benefit for all of the airlines Capacity Efficiency Convironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft fafety Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals						I				
Access and Equity Will be available for the benefit for all of the airlines Capacity Efficiency Convironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety Implementation Challenges Convirond system Implementation Avionics Implementation Concedures Availability Operational Approvals					edback is required fro	om differe	nt airli	nes with respect to usage		
Capacity Efficiency Environment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft fafety mplementation Challenges Ground system Implementation Eviconics Implementation Procedures Availability Operational Approvals			20110110	,						
Efficiency Environment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft afety mplementation Challenges Ground system Implementation Environics Implementation Procedures Availability Operational Approvals			d Equity	Will be available f	or the benefit for all	of the airli	ines			
Convironment: When the airspace is redesign, to facilitate the CDO it will allow less fuel emissions for aircraft defety mplementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals										
Tafety mplementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals										
mplementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals			ent: Wh	en the airspace is re	edesign, to facilitate i	the CDO i	it will d	allow less fuel emissions _.	for aircraft	
Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals		- /								
vionics Implementation Procedures Availability Operational Approvals										
Procedures Availability Operational Approvals										
Operational Approvals										
lotes	_		al Appro	ovals						
	Not	es								

	[Barbados] ASBU Air Navigation Reporting Form (ANRF)							
PIA	A 4 Block - Module B0 - TBO	Date	November 6 th 2018					
Module Description: To implement a set of data link applications supporting surveillance and communications in								
	traffic services, which will lead to flexible routing, reduced sep	aration a	nd improved safety.					
Ele	ment Implementation Status							
1	Element Description:		Planned/Implemented	Status				
	ADS-C over oceanic and remote areas	N/A		N/A				
	Status Details	1						
	This is not required for our jurisdiction			T ~				
2	Element Description:		Planned/Implemented	Status				
	CPDLC over continental areas	N/A		N/A				
	This is not required for our jurisdiction							
	Status Details							
	This is not required for our jurisdiction	T		l a				
3	Element Description:		Planned/Implemented	Status				
	CPDLC over oceanic and remote areas	N/A		N/A				
	Status Details							
_	This is not required for our jurisdiction	1	27 1 1 1	a				
4	Element Description:		Planned/Implemented	Status				
	SATVOICE direct controller-pilot communication (DCPC)	N/A		N/A				
	Status Details							
	This is not required for our jurisdiction							
	nieved Benefits							
	ess and Equity							
	pacity							
	ciency							
	ironment							
Safe	·							
_	plementation Challenges							
	ound system Implementation							
	onics Implementation							
	cedures Availability							
_	erational Approvals							
	es :Due to our location and geographical layout and the corded.	npositio	n of our airspace this sy	stem is not				

Appendix E: Barbados Civil Aviation Department ASBU Block 1 ANRFsInsert ASBU B1 ANRFs in the future.

Appendix F: Barbados Civil Aviation Department SBU Block 2 ANRFsInsert ASBU B2 ANRFs in the future.

Appendix G: Barbados Civil Aviation Department ASBU Block 3 ANRFsInsert ASBU B3 ANRFs in the future.

Appendix H: Barbados Civil Aviation Department RASI ANRFs

	Barbados RASI Air Navigation Rep	orting Form (ANRF)								
ICAO NACC Regional Initiatives Date November 8 th 2018										
Module Description: ICAO NACC RO has identified airport improvements.										
	ment Implementation Status									
1	Element Description:	Date Planned/Implemented	Status							
	Aerodrome certification	1st August 2011	Implemented							
	Status Details									
	ICAO NACC region has a goal to have CAR aerodromes in its regional ANP Table AOP I-1 be certified.									
	airport TBPB is Certified.	8								
2	Element Description:	Date Planned/Implemented	Status							
	Heliport operational approval	Sep 2012	Implemented							
	Status Details	1								
	ICAO NACC region has a goal to have CAR heliports in its re-	egional ANP Table AOP I-1 certif	ied. Currently							
	in Barbados, there are no certified or approved heliports but the									
	island and request for helicopter operations are done on an ind		C							
3	Element Description:	Date Planned/Implemented	Status							
	Visual aids for navigation	Sep 2012	Implemented							
	Status Details		•							
	ICAO NACC region has a goal to have CAR airports in its AN	NP Table AOP I-1 compliant with	Annex 14							
	requirements. This capability is implemented at TBPB however	er improvements are currently on	going.							
4	Element Description:	Date Planned/Implemented	Status							
	Aerodrome Bird/Wildlife Organization and Control	Dec 2012	Implemented							
	Programme									
	Status Details									
	ICAO NACC region has a goal to have CAR airports in its AN	NP Table AOP I-1 have an aerodro	ome							
	bird/wildlife organization and control programme.									
Acl	nieved Benefits									
Acc	ess and Equity									
	ment 1 - Aerodrome certification: International operators may	not be permitted to operate to aero	odromes that are							
	certified									
	ment 2. Heliport operational approval: International operators i	may not be permitted to operate to	heliports that							
	not approved									
	ment 3. Visual aids for navigation: International operators may	not be permitted to operate to aer	rodromes that							
	not compliant with Annex 14									
	pacity: No report									
	ciency									
	ment 3. Visual aids for navigation: Annex 14 compliant visual	aids for navigation assist flights	to more							
	ciently complete ground movements									
	ironment: No report									
Saf										
	ment 1 - Aerodrome certification: Certification should be conti									
	AO SARPs. Certification and the associated regulatory oversigh		s of SSP and							
	S processes to identify and correct safety issues at certified aero									
	ment 2. Heliport operational approval: Certification should be									
	licable ICAO SARPs. Approval and the associated regulatory of		etiveness of SSP							
	SMS processes to identify and correct safety issues at approve									
	ment 3. Visual aids for navigation: Annex 14 compliant visual	-	crew confusion							
	assist in avoiding runway incursions or other ground movemen									
	ment 4. Aerodrome Bird/Wildlife Organization and Control Programme and uses the protection for singuistic activities wildlife or in									
_	gramme reduces the potential for aircraft to strike wildlife or in	gest whome into engines or prope	eners.							
	plementation Challenges									
	ound system Implementation: No report: No report									
Avi	onics Implementation: No report									

Procedures Availability: No report
Operational Approvals: No report
Notes

Appendix I: Barbados Civil Aviation Department SASI ANRFs

Module Description Projects to replace current radar system and provide a GBAS. This will enhance the surveillance coverage and nav aids.	Barbados SASI Air Navigation Reporting Form (ANRF)						
Status Details The Sensors at the airport are in place but training of staff and site testing to be Capacity	Equ	uipment Upgrades		November 8th 2018			
Element Description:	Mo	dule Description Projects to replace current radar system and	provide	a GBAS. This will enhan	ice the		
ADS-B							
ADS-B Dec 2018 Partially Implemented Status Details Current radar system is obsolete/outdated and must be replaced to avoid catastrophic failure that might render the network useless. The current network has no redundancy capability and works intermittently at times. The equipment must therefore be replaced by ADS-B to permit redundancy and enhance the service to airlines and allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. 2 Element Description: MLAT Date Planned/Implemented Status Developing Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed 3 Element Description: Date Planned/Implemented Status Planning Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	Ele						
Status Details Current radar system is obsolete/outdated and must be replaced to avoid catastrophic failure that might render the network useless. The current network has no redundancy capability and works intermittently at times. The equipment must therefore be replaced by ADS-B to permit redundancy and enhance the service to airlines and allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. Element Description: MILAT Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed. Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed. Status Details Element Description: Flight Data Processor Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	1	Element Description:	Date I	Planned/Implemented	Status		
Status Details Current radar system is obsolete/outdated and must be replaced to avoid catastrophic failure that might render the network useless. The current network has no redundancy capability and works intermittently at times. The equipment must therefore be replaced by ADS-B to permit redundancy and enhance the service to airlines and allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. Page		ADS-B	Dec 20	018	Partially		
Current radar system is obsolete/outdated and must be replaced to avoid catastrophic failure that might render the network useless. The current network has no redundancy capability and works intermittently at times. The equipment must therefore be replaced by ADS-B to permit redundancy and enhance the service to airlines and allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. 2 Element Description:					Implemented		
the network useless. The current network has no redundancy capability and works intermittently at times. The equipment must therefore be replaced by ADS-B to permit redundancy and enhance the service to airlines and allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. 2 Element Description:		Status Details					
equipment must therefore be replaced by ADS-B to permit redundancy and enhance the service to airlines and allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. 2 Element Description: MLAT Date Planned/Implemented Dec2018 Developing Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed. Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed. Status Details Flight Data Processor TBD Date Planned/Implemented Status Planning Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety. Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
allow for a more safe, efficient and expeditious service. Training of staff and site testing to be completed. Element Description: MLAT Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed Status Details Equipment Description: Flight Data Processor TBD Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Capacity Emert 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Emert 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation							
MLAT Dec2018 Developing		allow for a more safe, efficient and expeditious service. Train			completed.		
Status Details The Sensors at the airport are in place but training of staff and site testing of the yet to be completed 3 Element Description: Flight Data Processor Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Procedures Availability Operational Approvals Notes	2	Element Description:	Date I	Planned/Implemented	Status		
The Sensors at the airport are in place but training of staff and site testing of the yet to be completed Element Description: Flight Data Processor Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Procedures Availability Operational Approvals Notes		MLAT	Dec20	18	Developing		
The Sensors at the airport are in place but training of staff and site testing of the yet to be completed Element Description: Flight Data Processor Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Procedures Availability Operational Approvals Notes							
Status Processor TBD Status Planning		Status Details					
Flight Data Processor Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Procedures Availability Operational Approvals Notes		The Sensors at the airport are in place but training of staff and	site test	ting of the yet to be comp	leted		
Status Details Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Procedures Availability Operational Approvals Notes	3			Planned/Implemented			
Equipment necessary to allow Notam capacity and information relating to met Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes			TBD		Planning		
Achieved Benefits Access and Equity Capacity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes		Status Details					
Access and Equity Efficiency Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes			n relating	g to met			
Capacity Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	Acl	hieved Benefits					
Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	Acc	cess and Equity					
Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 - MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	Cap	pacity					
Environment Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	Effi	iciency					
Safety Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	Env	vironment					
Element 1- ADS-B - allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
facilitates safety. Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Element 2 – MLAT- allows for redundancy and functionality in the event of unserviceability of the radar system and facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes			event of	f unserviceability of the ra	adar system and		
facilitates safety. Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Implementation Challenges Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes			event o	of unserviceability of the i	adar system and		
Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes	facilitates safety.						
Ground system Implementation Avionics Implementation Procedures Availability Operational Approvals Notes							
Avionics Implementation Procedures Availability Operational Approvals Notes	Implementation Challenges						
Procedures Availability Operational Approvals Notes	Ground system Implementation						
Procedures Availability Operational Approvals Notes							
Operational Approvals Notes	Avionics Implementation						
Operational Approvals Notes							
Notes	Procedures Availability						
Notes							
	Op	Operational Approvals					
Element 3 -							
	Element 3 -						

	Barbados SASI Air Navigation Rep	orting F				
	ocedures Upgrades	Date	November 8th 2018			
	dule Description: Procedures need to be established to cons					
	plementation of the new equipment to facilitate ADS-B and I	MLAT	usage. Current design o	f the airspace is		
	dynamic to support CCO and CDO operations					
Ele	ment Implementation Status					
1	Element Description:	Date 1	Planned/Implemented	Status		
	Co-ordination Procedures reference MLAT and ADS-B	TBD		Planning		
	Status Details					
	Procedures should be in place prior to the usage of the equipm					
2	Element Description:		Planned/Implemented	Status		
	Procedures for CCO Operations	TBD		Planning		
	Status Details					
	Airspace redesign is due to be completed by Dec 2020. Proceed	lures sho	ould be in place prior to the	he new airspace		
	design being utilized.	1		T -:		
3	Element Description:		Planned/Implemented	Status		
	Procedures for CDO Operations	TBD		Planning		
	Status Details	1		1		
	Airspace redesign is due to be completed by Dec 2020. Proceed	lures sho	ould be in place prior to the	he new airspace		
	design being utilized.		r r	· · · · · · · · · · · · · · · · · · ·		
Ac	hieved Benefits					
	eess and Equity					
	1 2					
Caj	pacity					
Element 1 -						
Eff	iciency					
Environment						
Saf						
Element 1-Procedures will ensure standardization in the new coordination procedures and therefore ensure safety						
Element 2 – Procedures will ensure that CCO is handled in a standardized manner and therefore ensure safety.						
Element 3 - Procedures will ensure that CDO is handled in a standardized manner and therefore ensure safety.						
Implementation Challenges						
Ground system Implementation						
Avionics Implementation						
Procedures Availability						
On angli ang I Ammuang Ia						
Op	erational Approvals					
TAT.	t					
	Notes Flament 1.2.8/3. Address documented procedures which will ensure standardization and contribute to safety.					
Ele	Element 1,2 &3 Address documented procedures which will ensure standardization and contribute to safety					

Barbados SASI Air Navigation Reporting Form (ANRF)

Infrastructure Upgrades

Date November 8th 2018

Module Description: To facilitate continuous growth in the Aviation industry in Barbados while ensuring safety and effective operations it is necessary for the rehabilitation of the runway, taxiways and shoulders. The resurfacing of the apron is an ongoing process. In addition, Jet bridges will be constructed to allow the free movement of passengers from the aircraft to the Terminal building without exposure to the elements and to improve security between arriving and departing passengers. This will reduce delays due to inability of passengers to board for weather related reasons. A New Control Tower is required since the current facility is over forty eight years old and they are environmental concerns. The benefits of such infrastructure upgrades will increase an overall traffic management traffic and enhance safety.

Element Implementation Status

1	Element Description:	Date Planned/Implemented	Status
	Airport Terminal Development	TBD	Planning

Status Details

The current terminal building does not meet passenger demands efficiently and effectively during peak periods. With the current airport terminal situation, there is the potential for security to be compromised.

Date Planned/Implemented **Element Description: Status** Airport Runway, Taxiway, Shoulders and Rehabilitation Implemented November 2018 Implemented

Status Details

The taxiway shoulders and the runway edges are currently being resurfaced. The apron is undergoing continuous rehabilitation. The entire runway is being (rebuilt) resurface and widened to accommodate larger aircraft.

Element Description: Date Planned/Implemented Status Control Tower and Technical Building Upgrades **TBD** Planning

Status Details

A New Control Tower is required since the current facility is over forty eight years old and there are environmental concerns.

Achieved Benefits

Access and Equity

Capacity

Element 1 - Airport Terminal Development: Increase the security and safety of arriving and departing passengers especially during the peak periods.

Efficiency

Environment

Safety

Element 2 - Airport Runway Rehabilitation and Extension: Improve operational safety of aircraft.

Element 3 - Control Tower: Improve work environment for ATCO and external customers.

Implementation Challenges

Ground system Implementation

Avionics Implementation

Procedures Availability

Operational Approvals

Element 1 - Airport Terminal Development: Address the airport terminal security issues.

