



# **BELIZE**

## **Air Navigation Plan**

**Date: 12<sup>th</sup> March, 2018**  
**Prepared by:**  
**Belize Department of Civil Aviation**



### Document History Record

<b>Release</b>	<b>Date</b>	<b>Author(s)/Comments</b>
Draft	12 March, 2018	G. O. Torres
Version 1.0	November, 2018	G. O. Torres

## Table of Contents

<b>1. Introduction .....</b>	<b>4</b>
1.1 Background .....	4
1.2 Environment .....	4
1.2.1 Authority of Belize/s Department of Civil Aviation .....	5
1.2.2 Airspace .....	<b>Error! Bookmark not defined.</b>
1.2.3 Aerodromes .....	6
1.2.4 Traffic Forecast .....	6
1.3 Planning Methodology .....	7
1.4 Air Navigation Planning Process .....	7
1.4.1 Analysis and Work Flow Process .....	7
1.4.2 Monitoring and Reporting Results .....	9
1.5 Problem Identification .....	9
1.5.1 Existing Problems .....	9
1.5.2 Future Problems .....	10
<b>2. Belize’s Aviation System Block Upgrade (ASBU) Implementation Status .....</b>	<b>10</b>
2.1 ASBU Block 0 Implementation Metrics, Targets, and Status .....	10
2.1.1 ASBU B0 Implementation Metrics and Targets .....	10
2.1.2 ASBU B0 Implementation Status Summary .....	18
2.2 ASBU Block 1 Implementation Targets and Status .....	20
2.3 ASBU Block 2 Implementation Targets and Status .....	20
2.4 ASBU Block 3 Implementation Targets and Status .....	20
<b>3. ICAO NACC Regional Aviation System Improvements (RASI) Status .....</b>	<b>21</b>
<b>4. Belize’s State Aviation System Improvements (SASI) Status .....</b>	<b>21</b>
4.1 Equipment Upgrades .....	21
4.2 Procedure Upgrades .....	21
4.3 Infrastructure Upgrades .....	21
<b>5. Belize’s State ANP Next Review Schedule .....</b>	<b>21</b>
<b>Appendix A: ANRF Explained .....</b>	<b>22</b>
<b>Appendix B: ASBU ANRF Template .....</b>	<b>24</b>
<b>Appendix C: RASI and SASI ANRF Templates .....</b>	<b>43</b>
<b>Appendix D: Belize’s ASBU Block 0 ANRFs .....</b>	<b>44</b>
<b>Appendix E: Belize’s ASBU Block 1 ANRFs .....</b>	<b>45</b>
<b>Appendix F: Belize’s SBU Block 2 ANRFs .....</b>	<b>46</b>
<b>Appendix G: Belize’s ASBU Block 3 ANRFs .....</b>	<b>47</b>
<b>Appendix H: Belize’s RASI ANRFs .....</b>	<b>48</b>
<b>Appendix I: Belize’s SASI ANRFs .....</b>	<b>50</b>

## **1. Introduction**

This document is Belize's State Air Navigation Plan (ANP) describing the plan and status of aviation technology implementation. The background of the Belize ANP and the environment of our air navigation system are presented along with the method and process to evaluate and monitor aviation technology implementation. The regulatory authority of Belize is the Belize Department of Civil Aviation known as the BDCA.

### **1.1 Background**

The ICAO Global Air Navigation Plan (Doc 9750, GANP) provides ICAO's vision to achieve sustainable growth of the global civil aviation system. It also presents all States with a comprehensive planning tool supporting a harmonized global air navigation system. The GANP is an overarching framework that includes key civil aviation policy principles to assist ICAO Regions and States with the preparation of their Regional and State Air Navigation Plans (ANPs).

Planning and Implementation Regional Groups (PIRGs) are expected to develop the regional ANPs reflecting the regional requirements. GANP obligates States to map their individual or regional programmes against the harmonized GANP, but provides them with far greater certainty of investment. GANP requires active collaboration among States through the PIRGs in order to coordinate initiatives within applicable regional ANPs.

The GANP introduces the Aviation System Block Upgrades (ASBU) methodology. The ASBU methodology and its description of future aviation capabilities define programmatic and flexible global systems engineering approaches allowing all States to advance their air navigation capacities based on their specific operational requirements.

To this extent, the North American, Central American and Caribbean (NACC) Regional Office (RO), has published the NAM/CAR Regional Performance-Based Air Navigation Implementation Plan (RPBANIP, v3.1 in April 2014) aligning the activities and strategies with the ICAO ASBU methodology.

This document is the ANP for Belize aligning activities and strategies to the GANP and RPBANIP. The information contained in the Belize ANP is related mainly to:

- Planning: objectives set, priorities and targets planned at the state level
- Implementation monitoring and reporting: monitoring the progress of implementation towards targets planned. This information should be used for reporting purposes (i.e.: global and regional air navigation reports and performance dashboards); and/or
- Guidance: providing state guidance material for the implementation of specific system/procedures in a harmonized manner.

The Belize ANP will be used as a tool for planning, monitoring, and reporting the status of implementation of the aviation capabilities.

### **1.2 Environment**

The environments of Air Navigation of Belize, such as authority, airspace, airports, and air traffic are described in this section.

### 1.2.1 Authority of Belize

The Belize Department of Civil Aviation (BDCA) was established by Belize Civil Aviation Act Chapter 239 of the Substantive Laws of Belize. Its Mission is to promote a safe, efficient and expeditious movement of domestic and international air transportation in Belize through the provisions of proper regulatory procedures in accordance with the air navigation regulations in force and the Standards and Recommended Practices of the International Civil Aviation Organization.

The BDCA is responsible for regulating all civil aviation matters and will be responsible for updating the State's ANP. The BDCA organogram is shown in Figure 1.2.1. Who does what? Who has what responsibilities? Its operation is performed by a highly motivated work force contributing to the sustainable, social and economic development of Belize.




Figure 1.2.1: Organizational Structure of Belize Department of Civil Aviation

### 1.2.2 Airspace

Belize is located within the Central America Flight Information Region (FIR) that is managed by COCESNA and operated by CENAMER Area Control Centre/Flight Information Center in the Upper

FIR. The BDCA manages the Belize Lower Flight Information Region (FIR). Refer to Figure 1.2.2 for the airspace of Belize and the Central American FIR.



Figure 1.2.2: CENAMER FIR and Belize

1.2.3 The Aerodrome in Belize used for international aircraft operations.

On major aerodrome in Belize is the Philip S. W. Goldson International Airport. Its ICAO Four Letter Indicator is MZBZ. This aerodrome is listed in the ICAO’s Regional ANP titled, “Caribbean and South American Air Navigation Plan, Volume I (dated October 2015), Table AOP I-1, International Aerodromes Required in the CAR/SAM Regions”. MZBZ has the capacity of an average of 15 air traffic movements per hour and on peak periods, an average of 25 flights per hour.

Runway Information on MZBZ

	Runway 07	Runway 25
Length x Width	9678 ft x 150 ft	9678 ft x 150 ft
Surface Type	Concrete	Concrete
TDZ-Elev	15 ft	15 ft
Lighting	Edge	Edge
Visual Aids	PAPIs	PAPIs
Displaced Threshold	Nil	Nil

1.2.4 Traffic Forecast

Number of typical daily operation (arrivals/departures) at the Philip S. W. Goldson International Airport (MZBZ) are 25/25 (total of 100 movements in average). The RPBANIP forecasted that average annual growth of air traffic in the Central American region will increase 5.9% during 2011-2031. The BDCA believes that this overall regional forecast of annual increase of 5.9% is almost in line with Belize’s forecast. Estimated daily operations at MZBZ are shown in Tables 1.2.4a and 1.2.4b applying the increase forecasts to each year from 2018 to 2027.

Year	MZBZ
2018	100
2019	106
2020	112

2021	119
2022	126
2023	133
2024	141
2025	149
2026	158
2027	168

### 1.3 Planning Methodology

Guided by the GANP and RPBANIP, the State planning process starts by identifying the State responsible ATM areas, major traffic flows and international aerodromes. An analysis of this data leads to the identification of opportunities for performance improvement. Available technologies and ASBU Elements are evaluated to identify which Elements best provide the needed operational improvements. Depending on the complexity of the selected technology or Elements, additional planning steps may need to be undertaken including financing and training needs. Finally, the Belize ANP was developed for the deployment of improvements and supporting requirements. This is an iterative planning process which may require repeating several steps until a final plan with specific regional targets is in place. This planning methodology requires full involvement of States, service providers, airspace users and other stakeholders, thus ensuring commitment by all for implementation.

Considering that some of the ASBU Modules contained in the GANP are specialized packages of implementable capabilities, called Elements, that may be applied where specific operational requirements or corresponding benefits exist, Belize has decided how each ASBU Element would fit into national and in the Central American and other regional plans.

In establishing and updating the implementation priorities detailed in the Belize ANP, due consideration is being given to the safety priorities set out in the Global Aviation Safety Plan (GASP) and the NAM/CAR regional safety strategy. The BDCA will establish its own air navigation objectives, priorities and targets to meet its individual needs and circumstances in line with the global and regional air navigation objectives, priorities, and targets.

### 1.4 Air Navigation Planning Process

The air navigation planning process prescribes evaluation, implementation, reviewing, reporting, and monitoring activities. It is recommended to conduct the process on a cyclical, annual basis. An Air Navigation Reporting Form (ANRF) is a tool to monitor and report the implementation status of capabilities. The Belize Department of Civil Aviation’s ANRF is a customized tool for the application of setting planning targets, monitoring implementation, and identifying challenges, measuring implementation/performance and reporting. The ANRF reflects selected key performance areas as defined in the Manual on Global Performance of the Air Navigation System (ICAO Doc 9883).

Many of the future capabilities are described in terms of ASBU Elements. Some capabilities are specific to the need of the Central American / Caribbean Regions and/or the State needs. These specific needs are described as Regional Aviation System Improvements (RASI) and State Aviation System Improvements (SASI). Both Analysis and Work Flow and ANRF are useful to manage the implementation status of ASBU, RASI, and SASI capabilities.

#### 1.4.1 Analysis and Work Flow Process

Figure 1.4.1 depicts the workflow for analysing and implementing ASBU Elements. This flow process should be applied to each of the ASBU Elements. If the Element is applicable to an airport, each airport needs to be evaluated through this flow process. This same flow process is applicable to RASI and SASI.

The significance of each step in the workflow as it pertains to regional planning is as follows:

- **Analysis Not Started** – The requirement to implement this ASBU Element has not yet been assessed
- **Analysis In Progress** – A Need Analysis as to whether or not this ASBU Element is required, is in progress
- **N/A** – The ASBU Element is not required
- **Need** - The Need Analysis concluded that the ASBU Element is required, but planning for the implementation has not yet begun
- **Planning** – Implementation of this ASBU Element is planned, but not yet started
- **Developing** – Implementation of this ASBU Element is in the development phase, but not yet operational
- **Partially Implemented** – Implementation of this ASBU Element is partially completed and/or operational but all planned implementations are not yet complete
- **Implemented** - Implementation of this ASBU Element has been completed and/or is fully operational everywhere the need was identified




Figure 1.4.1: Analysis and Work Flow

The Need Analysis of ASBU Elements will identify which ASBU Elements are required. In this context, “required” means that the benefits estimated from the implementation would justify the associated implementation costs, or, the potential safety benefits are deemed to justify the implementation costs. The implementation status of ASBU Elements which are not required should be indicated as “N/A”, meaning “not applicable”.

The analysis and implementation status determined in accordance with the above is reflected in the applicable ANRFs and in the ASBU Implementation Status Tables.

#### 1.4.2 Monitoring and Reporting Results

Monitoring and reporting results will be analyzed by the Regions, States and the ICAO Secretariat to steer the air navigation improvements, take corrective actions and review the allocated objectives, priorities and targets if needed. The results will also be used by ICAO and aviation partner stakeholders to develop the annual Global Air Navigation Report. The report results will provide an opportunity for the international civil aviation community to compare progress across different ICAO regions in the establishment of air navigation infrastructure and performance-based procedures. The reports will also provide the ICAO Council with detailed annual results on the basis of which tactical adjustments will be made to the performance framework work programme, as well as triennial policy adjustments.

The information provided in Belize's ANRFs will be periodically reviewed and updated if subsequent analysis results in a change to the applicability of any ASBU Elements, whether or not they were selected.

- The explanation of ANRF is provided in **Appendix A**.
- The customized Belize's ASBU Air Navigation Reporting Form Templates are provided in **Appendix B**.
- The Belize's RASI and SASI Air Navigation Reporting Form Templates are provided in **Appendix C**.

### 1.5 Problem Identification

To provide and promote safe and efficient aviation services to the customers, it is important to resolve ongoing challenges that hindering the mission. It is also important to anticipate and address the potential problems in the future.

#### 1.5.1 Existing Problems

The demands for MZBZ are only expected to increase in the future. The current infrastructure at this airport, notwithstanding upgrades and expansions over the years, does not adequately meet peak capacity demand. The solution requires a huge investment in airport infrastructure. This includes airport terminal development, runway, taxiway, apron and turning pad rehabilitation and construction of an additional taxiway, total drainage redevelopment and continuous modernization of communication, navigation, and surveillance equipment (e.g. Performance Based Navigation procedures (PBN). The formal implementation of Standard Instrument Departure procedures (SIDs) and Standard Arrivals (STARs) will improve on the safety, efficiency and management of airspace capacity.

In addition, airport operations need to be improved by introducing capabilities such as Airport Collaborative Decision Making (ACDM). To support airport operations, having accurate and timely weather and aeronautical information is essential. Information such as aerodrome warnings and wind shear warnings/alerts will also increase safety of operations. Securing quality data should also be accomplished by introducing the Quality Management System (QMS) to both weather and aeronautical data.

A fundamental component which is of critical concern, is the availability of human resource to meet the wide-ranging needs of airport operations. The provision of relevant training for human resource is paramount.

## 1.5.2 Future Problems

Anticipating heavier demand at the MZBZ airports, the introduction of a Ground Based Argumentation System (GBAS) landing system procedure would be effective however more analysis for this will be required. It is not being heavily considered now.

The human resource issues, if not addressed in tandem with the infrastructure and procedure development, could result in deficient service provision and delivery. Human resource acquisition and development must coincide with the infrastructure and procedure development.

## 2. Belize’s Aviation System Block Upgrade (ASBU) Implementation Status

The status of ASBU implementation is provided in this section. Though there are Block 0 to Block 4 (B0, B1, B2, and B3), only B0 capacities in some instances are already implemented however more Elements are foreseen to be implemented with supporting documents such as standards, procedures, specifications, and training materials. ICAO will provide supporting documents for B1 in 2019, B2 in 2025, and B3 in 2031.

### 2.1 ASBU Block 0 Implementation Metrics, Targets, and Status

ASBU B0 Implementation Targets and Status are presented in this section. BDCA considers one airport, the Philip S. W. Goldson International Airport (MZBZ) for airport oriented Elements.

#### 2.1.1 ASBU B0 Implementation Metrics and Targets

Table 2.1.1 provides the ASBU B0 Implementation Metrics, Targets, and Progress for each B0 Element.

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
<b>Performance Improvement Area 1: Airport Operations</b>				
ACDM	1. Interconnection between aircraft operator & ANSP systems to share surface operations information	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-ACDM-1 Target 1:</b> Assess by Dec 2018 a. No b. TBD <b>B0-ACDM-1 Target 2:</b> c. TBD	Status – Analysis not Started
	2. Interconnection between aircraft operator & airport operator systems to share surface operations information	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-ACDM-2 Target 1:</b> a. Assessed in Mar 2018 b. None <b>B0-ACDM-2 Target 2:</b> c. None	Status – N/A
	3. Interconnection between airport operator & ANSP systems to share surface operations information	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-ACDM-3 Target 1:</b> Assess by Dec 2018 a. No b. TBD <b>B0-ACDM-3 Target 2:</b> c. TBD	Status – Analysis not Started

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	4. Interconnection between airport operator, aircraft operator & ANSP systems to share surface operations information	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-ACDM-4 Target 1:</b> Assess by Dec 2018 a. No b. TBD <b>B0-ACDM-4 Target 2:</b> c. TBD	Status – Analysis not Started
	5. Collaborative departure queue management	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-ACDM-5 Target 1:</b> Assess by Dec 2018 a. No b. TBD <b>B0-ACDM-5 Target 2:</b> c. TBD	Status – Analysis not Started
<b>APTA</b>	1. PBN approach procedures with vertical guidance to LNAV/VNAV minima	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-APTA-1 Target 1:</b> Assessed in Mar 2018 a. Yes b. 1 (MZBZ) <b>B0-APTA-1 Target 2:</b> Implemented in Aug 2010 c. 1 but partially implemented	Status – partially Implemented
	2. PBN approach procedures with vertical guidance to LPV minima	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-APTA-2 Target 1:</b> Assess by Dec 2018 a. No b. TBD <b>B0-APTA-2 Target 2:</b> c. TBD	Status – Analysis not started
	3. PBN Approach Procedures without vertical guidance (LP, LNAV minima; using SBAS)	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-APTA-3. Target 1:</b> Assessed in Mar 2018 a. Yes b. 1 (MZBZ) <b>B0-APTA-3 Target 2:</b> Implemented in Dec 2016 c. 1 but partially implemented	Status – partially Implemented
	4. GBAS Landing System (GLS) Approach procedures	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-APTA-4. Target 1:</b> a. Assessed in Mar 2018 b. None <b>B0-APTA-4. Target 2:</b> c. None	Status – N/A
<b>RSEQ</b>	1. AMAN via controlled time of arrival to a reference fix	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-RSEQ-1. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-RSEQ-1 Target 2:</b> c. N/A	Status – N/A
	2. Departure management	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-RSEQ-2. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-RSEQ-2. Target 2:</b> c. N/A	Status – N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	3. Departure flow management	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-RSEQ-3. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-RSEQ-3. Target 2:</b> c. N/A	Status – N/A
	4. Point merge	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-RSEQ-4. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-RSEQ-4. Target 2:</b> c. N/A	Status – N/A
<b>SURF</b>	1. A-SMGCS with at least one cooperative surface surveillance system	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-SURF-1. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-SURF-1. Target 2:</b> c. N/A	Status – N/A
	2. Including ADS-B APT as an element of A-SMGCS	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-SURF-2. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-SURF-2. Target 2:</b> c. N/A	Status – N/A
	3. A-SMGCS alerting with flight identification information	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-SURF-3. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-SURF-3. Target 2:</b> c. N/A	Status – N/A
	4. EVS for taxi operations	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-SURF-4. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-SURF-4. Target 2:</b> c. N/A	Status – N/A
	5. Airport vehicles equipped with transponders	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-SURF-5. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-SURF-5. Target 2:</b> c. N/A	Status – N/A
<b>WAKE</b>	1. New PANS-ATM wake turbulence categories and separation minima	ICAO has not developed new minima.	N/A	Status – N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	2. Dependent diagonal paired approach procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-WAKE-2. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-WAKE-2. Target 2:</b> c. N/A	Status – N/A
	3. Wake independent departure and arrival procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-WAKE-3. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-WAKE-3. Target 2:</b> c. N/A	Status – N/A
	4. Wake turbulence mitigation for departures procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-WAKE-4. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-WAKE-4. Target 2:</b> c. N/A	Status – N/A
	5. 6 wake turbulence categories and separation minima	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-WAKE-5. Target 1:</b> Assessed in Mar 2018 a. Yes b. None <b>B0-WAKE-5. Target 2:</b> c. N/A	Status – N/A
<b>Performance Improvement Area 2: Globally Interoperable Systems and Data</b>				
AMET	1. WAFS	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-AMET-1.Target 1:</b> Assessed in Mar 2018 a. Yes b. Yes <b>B0-AMET-1.Target 2:</b> Implemented in Jan 2000 c. Yes	Status – Implemented
	2. IAVW	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-AMET-2. Target 1:</b> Assessed in Mar 2018 a. Yes b. Yes <b>B0-AMET-2. Target 2:</b> c. Yes	Status – Implemented
	3. TCAC forecasts	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-AMET-3. Target 1:</b> Assessed in Mar 2018 a. Yes b. Yes <b>B0-AMET-3.Target 2:</b> Implemented in Jan 2000 c. Yes	Status – Implemented
	4. Aerodrome warnings	Number of aerodromes to be considered:1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-AMET-4. Target 1:</b> Assessed in Mar 2018 a. Yes b. 1 <b>B0-AMET-4.Target 2:</b> Implement by Dec 2019 c. 1	Status – Implemented

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	5. Wind shear warnings and alerts	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-AMET-5. Target 1:</b> Assessed in Mar 2018 a. Yes b. 1 <b>B0-AMET-5.Target 2:</b> Implement by Dec 2019 c. 1	Status – Implemented
	6. SIGMET	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-AMET-6. Target 1:</b> Assessed in Mar 2018 a. Yes b. Yes <b>B0-AMET-6. Target 2:</b> c. N/A	Status – Implemented
	7. Other OPMET information (METAR, SPECI and/or TAF)	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-AMET-7. Target 1:</b> Assessed in Mar 2018 a. Yes b. 1 <b>B0-AMET-7.Target 2:</b> Implemented in Jan 2000 c. 1	Status – Implemented
	8. QMS for MET	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-AMET-8. Target 1:</b> Assessed in Dec 2016 a. Yes b. Yes <b>B0-AMET-8.Target 2:</b> Implement by Dec 2019 c. No	Status – Analysis in progress.  The development of Manuals and post certification is foreseen in 2019.
<b>DATM</b>	1. Aeronautical Information Exchange Model (AIXM)	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-DATM-1. Target 1:</b> Assessed in 2017 a. Yes b. Yes <b>B0-DATM-1. Target 2:</b> Implement in 2018 c. Yes	Status – Partially Implemented  Full implementation is expected in September 2018.
	2. eAIP	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-DATM-2. Target 1:</b> Assessed in 2017 a. Yes b. Yes <b>B0-DATM-2. Target 2:</b> Implemented in 2018 c. Yes	Status – Partially Implemented
	3. Digital NOTAM	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-DATM-3. Target 1:</b> Assess by Dec 2020 a. No b. TBD <b>B0-DATM-3. Target 2:</b> c. TBD	Status - Analysis in Progress
	4. eTOD	Number of aerodromes to be considered: 1 a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>None, 1</i> c. How many aerodromes implemented the capability? <i>None, 1</i>	<b>B0-DATM-4. Target 1:</b> Assess by 2019 a. No b. TBD <b>B0-DATM-4. Target 2:</b> Implement by TBD c. TBD	Status - Analysis in Progress
	5. WGS-84	a. Have we assessed the need? <i>Yes or No</i> b. Do we need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-DATM-5. Target 1:</b> Assessed in Mar 2018 a. Yes b. Yes <b>B0-DATM-5. Target 2:</b> Implemented in 2016 c. Yes	Status – Implemented

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	6. QMS for AIM	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-DATM-6. Target 1:</b> Assess by Dec 2019</p> <p>a. No b. TBD</p> <p><b>B0-DATM-6. Target 2:</b> Implement by Dec 2019</p> <p>a. TBD</p>	Status - Analysis in Progress
FICE	1. AIDC to provide initial flight data to adjacent ATSUs	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FICE-1. Target 1:</b> Assessed in 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-FICE-1. Target 2:</b> c. Yes (Target 2018)</p>	Status – Partially Implemented
	2. AIDC to update previously coordinated flight data	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FICE-2. Target 1:</b> Assessed in 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-FICE-2. Target 2:</b> c. Yes (Target 2018)</p>	Status – Partially Implemented
	3. AIDC for control transfer	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FICE-3. Target 1:</b> Assessed in 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-FICE-3. Target 2:</b> c. Yes (Target 2018)</p>	Status – Partially Implemented
	4. AIDC to transfer CPDLC logon information to the Next Data Authority	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FICE-4. Target 1:</b> Assessed in Mar 2018</p> <p>a. No b. No</p> <p><b>B0-FICE-4. Target 2:</b> c. N/A</p>	Status - N/A
<b>Performance Improvement Area 3: Optimum Capacity and Flexible Flights</b>				
ACAS	1. ACAS II (TCAS version 7.1)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-ACAS-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-ACAS-1. Target 2:</b> c. N/A</p>	Status - N/A
	2. Auto Pilot/Flight Director (AP/FD) TCAS	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-ACAS-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-ACAS-2. Target 2:</b> c. N/A</p>	Status - N/A
	3. TCAS Alert Prevention (TCAP)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-ACAS-3. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-ACAS-3. Target 2:</b> c. N/A</p>	Status - N/A
ASEP	1. ATSA-AIRB	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-ASEP-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-ASEP-1. Target 2:</b> c. N/A</p>	Status - N/A
	2. ATSA-VSA	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-ASEP-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-ASEP-2. Target 2:</b> c. N/A</p>	Status - N/A

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
ASUR	1. ADS-B	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-ASUR-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-ASUR-1. Target 2:</b> Implement by 2020</p> <p>c. No</p>	<p>Status – Partially Implemented</p> <p>Technology is implemented and waiting for ICAO SURP.</p>
	2. Multilateralism (MLAT)	<p>Number of aerodromes to be considered: 2</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. How many aerodromes implemented the capability? <i>None, 1</i></p>	<p><b>B0-ASUR-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-ASUR-2. Target 2:</b> c. N/A</p>	Status - N/A
FRTO	1. CDM incorporated into airspace planning	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FRTO-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-FRTO-1. Target 2:</b> Implemented by 2019</p> <p>c. No</p>	Status – Partially Implemented
	2. Flexible Use of Airspace (FUA)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FRTO-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-FRTO-2. Target 2:</b> c. Yes (2016)</p>	Status – Implemented
	3. Flexible route systems	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FRTO-3. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-FRTO-3. Target 2:</b> c. N/A</p>	Status - N/A
	4. CPDLC used to request and receive re-route clearances	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-FRTO-4. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-FRTO-4. Target 2:</b> c. N/A</p>	Status - N/A
NOPS	1. Sharing prediction of traffic load for next day	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-NOPS-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-NOPS-1. Target 2:</b> Implement by Dec 2019</p> <p>c. No</p>	Status – Planning
	2. Proposing alternative routings to avoid or minimize ATFM delays	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-NOPS-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-NOPS-2. Target 2:</b> c. N/A</p>	Status – Planning
OFTL	1. ITP using ADS-B	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-OFTL-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. No</p> <p><b>B0-OFTL-1. Target 2:</b> c. N/A</p>	Status - N/A
SNET	1. Short Term Conflict Alert (STCA)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-SNET-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-SNET-1. Target 2:</b> c. Yes (2017)</p>	Status - Implemented

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
	2. Area Proximity Warning (APW)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-SNET-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-SNET-2. Target 2:</b> c. Yes (2017)</p>	Status - Implemented
	3. Minimum Safe Altitude Warning (MSAW)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-SNET-3. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-SNET-3. Target 2:</b> c. Yes (2017)</p>	Status - Implemented
	4. Medium Term Conflict Alert (MTCA)	<p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. Do we need this capability? <i>Yes or No</i></p> <p>c. Have we implemented the capability? <i>Yes or No</i></p>	<p><b>B0-SNET-4. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. Yes</p> <p><b>B0-SNET-4. Target 2:</b> c. Yes (2017)</p>	Status - Implemented
<b>Performance Improvement Area 4: Efficient Flight Paths</b>				
CCO	1. Procedure changes to facilitate CCO	<p>Number of aerodromes to be considered: 1</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. How many aerodromes implemented the capability? <i>None, 1</i></p>	<p><b>B0-CCO-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. 1</p> <p><b>B0-CCO-1. Target 2:</b> Implement by 2019</p> <p>c. None</p>	Status – Partially Implemented
	2. Route changes to facilitate CCO	<p>Number of aerodromes to be considered: 1</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. How many aerodromes implemented the capability? <i>None, 1</i></p>	<p><b>B0-CCO-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. 1</p> <p><b>B0-CCO-2. Target 2:</b> Implement by 2019</p> <p>c. None</p>	Status – Partially Implemented
	3. PBN SIDs	<p>Number of aerodromes to be considered: 1</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. How many aerodromes implemented the capability? <i>None, 1</i></p>	<p><b>B0-CCO-3. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. 1</p> <p><b>B0-CCO-3. Target 2:</b> Implement by Dec 2019</p> <p>Implement by 2019</p> <p>c. None</p>	Status – Partially Implemented
CDO	1. Procedure changes to facilitate CDO	<p>Number of aerodromes to be considered: 1</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. How many aerodromes implemented the capability? <i>None, 1</i></p>	<p><b>B0-CDO-1. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. 1</p> <p><b>B0-CDO-1. Target 2:</b> Implement by 2019</p> <p>c. None</p>	Status – Partially Implemented
	2. Route changes to facilitate CDO	<p>Number of aerodromes to be considered: 1</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. Have we implemented the capability? <i>None, 1</i></p>	<p><b>B0-CDO-2. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. 1</p> <p><b>B0-CDO-2. Target 2:</b> Implement by 2019</p> <p>c. None</p>	Status – Partially Implemented
	3. PBN STARS	<p>Number of aerodromes to be considered: 1</p> <p>a. Have we assessed the need? <i>Yes or No</i></p> <p>b. How many aerodromes need this capability? <i>None, 1</i></p> <p>c. How many aerodromes implemented the capability? <i>None, 1</i></p>	<p><b>B0-CDO-3. Target 1:</b> Assessed in Mar 2018</p> <p>a. Yes b. 1</p> <p><b>B0-CDO-3. Target 2:</b> Implement by 2019</p> <p>c. None</p>	Status – Partially Implemented

Block 0 Modules	Elements	Metrics	Targets	Status & Remarks
TBO	1. ADS-C over oceanic and remote areas	a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-TBO-1. Target 1:</b> Assessed in Mar 2018 a. Yes b. No <b>B0-TBO-1. Target 2:</b> c. N/A	Status - N/A
	2. CPDLC over continental areas	a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-TBO-2. Target 1:</b> Assessed in Mar 2018 a. Yes b. No <b>B0-TBO-2. Target 2:</b> c. N/A	Status - N/A
	3. CPDLC over oceanic and remote areas	a. Have we assessed the need? <i>Yes or No</i> b. How many aerodromes need this capability? <i>Yes or No</i> c. Have we implemented the capability? <i>Yes or No</i>	<b>B0-TBO-3. Target 1:</b> Assessed in Mar 2018 a. Yes b. No <b>B0-TBO-3. Target 2:</b> c. N/A	Status - N/A

Table 2.1.1: ASBU B0 Implementation Metrics and Targets

### 2.1.2 ASBU B0 Implementation Status Summary

The summary of ASBU B0 implementation status is provided in the Table 2.1. The details of ASBU B0 implementation status is recorded using ANRFs and provided in Appendix D.

Module	Elements	Need Analysis				Implementation Status (if Element is needed)			
		Not Started	In Progress	Need	N/A	Planning	Developing	Partially Implemented	Implemented
<b>Performance Improvement Area 1: Airport Operations</b>									
ACDM	1. Interconnection between aircraft operator & ANSP systems to share surface operations information	1							
	2. Interconnection between aircraft operator & airport operator systems to share surface operations information				1				
	3. Interconnection between airport operator & ANSP systems to share surface operations information	1							
	4. Interconnection between airport operator, aircraft operator & ANSP systems to share surface operations information	1							
	5. Collaborative departure queue management	1							
APTA	1. PBN approach procedures with vertical guidance to LNAV/VNAV minima								1
	2. PBN approach procedures with vertical guidance to LPV minima				1				
	3. PBN approach procedures without vertical guidance to LNAV minima							1	
	4. GBAS Landing System (GLS) procedures to CAT I minima				1				
RSEQ	1. AMAN via controlled time of arrival to a reference fix				1				
	2. Departure management				1				
	3. Departure flow management				1				
	4. Point merge				1				
SURF	1. A-SMGCS with at least one cooperative surface surveillance system				1				
	2. Including ADS-B APT as an element of A-SMGCS				1				
	3. A-SMGCS alerting with flight identification information				1				
	4. EVS for taxi operations				1				
	5. Airport vehicles equipped with transponders				1				
WAKE	1. New PANS-ATM wake turbulence categories and separation minima				1				
	2. Dependent diagonal paired approach procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart				1				

Module	Elements	Need Analysis				Implementation Status (if Element is needed)			
		Not Started	In Progress	Need	N/A	Planning	Developing	Partially Implemented	Implemented
	3. Wake independent departure and arrival operations (WIDAO) for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart				1				
	4. Wake turbulence mitigation for departures (WTMD) procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart based on observed crosswinds				1				
	5. 6 wake turbulence categories and separation minima				1				
<b>Performance Improvement Area 2: Globally Interoperable Systems and Data</b>									
AMET	1. WAFS								
	2. IAVW								
	3. TCAC forecasts								
	4. Aerodrome warnings								
	5. Wind shear warnings and alerts								
	6. SIGMET								
	7. Other OPMET information (METAR, SPECI and/or TAF)								
	8. QMS for MET								
DATM	1. Standardized Aeronautical Information Exchange Model (AIXM)							√	
	2. eAIP							√	
	3. Digital NOTAM		√						
	4. eTOD		1						
	5. WGS-84								√
	6. QMS for AIM		√						
FICE	1. AIDC to provide initial flight data to adjacent ATSU's							√	
	2. AIDC to update previously coordinated flight data							√	
	3. AIDC for control transfer							√	
	4. AIDC to transfer CPDLC logon information to the Next Data Authority				√				
<b>Performance Improvement Area 3: Optimum Capacity and Flexible Flights</b>									
ACAS	1. ACAS II (TCAS version 7.1)				√				
	2. AP.FD function				√				
	3. TCAP function				√				
ASEP	1. ATSA-AIRB				√				
	2. ATSA-VSA				√				
ASUR	1. ADS-B							√	
	2. Multilateration (MLAT)				1				
FRTO	1. CDM incorporated into airspace planning							√	
	2. Flexible Use of Airspace (FUA)								√
	3. Flexible routing				√				
	4. CPDLC used to request and receive re-route clearances				√				
NOPS	1. Sharing prediction of traffic load for next day					√			
	2. Proposing alternative routings to avoid or minimize ATFM delays					√			
OPFL	1. ITP using ADS-B				√				
SNET	1. Short Term Conflict Alert implementation (STCA)								√
	2. Area Proximity Warning (APW)								√
	3. Minimum Safe Altitude Warning (MSAW)								√
	4. Medium Term Conflict Alert (MTCA)								√
<b>Performance Improvement Area 4: Efficient Flight Paths</b>									
CCO	1. Procedure changes to facilitate CCO							1	
	2. Airspace changes to facilitate CCO							1	
	3. PBN SIDs							1	
CDO	1. Procedure changes to facilitate CDO							1	
	2. Airspace changes to facilitate CDO							1	
	3. PBN STARS							1	

Module	Elements	Need Analysis				Implementation Status (if Element is needed)			
		Not Started	In Progress	Need	N/A	Planning	Developing	Partially Implemented	Implemented
TBO	1. ADS-C over oceanic and remote areas				√				
	2. CPDLC over continental areas				√				
	3. CPDLC over oceanic and remote areas Note: This is done by CENAMER/COCESNA.				√				

Table 2.1.2 ASBU B0 Implementation Status Summary

## 2.2 Belize’s ASBU Block 1 Implementation Targets and Status

This section will be written after 2019. Appendix E is reserved for ASBU B1 ANRFs.

## 2.3 Belize’s ASBU Block 2 Implementation Targets and Status

This section will be written after 2025. Appendix F is reserved for ASBU B2 ANRFs.

## 2.4 Belize’s ASBU Block 3 Implementation Targets and Status

This section will be written after 2031. Appendix G is reserved for ASBU B3 ANRFs.

### **3. ICAO NACC Regional Aviation System Improvements (RASI) Status**

The RPBANIP is aligned with GANP and provides guidance to States in the NACC region. The ICAO NACC Regional Office also provides guidance to implement certain capabilities outside the ASBU scope, yet regionally important improvements. Currently 4 aerodrome associated NACC region specific improvements are identified and shown below. RASI ANRF for ICAO NACC Regional Initiatives is prepared and provided in **Appendix H**.

- Aerodrome certification – **Status: MZBZ foreseen in December 2018**
- Heliport operational approval – **Status: Not applicable**
- Visual aids for air navigation – **Status: Implemented**
- Aerodrome Bird/Wildlife Organization and Control Programme – **Status: In Progress**

### **4. Belize's State Aviation System Improvements (SASI) Status**

Belize's State Aviation System Improvements (SASI) are broken into three categories;

- (1) Equipment upgrades;
- (2) Procedure upgrades; and
- (3) Infrastructure upgrades.

The details of upgrades were recorded using SASI ANRFs and provided in **Appendix I**.

#### **4.1 Equipment Upgrades**

Equipment upgrades are not identified at this time.

#### **4.2 Procedure Upgrades**

Procedure upgrades are not identified at this time.

#### **4.3 Infrastructure Upgrades**

There are five infrastructure upgrades, shown below, which have been identified to address anticipated airport and airspace demand growth. SASI ANRF for Infrastructure Upgrades is prepared and provided in Appendix I.

- Airport Terminal Development – Status: In progress
- Airport Taxiway construction – Status: Analysis in Progress
- Runway rehabilitation – Status: Analysis in Progress
- Apron rehabilitation – Status: Analysis in Progress
- Runway Meteorological Instrumentation: In Progress

### **5. Belize's State ANP Next Review Schedule**

This document is scheduled to be produced in 2018. It will be reviewed at the last quarter of every year or as deemed necessary.

## Appendix A: ANRF Explained

An ASBU ANRF should be completed for each applicable ASBU Module as follows:

<b>PIA</b>	The Performance Improvement Area (1, 2, 3 or 4) for the ASBU Module, as per the <i>NAM ASBU Handbook</i> .
<b>Block - Module</b>	The Module Designation for the ASBU Module, as per the <i>NAM ASBU Handbook</i> .
<b>Date</b>	The date when the form was completed or updated.
<b>Module Description</b>	The Summary Description for the ASBU Module, as per the <i>NAM ASBU Handbook</i> .
<b>Element</b>	The descriptive text for each Element, as per the <i>NAM ASBU Handbook</i> . It is not necessary to include the Defined, Derived from or Identified By information. Insert additional rows, if necessary, to accommodate all of the Elements listed for the ASBU Module.
<b>Date Planned or Implemented</b>	The month and year when the Element was fully implemented or the year when it is planned for the Element to be fully implemented by all applicable States or at all applicable aerodromes. This field should be left blank if the Status for the Element is “Analysis Not Started” or “Not Applicable” for all States or aerodromes in the Region.
<b>Status</b>	<p>The Need Analysis or Implementation status for the Element, in accordance with Table NAM ASBU III-1, III-2, III-3 or III-4. Indicate the status as follows:</p> <p><b>Not Started:</b> if the Need Analysis has not been started for any of the States or aerodromes</p> <p><b>In Progress:</b> if at least one Need Analysis has been started but none have yet been completed</p> <p><b>Need:</b> if at least one Need Analysis has determined a requirement for the Element, but no implementation planning has yet been initiated</p> <p><b>Not Applicable:</b> 1) if all of the Need Analyses completed to date have concluded the Element is not required, or 2) if the Element is not an aerodrome-related improvement and the Region has not adopted the improvement for region-wide implementation.</p> <p><b>Planning:</b> if at least one implementation is in the Planning phase and no implementations have yet been completed.</p> <p><b>Developing:</b> if at least one implementation is in the Developing phase but no implementations have yet been completed.</p> <p><b>Partially Implemented:</b> if at least one, but not all, implementations have been completed.</p> <p><b>Implemented:</b> if all of Needed implementations have been completed.</p>
<b>Status Details</b>	Further information to support or explain the reported status. The reason(s) an Element was found to be “Not Applicable” for all the aerodromes (or States) in the Region. The reason(s) why the Need Analysis has not been completed for all or some of the aerodromes (or States) in the Region. Information on where implementation has or has not been completed (as appropriate) if the reported status is “Partially Implemented”.

**Achieved Benefits**

Describe the achieved benefits for the entire Module or particular Elements. The benefits can be quantitative or qualitative. The benefits should be described for the following 5 of the 11 Key Performance Areas (KPA) defined in the *Manual on Global Performance of the Air Navigation System* (Doc 9883):

**Access & Equity:** Improving the operating environment so as to ensure all airspace users have the right of access to ATM resources needed to meet their specific operational requirements; and ensuring that the shared use of the airspace for different airspace users can be achieved safely. Providing equity for all airspace users that have access to a given airspace or service. Generally, the first aircraft ready to use the ATM resources will receive priority, except where significant overall safety or system operational efficiency would accrue or national defence considerations or interests dictate by providing priority on a different basis.

**Capacity:** Improving the ability to meet airspace user demand at peak times and locations while minimizing restrictions on traffic flow. Responding to future growth by increasing capacity, efficiency, flexibility, and predictability while ensuring that there are no adverse impacts to safety and giving due consideration to the environment. Increasing resiliency to service disruption and minimising resulting temporary loss of capacity.

**Efficiency:** Improving the operational and economic cost effectiveness of gate-to-gate flight operations from the airspace users' perspective. Increasing the ability for airspace users to depart and arrive at the times they select and fly the trajectory they determine to be optimum in all phases of flight.

**Environment:** Contributing to the protection of the environment by minimizing or reducing noise, gaseous emissions, and other negative environmental effects in the implementation and operation of the air navigation system.

**Safety:** Reducing the likelihood or severity of operational safety risks associated with the provision or use of air navigation services.

**Implementation Challenges**

A description of any circumstances that have been encountered or are foreseen that might prevent or delay implementation. Challenges should be categorized and described under the applicable subject area.

**Notes**

Any further information as deemed appropriate.

## Appendix B: ASBU ANRF Template

BELIZE ASBU Air Navigation Reporting Form (ANRF)				
<b>PIA</b>	1	<b>Block - Module</b>	B0 - ACDM	<b>Date</b>   12 March, 2018
<b>Module Description:</b> To implement collaborative applications that will allow the sharing of surface operations data among the different stakeholders on the airport. This will improve surface traffic management reducing delays on movement and manoeuvring areas and enhance safety, efficiency and situational awareness.				
<b>Element Implementation Status</b>				
<b>1</b>	<b>Element Description:</b> Interconnection between aircraft operator and ANSP systems to share surface operations information		<b>Date Planned/Implemented</b> 2019	<b>Status</b> Analysis Not Started
<b>Status Details</b> The BDCA will initiate dialogue with the aircraft operators to analyze the interconnection capability.				
<b>2</b>	<b>Element Description:</b> Interconnection between aircraft operator and airport operator systems to share surface operations information		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N /A
<b>Status Details</b> Not applicable. The analysis will be done between the BACC and the aircraft operators.				
<b>3</b>	<b>Element Description:</b> Interconnection between airport operator and ANSP systems to share surface operations information		<b>Date Planned/Implemented</b> 2019	<b>Status</b> Analysis Not Started
<b>Status Details</b> The analysis will be done between the aircraft operators and the BDCA.				
<b>4</b>	<b>Element Description:</b> Interconnection between airport operator, aircraft operator and ANSP systems to share surface operations information		<b>Date Planned/Implemented</b> 2019	<b>Status</b> Analysis Not Started
<b>Status Details</b> The analysis will be done with the BDCA, BACC and the aircraft operators.				
<b>5</b>	<b>Element Description:</b> Collaborative departure queue management		<b>Date Planned/Implemented</b> 2019	<b>Status</b> Analysis Not Started
<b>Status Details</b> The BDCA will explore what will function and look for best practices.				
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment: No report</i>				
<i>Safety: With a proper analysis the expectation is that safety will be increased overall.</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation: NONE</i>				
<i>Avionics Implementation:</i>				
<i>Procedures Availability:</i>				
<i>Operational Approvals:</i>				
<b>Notes</b>				

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>			
<b>PIA</b>	1	<b>Block - Module</b>	B0 - APTA
<b>Date</b>	NOVEMBER 2018		
<b>Module Description:</b> The use of Performance-based Navigation (PBN) and ground-based augmentation system (GBAS) landing system (GLS) procedures will enhance the reliability and predictability of approaches to runways, thus increasing safety, accessibility and efficiency. This is possible through the application of basic global navigation satellite system (GNSS), Baro-vertical navigation (VNAV), satellite-based augmentation system (SBAS) and GLS. The flexibility inherent in PBN approach design can be exploited to increase runway capacity.			
<b>Element Implementation Status</b>			
<b>1</b>	<b>Element Description:</b> PBN approach procedures with vertical guidance to LNAV/VNAV minima	<b>Date Planned/Implemented</b> 2019	<b>Status</b> Partially Implemented
	<b>Status Details</b> Implemented for Runway 07 at MZBZ. We are working with our service provider (ACNA/COCESNA) for the development of the procedures for Runway 25.		
<b>2</b>	<b>Element Description:</b> PBN approach procedures with vertical guidance to LPV minima	<b>Date Planned/Implemented</b> TBD	<b>Status</b> Analysis in Progress
	<b>Status Details</b> Belize is working with ACNA/COCESNA.		
<b>3</b>	<b>Element Description:</b> PBN approach procedures without vertical guidance to LNAV minima	<b>Date Planned/Implemented</b> December, 2016	<b>Status</b> Partially Implemented
	<b>Status Details</b> Implemented for Runway 07 at MZBZ. The BDCA is working with our service provider (ACNA/COCESNA) for the development of the procedures for Runway 25.		
<b>4</b>	<b>Element Description:</b> GBAS Landing System (GLS) procedures to CAT I minima	<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A		
<b>Achieved Benefits</b>			
<i>Access and Equity</i>			
<i>Capacity</i>			
<i>Efficiency</i>			
<i>Environment</i>			
<i>Safety</i>			
<b>Implementation Challenges</b>			
<i>Ground system Implementation</i>			
<i>Avionics Implementation</i>			
<i>Procedures Availability</i>			
<i>Operational Approvals</i>			
<b>Notes</b>			

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>				
<b>PIA</b>	1	<b>Block - Module</b>	B0 - RSEQ	<b>Date</b> N/A
<b>Module Description:</b> To manage arrivals and departures (including time-based metering) to and from a multi-runway aerodrome or locations with multiple dependent runways at closely proximate aerodromes, to efficiently utilize the inherent runway capacity.				
<b>Element Implementation Status</b>				
<b>1</b>	<b>Element Description:</b> AMAN via controlled time of arrival to a reference fix		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>2</b>	<b>Element Description:</b> Departure management		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>3</b>	<b>Element Description:</b> Departure flow management		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>4</b>	<b>Element Description:</b> Point merge		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment</i>				
<i>Safety</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation</i>				
<i>Avionics Implementation</i>				
<i>Procedures Availability</i>				
<i>Operational Approvals</i>				
<b>Notes</b>				

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	1	<b>Block - Module</b>	B0 - SURF	<b>Date</b>	N/A
<p><b>Module Description:</b> First levels of advanced-surface movement guidance and control systems (A-SMGCS) provides surveillance and alerting of movements of both aircraft and vehicles at the aerodrome, thus improving runway/aerodrome safety.</p> <p>Automatic dependent surveillance-broadcast (ADS-B) information is used when available (ADS-B APT). Enhanced vision systems (EVS) is used for low-visibility operations.</p>					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> A-SMGCS with at least one cooperative surface surveillance system			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>2</b>	<b>Element Description:</b> ADS-B APT			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>3</b>	<b>Element Description:</b> A-SMGCS alerting with flight identification information			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>4</b>	<b>Element Description:</b> EVS for taxi operations			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>5</b>	<b>Element Description:</b> Airport vehicles equipped with transponders			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	1	<b>Block - Module</b>	B0 - WAKE	<b>Date</b>	N/A
<b>Module Description:</b> Improved throughput on departure and arrival runways through optimized wake turbulence separation minima, revised aircraft wake turbulence categories and procedures.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> New PANS-ATM wake turbulence categories and separation minima			<b>Date Planned/Implemented</b>	<b>Status</b>
	N/A			N/A	N/A
<b>2</b>	<b>Element Description:</b> Dependent diagonal paired approach procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart			<b>Date Planned/Implemented</b>	<b>Status</b>
	N/A			N/A	N/A
<b>3</b>	<b>Element Description:</b> Wake independent departure and arrival operations (WIDAO) for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart			<b>Date Planned/Implemented</b>	<b>Status</b>
	N/A			N/A	N/A
<b>4</b>	<b>Element Description:</b> Wake turbulence mitigation for departures (WTMD) procedures for parallel runways with centrelines spaced less than 760 meters (2,500 feet) apart based on observed crosswinds			<b>Date Planned/Implemented</b>	<b>Status</b>
	N/A			N/A	N/A
<b>5</b>	<b>Element Description:</b> 6 wake turbulence categories and separation minima			<b>Date Planned/Implemented</b>	<b>Status</b>
	N/A			N/A	N/A
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF) (check with MET)</b>			
<b>PIA</b>	1	<b>Block - Module</b>	B0 - AMET
<b>Date</b>			
<p><b>Module Description:</b> Global, regional and local meteorological information:</p> <p>a) forecasts provided by world area forecast centres (WAFC), volcanic ash advisory centres (VAAC) and tropical cyclone advisory centres (TCAC);</p> <p>b) aerodrome warnings to give concise information of meteorological conditions that could adversely affect all aircraft at an aerodrome including wind shear; and</p> <p>c) SIGMETs to provide information on occurrence or expected occurrence of specific route weather phenomena which may affect the safety of aircraft operations and other operational meteorological (OPMET) information, including METAR/SPECI and TAF, to provide routine and special observations and forecasts of meteorological conditions occurring or expected to occur at the aerodrome.</p> <p>This information supports flexible airspace management, improved situational awareness and collaborative decision making, and dynamically optimized flight trajectory planning.</p> <p>This module includes elements which should be viewed as a subset of all available meteorological information that can be used to support enhanced operational efficiency and safety.</p>			
<b>Element Implementation Status</b>			
<b>1</b>	<p><b>Element Description:</b> WAFS</p> <p><b>Status Details</b> The Belize National Meteorological Service (NMS) has established communication with the World Area Forecast System office on _____. Via a Memorandum of Understanding between the BDCA and NMS, they have agreed to furnish such information.</p>	<b>Date Planned/Implemented</b>	<b>Status</b> Implemented
<b>2</b>	<p><b>Element Description:</b> IAVW</p> <p><b>Status Details</b> See procedures between NMS and the Tegucigalpa IAVW.</p>	<b>Date Planned/Implemented</b> 12 March, 2016	<b>Status</b> Implemented
<b>3</b>	<p><b>Element Description:</b> TCAC forecasts</p> <p><b>Status Details</b> The NMS is in constant coordination with the MIAMI NATIONAL HURRICANE CENTRE. The NMS Personnel attend annual meetings.</p>	<b>Date Planned/Implemented</b> 12 March, 2018	<b>Status</b> Implemented
<b>4</b>	<p><b>Element Description:</b> Aerodrome warnings</p> <p><b>Status Details</b> In accordance with letter of agreement NMS will furnish information such as VOLCANIC activity, strong winds and Lightning issues .</p>	<b>Date Planned/Implemented</b> 2016	<b>Status</b> Implemented
<b>5</b>	<p><b>Element Description:</b> Wind shear warnings and alerts</p> <p><b>Status Details</b> BDCA will check with NMS to determine if any analysis has been made regarding this. This must include frequency of wind phenomena, is it monitored, frequencies. Look at data provided by NMS.</p>	<b>Date Planned/Implemented</b> 2016	<b>Status</b> Implemented
<b>6</b>	<p><b>Element Description:</b> SIGMET</p> <p><b>Status Details</b> In accordance with Letter of Agreement NMS must have the capacity to furnish meteorological data for aeronautical purposes to the BDCA AIM/ARO for example for pre-flight briefings, etc. and also to the air traffic control units which includes the Goldson Radar and Control Tower units.</p>	<b>Date Planned/Implemented</b> 2016	<b>Status</b> Implemented
<b>7</b>	<p><b>Element Description:</b> Other OPMET information (METAR, SPECI and/or TAF)</p> <p><b>Status details</b> Via Letter of Agreement NMS has agreed to provide this data to ATS.</p>	<b>Date Planned/Implemented</b> 2016	<b>Status</b> Implemented
<b>8</b>	<p><b>Element Description:</b> QMS for MET</p>	<b>Date Planned/Implemented</b> 2019	<b>Status</b> Analysis in Progress

	<b>Status Details</b> REGIONAL REQUIREMENT. BDCA WILL CHECK WITH NMS IF THEY HAVE THE ISO REQUIREMENT
	<b>Achieved Benefits</b>
	<i>Access and Equity</i>
	<i>Capacity</i>
	<i>Efficiency</i>
	<i>Environment</i>
	<i>Safety</i>
	<b>Implementation Challenges</b>
	<i>Ground system Implementation</i>
	<i>Avionics Implementation</i>
	<i>Procedures Availability</i>
	<i>Operational Approvals</i>
	<b>Notes</b>

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	2	<b>Block - Module</b>	B0 - DATM	<b>Date</b>	November, 2018
<b>Module Description:</b> The initial introduction of digital processing and management of information, from origination to publication, through aeronautical information service (AIS)/aeronautical information management (AIM) implementation, use of aeronautical exchange model (AIXM), migration to electronic aeronautical information publication (AIP) and better quality and availability of data.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> Standardized Aeronautical Information Exchange Model (AIXM)			<b>Date Planned/Implemented</b> 2018	<b>Status</b> Partially Implemented
	<b>Status Details</b> COCESNA's migration from AFTN to AMHS includes the AIXM implementation.				
<b>2</b>	<b>Element Description:</b> eAIP			<b>Date Planned/Implemented</b> APRIL 2018	<b>Status</b> Implemented
	<b>Status Details</b> The EAIP is now official and is available to the public in the Belize Department of Civil Aviation website.				
<b>3</b>	<b>Element Description:</b> Digital NOTAM			<b>Date Planned/Implemented</b> 2020	<b>Status</b> Analysis in progress
	<b>Status Details</b> We have the capability to develop the Digital NOTAM, however we are planning implementation in 2020. The analysis is taking place in coordination with our service provider ACNA/COCESNA.				
<b>4</b>	<b>Element Description:</b> eTOD			<b>Date Planned/Implemented</b> November, 2018	<b>Status</b> Analysis in Progress.
	<b>Status Details</b> We are working with our service provider ACNA/COCESNA.				
<b>5</b>	<b>Element Description:</b> WGS-84			<b>Date Planned/Implemented</b> 2016	<b>Status</b> Implemented
	<b>Status Details</b> Constant dialogue is maintained with our local Land Information Centre. Also with our service provider ACNA/COCESNA.				
<b>6</b>	<b>Element Description:</b> QMS for AIM			<b>Date Planned/Implemented</b> November, 2018	<b>Status</b> Analysis in Progress
	<b>Status Details</b> Working with our service provider AIM/COCESNA.				
<b>Achieved Benefits</b>					
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	2	<b>Block - Module</b>	B0 - FICE	<b>Date</b>	2018
<b>Module Description:</b> To improve coordination between air traffic service units (ATSUs) by using ATS interfacility data communication (AIDC) defined by ICAO's Manual of Air Traffic Services Data Link Applications (Doc 9694). An additional benefit is the improved efficiency of the transfer of communication in a data link environment.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> AIDC to provide initial flight data to adjacent ATSUs			<b>Date Planned/Implemented</b> NOVEMBER 2018	<b>Status</b> Partially Implemented
	<b>Status Details</b> The BDCA has the equipment installed. We are working with ACNA/COCESNA to have AIDC with Merida, Mexico, CENAMER ACC, La Aurora, Guatemala and La Mesa, Honduras and those other ANSPs that have this equipment installed. ATS Letters of Agreement will be updated.				
<b>2</b>	<b>Element Description:</b> AIDC to update previously coordinated flight data			<b>Date Planned/Implemented</b> NOVEMBER 2018	<b>Status</b> Partially Implemented
	<b>Status Details</b> The BDCA has the equipment installed. We are working with ACNA/COCESNA to have AIDC with Merida, Mexico, CENAMER ACC, La Aurora, Guatemala and La Mesa, Honduras and those other ANSPs that have this equipment installed. ATS Letters of Agreement will be updated.				
<b>3</b>	<b>Element Description:</b> AIDC for control transfer			<b>Date Planned/Implemented</b> NOVEMBER 2018	<b>Status</b> Partially Implemented
	<b>Status Details</b> The BDCA has the equipment installed. We are working with ACNA/COCESNA to have AIDC with Merida, Mexico, CENAMER ACC, La Aurora, Guatemala and La Mesa, Honduras and those other ANSPs that have this equipment installed. ATS Letters of Agreement will be updated.				
<b>4</b>	<b>Element Description:</b> AIDC to transfer CPDLC logon information to the Next Data Authority			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>				
<b>PIA</b>	3	<b>Block - Module</b>	B0 - ACAS	<b>Date</b>   N/A
<b>Module Description:</b> To provide short-term improvements to existing airborne collision avoidance systems (ACAS) to reduce nuisance alerts while maintaining existing levels of safety. This will reduce trajectory deviations and increase safety in cases where there is a breakdown of separation.				
<b>Element Implementation Status</b>				
<b>1</b>	<b>Element Description:</b> ACAS II (TCAS version 7.1)		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>2</b>	<b>Element Description:</b> AP/FD function		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>3</b>	<b>Element Description:</b> TCAP function		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment</i>				
<i>Safety</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation</i>				
<i>Avionics Implementation</i>				
<i>Procedures Availability</i>				
<i>Operational Approvals</i>				
<b>Notes</b>				

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>				
<b>PIA</b>	3	<b>Block - Module</b>	B0 - ASEP	<b>Date</b> N/A
<b>Module Description:</b> Two <b>air traffic situational awareness</b> (ATSA) applications which will enhance safety and efficiency by providing pilots with the means to enhance traffic situational awareness and achieve quicker visual acquisition of targets: a) AIRB (basic airborne situational awareness during flight operations). b) VSA (visual separation on approach).				
<b>Element Implementation Status</b>				
<b>1</b>	<b>Element Description:</b> ATSA-AIRB		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>2</b>	<b>Element Description:</b> ATSA-VSA		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment</i>				
<i>Safety</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation</i>				
<i>Avionics Implementation</i>				
<i>Procedures Availability</i>				
<i>Operational Approvals</i>				
<b>Notes</b>				

<b>BELIZEASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	3	<b>Block - Module</b>	B0 - ASUR	<b>Date</b>	2018
<b>Module Description:</b> To provide initial capability for lower cost ground surveillance supported by new technologies such as ADS-B OUT and wide area multilateration (MLAT) systems. This capability will be expressed in various ATM services, e.g. traffic information, search and rescue and separation provision.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> ADS-B			<b>Date Planned/Implemented</b> 2018	<b>Status</b> Partially Implemented
	<b>Status Details</b> The BDCA is working with ACNA/COCESNA for total implementation.				
<b>2</b>	<b>Element Description:</b> MLAT			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	3	<b>Block - Module</b>	B0 - FRTO	<b>Date</b>	2018
<b>Module Description:</b> To allow the use of airspace which would otherwise be segregated (i.e. special use airspace) along with flexible routing adjusted for specific traffic patterns. This will allow greater routing possibilities, reducing potential congestion on trunk routes and busy crossing points, resulting in reduced flight lengths and fuel burn.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> CDM incorporated into airspace planning			<b>Date Planned/Implemented</b>	<b>Status</b> Partially implemented
	<b>Status Details</b> Belize is working with ACNA/COCESNA to become a member of the ATFM data exchange network of the Americas CADENA.				
<b>2</b>	<b>Element Description:</b> Flexible Use of Airspace (FUA)			<b>Date Planned/Implemented</b>	<b>Status</b> Implemented
	<b>Status Details</b> Memorandum of Agreement is in place with the Ministry of Defence.				
<b>3</b>	<b>Element Description:</b> Flexible routing			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A				
<b>4</b>	<b>Element Description:</b> CPDLC used to request and receive re-route clearances			<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A This is only used over oceanic areas.				
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>				
<b>PIA</b>	3	<b>Block - Module</b>	B0 - NOPS	<b>Date</b>   2019
<b>Module Description:</b> Air traffic flow management (ATFM) is used to manage the flow of traffic in a way that minimizes delays and maximizes the use of the entire airspace. Collaborative ATFM can regulate traffic flows involving departure slots, smooth flows and manage rates of entry into airspace along traffic axes, manage arrival time at waypoints or flight information region (FIR)/sector boundaries and re-route traffic to avoid saturated areas. ATFM may also be used to address system disruptions including a crisis caused by human or natural phenomena.				
<b>Element Implementation Status</b>				
<b>1</b>	<b>Element Description:</b> Sharing prediction of traffic load for next day		<b>Date Planned/Implemented</b> 2019	<b>Status</b> Planning
	<b>Status Details</b> The BDCA is working with ACNA/COCESNA for implementation.			
<b>2</b>	<b>Element Description:</b> Proposing alternative routings to avoid or minimize ATFM delays		<b>Date Planned/Implemented</b> 2019	<b>Status</b> Planning
	<b>Status Details</b> The BDCA is working with ACNA/COCESNA for implementation.			
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment</i>				
<i>Safety</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation</i>				
<i>Avionics Implementation</i>				
<i>Procedures Availability</i>				
<i>Operational Approvals</i>				
<b>Notes</b>				

<b>BELIZEASBU Air Navigation Reporting Form (ANRF)</b>				
<b>PIA</b>	3	<b>Block - Module</b>	B0 - OPFL	<b>Date</b>   N/A
<b>Module Description:</b> To enable aircraft to reach a more satisfactory flight level for flight efficiency or to avoid turbulence for safety. The main benefit of ITP is fuel/emissions savings and the uplift of greater payloads.				
<b>Element Implementation Status</b>				
<b>1</b>	<b>Element Description:</b>		<b>Date Planned/Implemented</b>	<b>Status</b>
	ITP using ADS-B		N/A	N/A
	<b>Status Details</b>			
	N/A			
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment</i>				
<i>Safety</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation</i>				
<i>Avionics Implementation</i>				
<i>Procedures Availability</i>				
<i>Operational Approvals</i>				
<b>Notes</b>				

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	3	<b>Block - Module</b>	B0 - SNET	<b>Date</b>	2017
<b>Module Description:</b> To enable monitoring of flights while airborne to provide timely alerts to air traffic controllers of potential risks to flight safety. Alerts from short-term conflict alert (STCA), area proximity warnings (APW) and minimum safe altitude warnings (MSAW) are proposed. Ground-based safety nets make an essential contribution to safety and remain required as long as the operational concept remains human centred.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> Short Term Conflict Alert (STCA)			<b>Date Planned/Implemented</b> 2017	<b>Status</b> Implemented
	<b>Status Details</b> It was implemented in the CENAMER ACC upgrade (AIRCON2100R)				
<b>2</b>	<b>Element Description:</b> Area Proximity Warning (APW)			<b>Date Planned/Implemented</b> 2017	<b>Status</b> Implemented
	<b>Status Details</b> Same				
<b>3</b>	<b>Element Description:</b> Minimum Safe Altitude Warning (MSAW)			<b>Date Planned/Implemented</b> 2017	<b>Status</b> Implemented
	<b>Status Details</b> Same				
<b>4</b>	<b>Element Description:</b> Medium Term Conflict Alert (MTCA)			<b>Date Planned/Implemented</b> 2017	<b>Status</b> Implemented
	<b>Status Details</b> Same				
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	4	<b>Block - Module</b>	B0 - CCO	<b>Date</b>	2019
<b>Module Description:</b> To implement continuous climb operations in conjunction with performance-based navigation (PBN) to provide opportunities to optimize throughput, improve flexibility, enable fuel-efficient climb profiles, and increase capacity at congested terminal areas. The application of PBN enhances CCO.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> Procedure changes to facilitate CCO			<b>Date Planned/Implemented</b> 2019	<b>Status</b> Partially Implemented. Only for Runway 25 is pending.
	<b>Status Details</b> Implemented PBN, CCO, CDO SIDs STARs				
<b>2</b>	<b>Element Description:</b> Airspace changes to facilitate CCO			<b>Date Planned/Implemented</b> 2019	<b>Status</b> Partially Implemented Only for Runway 25 is pending.
	<b>Status Details</b> Implemented PBN, CCO CDO SIDs STARs				
<b>3</b>	<b>Element Description:</b> PBN SIDs			<b>Date Planned/Implemented</b> 2019	<b>Status</b> Partially Implemented Only for Runway 25 is pending.
	<b>Status Details</b>				
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>					
<b>PIA</b>	4	<b>Block - Module</b>	B0 - CDO	<b>Date</b>	2019
<b>Module Description:</b> To use performance-based airspace and arrival procedures allowing an aircraft to fly its optimum profile using continuous descent operations. This will optimize throughput, allow fuel efficient descent profiles, and increase capacity in terminal areas. The application of PBN enhances CDO.					
<b>Element Implementation Status</b>					
<b>1</b>	<b>Element Description:</b> Procedure changes to facilitate CDO			<b>Date Planned/Implemented</b> 2019	<b>Status</b> Partially Implemented Only for Runway 25 is pending.
<b>Status Details</b> Belize is working with ACNA COCESNA for the development of procedures.					
<b>2</b>	<b>Element Description:</b> Airspace changes to facilitate CDO			<b>Date Planned/Implemented</b> 2019	<b>Status</b> Partially Implemented Only for Runway 25 is pending.
<b>Status Details</b> Belize is working with our service provider. Procedures are in draft stage and awaiting feedback from stakeholders and also for the COCESNA aircraft to certify the pending procedures.					
<b>3</b>	<b>Element Description:</b> PBN STARS			<b>Date Planned/Implemented</b> 2018	<b>Status</b> Partially Implemented Only for Runway 25 is pending.
<b>Status Details</b> Belize is working with ACNA / COCESNA on general issues. Airspace reorganization is part of the entire project.					
<b>Achieved Benefits</b>					
<i>Access and Equity</i>					
<i>Capacity</i>					
<i>Efficiency</i>					
<i>Environment</i>					
<i>Safety</i>					
<b>Implementation Challenges</b>					
<i>Ground system Implementation</i>					
<i>Avionics Implementation</i>					
<i>Procedures Availability</i>					
<i>Operational Approvals</i>					
<b>Notes</b>					

<b>BELIZE ASBU Air Navigation Reporting Form (ANRF)</b>				
<b>PIA</b>	4	<b>Block - Module</b>	B0 - TBO	<b>Date</b>   N/A
<b>Module Description:</b> To implement a set of data link applications supporting surveillance and communications in air traffic services, which will lead to flexible routing, reduced separation and improved safety.				
<b>Element Implementation Status</b>				
1	<b>Element Description:</b> ADS-C over oceanic and remote areas		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
2	<b>Element Description:</b> CPDLC over continental areas		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
3	<b>Element Description:</b> CPDLC over oceanic and remote areas		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>Achieved Benefits</b>				
4	<b>Element Description:</b> SATVOICE direct controller pilot communication (DCPC)		<b>Date Planned/Implemented</b> N/A	<b>Status</b> N/A
	<b>Status Details</b> N/A			
<b>Achieved Benefits</b>				
<i>Access and Equity</i>				
<i>Capacity</i>				
<i>Efficiency</i>				
<i>Environment</i>				
<i>Safety</i>				
<b>Implementation Challenges</b>				
<i>Ground system Implementation</i>				
<i>Avionics Implementation</i>				
<i>Procedures Availability</i>				
<i>Operational Approvals</i>				
<b>Notes</b>				

### Appendix C: RASI and SASI ANRF Templates

RASI and SASI ANRF templates are the same with ASBU ANRF template with exception of the header as shown in this Appendix. The first header is for the ICAO NACC Regional Office specific improvements while the second header is for the State specific improvements.

#### Section C.1: Regional Aviation System Improvements (RASI) ANRF Header

Enter appropriate State Name and Date. Describe the Module (i.e., improvement group description.)

BELIZE's RASI Air Navigation Reporting Form (ANRF)		
<b>ICAO NACC Regional Initiatives</b>	<b>Date</b>	September 1, 2017
<b>Module Description:</b> ICAO NACC RO has identified airport improvements.		
Refer to the ASBU ANRF for the remaining sections (i.e., Element Implementation Status, Achieved Benefits, Implementation Challenges, and Notes)		

#### Section C.2: State Aviation System Improvements (RASI) ANRF Header

Enter appropriate State Name, Upgrades category (i.e., Equipment, Procedure, Infrastructure, etc.), Date. Describe the Module (i.e., Upgrades category description.)

BELIZE's SASI Air Navigation Reporting Form (ANRF)		
<b>Infrastructure Upgrades</b>	<b>Date</b>	September 1, 2017
<b>Module Description:</b> Describe module.		
Refer to the ASBU ANRF for the remaining sections (i.e., Element Implementation Status, Achieved Benefits, Implementation Challenges, and Notes)		

## Appendix D: BELIZE's ASBU Block 0 ANRFs

Insert 18 ASBU Block 0 ANRFs.

**Appendix E: BELIZE's ASBU Block 1 ANRFs**

Insert ASBU B1 ANRFs in the future.

**Appendix F: BELIZE's SBU Block 2 ANRFs**

Insert ASBU B2 ANRFs in the future.

## **Appendix G: BELIZE's ASBU Block 3 ANRFs**

Insert ASBU B3 ANRFs in the future.

## Appendix H: Belize's RASI ANRFs

<b>BELIZE's Air Navigation Reporting Form (ANRF)</b>			
<b>ICAO NACC Regional Initiatives</b>		<b>Date</b>	November, 2108
<b>Module Description:</b> ICAO NACC RO has identified airport improvements.			
<b>Element Implementation Status</b>			
<b>1</b>	<b>Element Description:</b> Aerodrome certification	<b>Date Planned/Implemented</b> November, 2018	<b>Status</b> In Progress
	<b>Status Details</b> ICAO NACC region has a goal to have CAR aerodromes in its regional ANP Table AOP I-1 be certified. Belize's airport to be certified is MZBZ. This in the process.		
<b>2</b>	<b>Element Description:</b> Heliport operational approval	<b>Date Planned/Implemented</b> Not applicable	<b>Status</b> Not Applicable
	<b>Status Details</b> ICAO NACC region has a goal to have CAR heliports in its regional ANP Table AOP I-1 certified. Currently in Belize, there is no approved or certified heliport		
<b>3</b>	<b>Element Description:</b> Visual aids for navigation	<b>Date Planned/Implemented</b> Sep 2017	<b>Status</b> Implemented
	<b>Status Details</b> ICAO NACC region has a goal to have CAR airports in its ANP Table AOP I-1 compliant with Annex 14 requirements. This capability is implemented at MZBZ.		
<b>4</b>	<b>Element Description:</b> Aerodrome Bird/Wildlife Organization and Control Programme	<b>Date Planned/Implemented</b> Dec 2018	<b>Status</b> In Progress
	<b>Status Details</b> ICAO NACC region has a goal to have CAR airports in its ANP Table AOP I-1 have an aerodrome bird/wildlife organization and control programme. Belize is developing the manual to address this issue.		
<b>Achieved Benefits</b>			
<i>Access and Equity</i> Element 1 - Aerodrome certification: International operators may not be permitted to operate to aerodromes that are not certified Element 2. Heliport operational approval: International operators may not be permitted to operate to heliports that are not approved Element 3. Visual aids for navigation: International operators may not be permitted to operate to aerodromes that are not compliant with Annex 14			
<i>Capacity:</i> No report			
<i>Efficiency</i> Element 3. Visual aids for navigation: Annex 14 compliant visual aids for navigation assist flights to more efficiently complete ground movements			
<i>Environment:</i> No report			
<i>Safety</i> Element 1 - Aerodrome certification: Certification should be contingent upon the airport complying with applicable ICAO SARPs. Certification and the associated regulatory oversight should increase the effectiveness of SSP and SMS processes to identify and correct safety issues at certified aerodromes. Element 2. Heliport operational approval: Certification should be contingent upon the heliport complying with applicable ICAO SARPs. Approval and the associated regulatory oversight should increase the effectiveness of SSP and SMS processes to identify and correct safety issues at approved heliports. Element 3. Visual aids for navigation: Annex 14 compliant visual aids for navigation reduce flight crew confusion and assist in avoiding runway incursions or other ground movement errors. Element 4. Aerodrome Bird/Wildlife Organization and Control Programme: An effective organization and control programme reduces the potential for aircraft to strike wildlife or ingest wildlife into engines or propellers.			
<b>Implementation Challenges</b>			
<i>Ground system Implementation:</i> No report: No report			
<i>Avionics Implementation:</i> No report			

<i>Procedures Availability:</i> No report
<i>Operational Approvals:</i> No report
<b>Notes</b> Element 1: Airport Terminal Development will also address the airport terminal security issues.

## Appendix I: BELIZE's SASI ANRFs

<b>BELIZE's SASI Air Navigation Reporting Form (ANRF)</b>			
<b>Infrastructure Upgrades</b>		<b>Date</b>	
<p><b>Module Description:</b> Development of major components of the overall Aerodrome to meet the demands of the growing Aviation Industry. This will improve capacity and safety in the terminal and allow seamless maneuvering of wide body Aircraft at the turning pad. Such maneuvering will reduce runway occupancy time and reduce surface wear and tear. The benefits of such infrastructure upgrades will increase an overall traffic management efficiency and enhance safety.</p>			
<b>Element Implementation Status</b>			
<b>1</b>	<p><b>Element Description:</b> Airport Terminal Development</p>	<p><b>Date Planned/Implemented</b> TBD</p>	<p><b>Status</b> Analysis in Progress</p>
<p><b>Status Details</b> Current terminal building does not meeting the passenger demands during peak periods. With the current airport terminal situation, the security and safety are likely to be compromised.</p>			
<b>2</b>	<p><b>Element Description:</b> Airport Taxiway Construction</p>	<p><b>Date Planned/Implemented</b> 2019</p>	<p><b>Status</b> Analysis in Progress</p>
<p><b>Status Details</b> A third taxiway needs to be constructed to meet the optimum operational standards of MZBZ and to reduce runway occupancy and delays.</p>			
<b>3</b>	<p><b>Element Description:</b> Runway rehabilitation</p>	<p><b>Date Planned/Implemented</b> TBD</p>	<p><b>Status</b> Analysis in Progress</p>
<p><b>Status Details</b> The BDCA has initiated dialogue with the Belize Airport Concession Company to address this matter.</p>			
<b>4</b>	<p><b>Element Description:</b> Apron rehabilitation</p>	<p><b>Date Planned/Implemented</b> TBD</p>	<p><b>Status</b> Analysis in Progress</p>
<p><b>Status Details</b> The BDCA has initiated dialogue with the Belize Airport Concession Company to address this matter.</p>			
<b>5</b>	<p><b>Element Description:</b> Runway Meteorological Instrumentation</p>	<p><b>Date Planned/Implemented</b> <b>2018</b></p>	<p><b>Status</b> Analysis in Progress</p>
<p><b>Status Details</b> The BDCA and COCESNA and the National Met Services are in dialogue and the instrumentation is foreseen to be completed in August, 2018</p>			
<b>Achieved Benefits</b>			
<i>Access and Equity</i>			
<i>Capacity</i>			
Element 1 - Airport Terminal Development: Increase the capacity to handle passengers smoothly at the peak arrival periods.			
<i>Efficiency</i>			
<i>Environment</i>			
<i>Safety</i>			
Element 2 - Airport Runway Taxiway and Apron Rehabilitation: Improve operational safety of aircraft.			
Element 3 - Terminal Building Upgrades: Improve operational movement of passengers and airport personnel.			
<b>Implementation Challenges</b>			
<i>Ground system Implementation</i>			

<i>Avionics Implementation</i>
<i>Procedures Availability</i>
<i>Operational Approvals</i>
<b>Notes</b> Element 1 - Airport Terminal Development: Address the airport terminal security issues.

