

ATM's database cybersecurity

Cybersecurity Awareness Presentation



By CyberInflight

March 10, 2021 by Florent Rizzo

florent.rizzo@cyberinflight.com Copyright © 2020 CyberInflight All rights reserved.

www.cyberinflight.com

- NAM/CAR AIDC
- AIDC/NAM/ICD/4



ICAO



- 01 Cyber-threat landscape
- 02 Market analysis
- 03 AIDC protocol and data security
- 04 Wrap ups & takeaways

About CyberInflight





Unique player in
Aerospace
Cybersecurity Market
Intelligence



Independent company, employee owned



Founded in 2019 in France, headquartered in Toulouse



Specialized in the Aerospace market (Airlines, airports, OEMs, ANSPs, industry players, cybersecurity solutions providers etc.)



About me

Provides Aerospace

Cybersecurity Intelligence
through different forms



Strategic research reports



Training, cybersecurity awareness session



Ad-hoc consulting and advisory missions



CyberInflight

Constant market monitoring

- Founder of CyberInflight
- Consultant & Market Analyst
- Exp. French Civil Aviation (DGAC)
- Exp. Inflight connectivity
- Exp. Aerospace cybersecurity
- A350 avionic development background
- Involved in ANSPs protocol developments (RENAR-IP, FMTP, RWSL., space-based ADS-B...
- Aerospace enthusiast ©




The cyberthreat landscape

Copyright CyberInflight

Global risk landscape





Global risk report 2020 from the World Economic Forum about the cyber-risks:


Among the top-5 challenges for the world to face in the next 10-years

Moving into the high impact/high likelihood quadrant



Soar of darkweb blogs leaking corporate data










Example of unprotected aerospace databases (1/2)



1. Web interface of a server from a stakeholder



2. The tick box allows to accept the Terms and Conditions

☐ I Accept the Terms

Terms of the

3. Ticking the box asks for a password. The website was recently secured in xxx 2020, for obvious reasons, as it was left open, without password before that date.



Enter Password: (A Continue button appears after the correct password is entered)

Example of unprotected aerospace databases (2/2)



4. Display the code of the web page

```
Total continue
button appears after the correct password is entered)
c!--Password: <input type="text" ng-model="pwd" id=text1
name=text1>
```

5. Read the password in clear text!

```
▼<span ng-show="(pwd== )" class="ng-hide">

▶<span class="continue-btn">...</span>

</span>
```

6. Use the password and the "continue" button appears


(A Continue button appears after the correct password is entered)

Continue

Cyberthreat on aerospace in 2019








NUMBER OF CYBERATTACKS BY MONTH



CYBERATTACKS BY TYPE OF ATTACK



*Cyber-attack: no information is given to categorize the attack. It can results in data breach or disruption.

Source EATM-CERT: based on 60 cases of cyber attacks perpetuated in 2019 (no data for November and December)

Cyberthreat on aerospace in 2020





Cyberattack hits Alaskan airline **RavnAir**, Dec. 2019

New York Airport hit by cyber attack during Christmas, Dec. 2019



Transavia data leak, Feb. 2020



Brussel Airline booking app. Hijacking, Mar. 2020



Cyberattack against **Sarrebruck airport** and the state holding company, Saar GmbH, Mar 2020



ST Engineering major ransomware attack, reported June 2020



GENERAL DYNAMICS

Impersonation of aerospace companies on LinkedIn by a hacker group, June 2020





San Francisco Airport data breach, Apr. 2020





Air transport and governments hits by cyberattacks, May 2020



PAX information sold by Israeli flight attendant Reported: June 2020



Ransomware attack on **NASA** subcontractor, June 2020





Iranian hackers aiming to steal aerospace satellite data Sept. 2020



Hackers attack Airport AWOS system. Sept 2020



Cyberattack on **FlightRadar24**, Sept. 2020



Cyber attack grounds
Transport Malta
systems, Oct. 2020

∮ software[№]

German IT company hit by ransomware. Sept. 2020



United Airlines website flaw, Sept 2020



Airlink international UAE leaked data. Oct 2020

And others with indirectly related to aerospace...







Cybercrime economy



CYBERCRIME DAMAGES TO THE WORLD



ILLICIT PROFIT (2018)



INDUSTRIES REVENUES IN PERPECTIVE



Total airport Total airlines revenues (2018) (2018)

Source ACI, IATA

Total cybercrime revenues (2018)

Cybersecurity principles to apply



100% SECURITY IS IMPOSSIBLE



Security comes with a cost

KERCKHOFF'S PRINCIPLE



"The enemy knows the system"

AN UNFAIR GAME




Attacker has to win once Defenders always have to win

A LAYERED APPROACH



Security has to be set at different layers of a system

PARETO'S LAW APPLIES



A JEWEL WITH MANY FACTETS


Legal **Technical** Financial Organizational Cultural Regulatory


Cybersecurity is transversal and implies organizations at various levels

Copyright CyberInflight

Trends from case-studies







Based on case-studies of 19 cyberattacks

Date: from 2014 to 2019

Victims: Airlines, airports, ANSPs, OEMs, suppliers







Correlation between IMPACT and COMPLEXITY:

- Low but existing correlation
- Low and medium complexity attacks can trigger low, medium or high impact
- High complexity attacks tends to trigger high impact

Need to filter low complexity attacks with basic rules of cyber-hygiene.

Correlation between IMPACT and PREPAREDNESS:

- Strong correlation
- The higher the level of preparedness the lower the impact
- Investments in cybersecurity reduces the level of impact
- Sophistication of cyberattacks is rising...

Investments in cybersecurity are proving to be

APT groups interested in ANSP's data





KITTEN

HELIX

KITTEN

Suspected Attribution: Russia

Aka: APT28, Sofacy

Target: Aerospace, defense, energy, government,

media

Methods: Phishing messages and credential

harvesting using spoofed websites.

Registering domains that closely resemble domains

of legitimate organizations.



Suspected Attribution: Iran

Aka: APT33, Elfin, Magnallium, Holmium

Target: Espionage-oriented operations targeting nations and industries (aerospace, Defense,

Energy, O&G)

Methods: spoofing job postings for defense contractors, decoy job application, first taking an action (e.g. complete a CAPTCHA) that downloads additional PowerShell commands



Suspected Iranian group targeting the **aviation sector** both military and commercial. Spear-phishing emails recruitment themed lures and contained links to malicious HTML



Suspected Chinese group targeting **aerospace**, and telecom firms, and governments.

Spear phishing and access to victim's networks through managed service providers, spear phishes have been relatively unsophisticated files with double extensions





Target: organizations in the **aerospace**, energy, financial, government, hospitality and telecommunications

Methods: thoroughly researched and structured spear-phishing messages, spear-phishing messages sent from compromised accounts of organizations to enhance credibility, backdoor implant, targeting telecommunications can also allow the adversary to be able to reroute communications to adversary-controlled infrastructure



Adapted zero-day exploits for operations

Source Fireeye, crowdstrike





Budget oriented approach

Evolution of airlines cybersecurity budget







- Steady growth of global revenues
- Significant growth of IT budget
- Outstanding growth of cybersecurity budget

Until the COVID crisis...



- Catastrophic impact on global budget
- IT and cybersecurity budget on hold






Negative impact on companies' cyberdefense mechanisms

Evolution of airports cybersecurity budget







 Airport revenues were more stable over the years than airline revenues

- IT budget has been following a strong growth since 2016
 - Seamless PAX experience
 - Automation

IT BUDGET




CYBERSECURITY BUDGET



- Cybersecurity budget have followed an outstanding growth rate:
 - CAGR of 35% since 2014

Evolution of airports cybersecurity budget






The cyber/IT ratio has reached almost 14% in 2019
Relatively good level of maturity from airport stakeholders

Phases in cybersecurity investment






• Similar to S-curves applied to cybersecurity investments from basics to consolidation to innovation.

- Different items for cybersecurity investments:
 - Employee awareness and training
 - Regulatory compliance
 - Identity and access management
 - Network security
 - SOC
 - Threat intel.
 - Security framework
 - Cloud security
 - AI, blockchain, innovative technologies...

Cybersecurity budget split for airports



CYBERSECURITY BUDGET SPLIT (2018 est.)




- Airlines have started to seize the importance of cybersecurity training and awareness. Rightly the most important item in term of budget.
- Regulatory compliance is **one compulsory investment** (for GDPR in particular). Regulations translates into increased spending to protect passenger data.
 - Employees awareness & training
 - Regulatory compliance
 - Identity and access management
 - Telecommunication and network security
 - Build/Enhance SOC
 - Threat intelligence
 - Establish security framework and program
 - Cloud security
 - Onboard security

Airports' budget forecast



EVOLUTION OF CYBERSECURITY BUDGET



- Airport cybersecurity spending is poised to grow in the next 10 years from \$1.5bn in 2019 to more than \$3.1bn in 2029, following a 7.6% CAGR
- Cybersecurity already represents
 12% of IT budgets in 2019
- Slower increase in cybersecurity budget compare to airline due to relatively higher maturity



AIDC protocol and data security

AIDC Protocol: ICAO Doc-4444



The AIDC protocol was initially defined in the 9694 Manual released in 1999.

The AIDC protocol allows to manage a wide range of **key ATM data**

Aircraft related information



Address, ID, type, SSR, COM NAV equipment, etc.

Route related information




ATS route info., departure info., boundaries info., destination, flight level, distances, position, speed, type of flight, etc.

The AIDC protocol uses **specific message format** and **variable range**

Table VI-4-B1. AIDC variables range and resolution

| Variables | Parameters | Unit | Range/size | Resolution | | |
|-------------------------|------------|----------------------|-------------------|------------|--|--|
| Aircraft identification | | IA5 character string | 2 to 7 characters | N/A | | |
| Aircraft type | | IA5 character string | 2 to 4 characters | N/A | | |
| Aircraft address | | Bit string | 24 bits | N/A | | |
| ATS route designator | | IA5 character string | 2 to 6 characters | N/A | | |
| Code (SSR) | | Integer | 4 octal digits | N/A | | |
| 7 | ; | - | 1 . 200 | | | |

The AIDC protocol uses specific operational sequences and states



AIDC Protocol: ICAO Doc-4444



"It is **not the intention that controllers see the messages**, but their operational content is required to be displayed"

In order to correctly link a response to an AIDC message with the original message, a reference to the original message is included in the response.

1.3.3 The message header contains a message identification, a time stamp (yyyymmddhhmmss) and a message sequence number.

1.14 **Regional adaptation** of the AIDC application may be accomplished by mutual agreement.

1.3.2 An AIDC message is composed of a message header and a sequence of fields of data. Each message shall contain all the mandatory fields and all relevant optional fields.

1.12 The AIDC application will use the ATN to ensure that ATC data are exchanged in a reliable and timely manner between ATSUs.

AIDC Protocol: Ethical hacking approach for AIDC data



First reactions from an ethical hacking perspective may trigger the following reaction:

The protocol was initially defined in 1999. Although the ICAO documents are not related to the implementation of the protocol, there is **no mention to any cybersecurity protection**.



- Operational content of the messages may be visible. A **message modification could hinder the work** of an air traffic controller.



- A hacker could try to **find flaws in AIDC operational sequences of messages** (*ex. of TCP sequence hacking and Man-in-the-middle attack*)



- The implementation of the protocol may be subject to regional adaptation with mutual agreement. This may result in **disparities in the implementation of the protocol** and various level of security.



- Alternative attack could try to attempt to modify timestamps as the AIDC exchanges should happen in a timely manner.



- The use of **optional field is sometimes use by hackers to trigger potential flaws** (*ex. of attacks on the BCBP boarding pass protocol and usage of optional fields*). Is there any checksum or any security related fields?

The current context of cybersecurity threat would require to make sure these questions are answered.

General approach for database security



Only authorized users and processes should be able to access or modify data

Ex. of attack: data breach, leak, exfiltration, espionage, APT, eavesdropping, man-in-the-middle etc.

Data should be maintained in a correct state and nobody should be able to improperly modify it, either accidentally or maliciously

Ex. of attack: interception, manipulation, data compromision, MITM, encryption, ransomware, etc.

Data security is based on the **CIA tried**



Every attack comes down to a loss of one or more of these factors

Authorized users should be able to access data whenever they need to do so

Ex. of attack: Denial of Service, DDOS (distributed), protocol sequence attack, NTP attack (timestamp),

Cybersecurity basics for databases (based on national security agency guidelines)



INFRASTRUCTURE ISOLATION

ATM world is already used to of sensitive isolation information. The degree isolation should be clearly defined. Keep in mind that air-gap networks can still get infected...

Ex #1. of avionics equipment update Ex #2. ANSP data infected through finance or HR network Ex #3. Risk link to cloud infrastructure

DATA MAPPING & TAGGING

Identification and categorization of data. A mapping allows to have a clear view of your set of data and to know exactly how widely they can be spread. A technical inventory of accesses will help to draw potential attack scenarios.



BACKUP & LOGGING

The simplest way to retrieve data encrypted by a ransomware. Frequency and scope of backups to be clearly defined. Efficient allow detect logs can to suspicious activities early.



ENCRYPTION

Encryption of data based on a set of parameters: sensitivity, usage, performance, volume, lifetime, spread etc.

Encryption allows avoiding the publication of confidential data by ransomware groups on the Dark Web.

Bombardier. Embraer. Engineering etc.




other solutions: Among Authentication, SOC, SIEM, threat intelligence, regulatory compliance, awareness & training, cloud security, Al, etc.


Defense Frameworks & Key Resources (1/2)



Swiss Cheese Model



MITRE Framework



NIST Framework



Frameworks for voluntary use, can be used by organizations in any sector or community regardless of size, degree of risk or sophistication To apply the principles and best practices of risk management

The NIST framework has been implemented by CANSO (cf. Cyber Security and Risk Assessment Guide)

Cyber Kill Chain



Martin, **the Cyber Kill Chain®** framework is used to identify and prevent cyber intrusion activities.



intruders accomplish their original go

Defense Frameworks & Key Resources (2/2)



EXAMPLE OF CANSO CYBER SECURITY AND RISK ASSESSMENT GUIDE


Consequence VS Likelihood

| Lik | Likelihood Criteria Consequence Criteria | | | | | | | |
|-----|--|----------------|---------|------------|---------|-----------------|--|--|
| Eve | ent expected to occur: | Catastrophic 1 | Major 2 | Moderate 3 | Minor 4 | Insignificant 5 | | |
| 1 | More frequently than hourly | А | А | A | А | С | | |
| 2 | Between hourly and daily | А | А | А | В | D | | |
| 3 | Between daily and yearly | А | A | В | С | D | | |
| 4 | Between yearly and 5 yearly | А | В | С | С | D | | |
| 5 | Between 5 and 50 years | А | В | С | D | D | | |
| 6 | Less frequently than once every 50 years | В | С | D | D | D | | |

The conversion of the combination of consequence and likelihood into a risk rating has been achieved by use of the following matrix.

Source CANSO

Consequence VS Effort required to reduce risk



Perspective of the timeliness of the corrective action required.

> **CANSO Standard** Cybersecurity

A recently published guideline is the **CANSO** standard of Excellence in **Cybersecurity** report



Takeaways

Hats off to ICAO's effort in cybersecurity





ICAO CYBERSECURITY INITIATIVES

Aviation Cybersecurity strategy



Bucharest communique




Declaration on cybersecurity ICAO Resolution A39-19 in civil aviation





Mindmap of ICAO's strategy available upon request



According to ICAO:

- SARPS and guidance materials (Doc 8973) are considered high-level and there is an urgent need for more specific guidance that can be applied by States
- Cybersecurity is a topic that should be included in the security culture through the training delivered to the staff of the air transport ecosystem
- The establishment of a global trust framework would definitely improve safety and resilience of air traffic management and aircraft operations

With the A40-10 resolution, ICAO has taken one of the most significant step toward a cybersecure airspace.

Information sharing remains key





















canso







National instruments

Specific

documents

FAA

CANSO

EUROCAE

RTCA

ADINO

EUROCONTROL

















Source IATA: Compilation of Cyber Security Regulations, Standards, and Guidance Applicable to Civil Aviation (August 2020)

Download full mind map at cyberinflight.com

Qatar CAA









Munich Airport

Airport Council



CCTA (by French DGAC)



DEFCON Aerospace Village

 Aviation Cyber Security Strategy (2018) CAP1850: Cyber Assessment Framework (CAF) for Aviation CAP1753: CAA Cyber Security Oversight Process for Aviation

O Cyber Security Toolkit (2015)

Aviation Cyber Security Guidelines (2019)

Advisory Circular (AC) 121-7-2. Aircraft Network Security Programme (ANSP)

Security Management System (SeMS) Manual. Edition 3

ATM Cyber Security Maturity Model

Monitoring Cyber Security Events - EATM-CERT

BS EN 16495:2019 Air Traffic Management.

Information security for organizations

ATA Spec 42 Aviation Industry Standards for Digital Information

O Cyber Security and Risk Assessment Guide

O Cybersecurity for Airport Executives Handbook

O Cybersecurity Implementation Handbook

Interactive Map



CyberInflight: How can we help you?



Awareness & training on aerospace cybersecurity

Customized training for your staff
Threat intelligence with aerospace case studies



Our Quarterly Digest Subscription

Aerospace cybersecurity news
Submit your topic of interest
Get already published digests:

cyber-insurance, dark web, regulatory landscape, retrospective of the year 2020



Our flagship strategic report
Aerospace Cybersecurity Market
Intelligence report, Edition 2020
Highly infographic and data oriented
127 pages



Consulting & Strategic Advisory

- Strategic partnership
- Support to the CISO on cyber-strategy
- Build communication supports for decisionmakers
- Market analysis of key topics and future trends
- Go-to-market strategies analysis
- Benchmarking of cybersecurity product
- Interview campaigns, peers, identification of subject matter experts

Would you be interested in a strategic report dedicated to the ATM ecosystem?

Topics tackled: trends, technology, budget, regulations, standards, insurance, threat intelligence, good practices, recommendations, geographical views & opinions etc.

contact me at florent.rizzo@cyberinflight.com