



# Some Thoughts on Next Generation Travel Documents

# R. Michael Holly

Chairman, New Technology Working Group

ICAO TRIP: Building Trust in Travel Document Security



# NO COUNTRY LEFT BEHIND



The Mediterranean Passport For Ships and Cargo






# NO COUNTRY LEFT BEHIND



General description of traveler





# NO COUNTRY LEFT BEHIND








ROYAUME DE BELGIQUE tenir liqui de passopert provissire; il ne peggie nos de la nationalité de perseur si act sans lefet sur collect. Il cet intendit de callenge oc certificat, sous prime de la faire pardre à validité. Appère appartien de sa gélifiet ou s'il réet plus emploré, ou actificat ditt fare yeuropé au Ministère des Atlaires gyangères à Bruzelles. TERE DES AFFAIRES ETRANGÈRES VISAS BELGES Bruxelles, to 11 mars 1988. PROLONGATIONS ET NOUVELLES M O ISBENDJIAN Certificat d'Identité Nº 5265 I had lay houser as you to retou a thirty fen fuchs this A ficakines Princes Onnig / New et date de missance Ingen, a 11 september Nom de lamille du per Sentincen lature apposées ci-contre sont bien celles du porteur-Ministre des Affaires Étrangères :



# NO COUNTRY LEFT BEHIND




In booklet form











# NO COUNTRY LEFT BEHIND



### Introduction of Machine Readable Zone

## MRZ im Format td-3 (MRP, machine readable passport)

## MRZ im Format td-2

```
IDD < < ADENAUER < < KONRAD < HERMANN < JOSEPH 1234567897D < < 7601059M6704115 < < < < < 2
```

## MRZ im Format td-1















# ICAO SECURITY & FACILITATION NO COUNTRY LEFT BEHIND








# ICAO SECURITY & FACILITATION NO COUNTRY LEFT BEHIND














# ICAO SECURITY & FACILITATION NO COUNTRY LEFT BEHIND














Integrity

# ICAO SECURITY & FACILITATION







# NO COUNTRY LEFT BEHIND



### **Distribution of Certificates and CRLs**





This example shows 8 states requiring 56 bilateral exchanges (left) or 2 exchanges with the PKD (right) to be up to date with certificates and CRLs. In case of 188 ICAO States 35,156 bilateral exchanges would be necessary while there are still 2 exchanges necessary with the PKD.















































# ICAO SECURITY & FACILITATION NO COUNTRY LEFT BEHIND



































# NO COUNTRY LEFT BEHIND



Biometric Identity Data...









- Few data owners really want to share their data.
- Issuing Authorities resists shipping all their data to other government entities and certainly other governments.
- The government doesn't want to expose citizen data or their "subjects of interest" to the international community.
- Data sharing must meet appropriate legal standards and our personal privacy expectations.






# **Anonymous Resolution**

- A technique that allows data holders to share anonymized identity-based data ...
- whereby all identities are managed and correlated while in their cryptographic form ...
- resulting in a more secure and privacy-enhancing way to share and resolve identities.
- Separating the Anonymous Content Database from users by using third party agent to perform the processing (e.g., ICAO).



Biometric






**Result:** An irreversible signature

**Use:** Fundamental building block used in modern cryptography





of Operations

**Anonymized Content Database** 

# NO COUNTRY LEFT BEHIND




# **Issuing State**

Rene Michael Holly US Citizen Biographic and biometric identity data

**Anonymizer** 

## **Identity Confirmed**

Rene Michael Holly US Citizen Biographic and biometric identity data confirmed



**Anonymous Identity Resolution** 

## **Receiving State**

Unknown Traveler biometric identity data



**Anonymizer** 











# Robust identity management is the key to producing a secure travel document.





# Attributed Identity





# Biometric Identity





# Biographical Identity











# "all member states can uniquely identify individuals"





