

INTERNATIONAL CIVIL AVIATION ORGANIZATION



CNS/SG/2 - WP/

AFI PLANNING AND IMPLEMENTATION REGIONAL GROUP COMMUNICATIONS, NAVIGATION AND SURVEILLANCE SUB-GROUP SECOND MEETING CNS/SG/2

(Dakar, Senegal, 22-25 May 2007)

Agenda Item 4.2 Aeronautical Mobile Service

(Presented by ASECNA)

SUMMARY

This paper accounts for the extension of the VHF coverage in the Firs in charge of ASECNA in order to improve the air navigation service.

1. Introduction

The ICAO AFI/7 RAN Meeting supports strongly the use of VSAT technology to improve the pilot /controller communications. Since 1997 that it experienced the first Remote VHF using VSAT Station, ASECNA pursue the extension of the VHF coverage by implementing in the various FIR. In order to maintain a good quality of Service, surveys are regularly conducted.

The reliability of the VHF coverage implemented requires statistical measures in order to evaluate the Quality of Service (QoS) offered to the Users. The establishment of availability will be a good tool follow-up of the VHF coverage. ASECNA conducts surveys of the VHF coverage over FIR under its responsibility.

2. Discussion

2.1 Status of implementation

Since 1997, ASECNA decided to extend the VHF coverage of its airspace in order to improve the quality of air navigation service, by implementing VHF remote stations in the all the FIRs. Today, twenty eight (28) remote stations are implemented as shown in figure 2 in appendix

2.2 Monitoring the extended VHF coverage

2.3 Objective of the survey:

- Testing implemented VHF remote stations range
- Diagnosing deficiencies of VHF Coverage
- Improving and extending VHF Coverage

2.3.1 Methodology:

- Putting the disposal of the controllers of a survey form (in annex), to report the quality of the communications according to the flight level, the hour of flight and the reports positions
- The quality of the communication is measured by the clarity and the strength of the signal received on a scale of zero to five.
- Sorting of the data according to the clarity of the receipt
- Pointing of the results on the card of the FIR.

2.4 Results

- Excellent range of the remote VHF stations;
- Noticeable improvement in quality of communications, in line with increased availability of VHF;
- Locating of the portions inadequately covered in each FIR;
- Improvement actions included in the current investment plan in order to solve the deficiencies;
- HF is still the only means available in some portions of the FIR (particularly in oceanic area) in the meantime appropriate sites to cover these portions are found;
- The climatic and safety conditions related to some remote VHF stations sites impact on the availability of the service.

2.5 Improvement of the AMS

New way points are to be covered in the on going project after the coordinating yearly technical panel between ASECNBA and the users (IATA).

FIR	SITE or WAY POINT	COVERAGE IMPROVMENT								
ANTANANARIVO	MAEVA, KOBAR (East of the FIR								
	TROMLIN)									
BRAZZAVILLE	SAO TOME, BANGUI	West and East								
DAKAR	POVAS, SENOX, ERMIT	North East, centre East and south East								
		of FIR								
NIAMEY	MOPTI,TOBUK, RAMIN, ERKEL,	Centre North and North East of the								
	KIRMI EREBO, IKTAV, ENDOK	FIR								
	BIDOM, INAMA, EPUSA									
NDJAMENA	GARIN, TONBA, TUMO,	North East and centre East								
	ABECHE									

Some of these points to be covered are located near the boundary a of Firs and the related equipments implementation should take the benefit of cooperative actions between ANSP.

One may note that the extended VHF coverage needs a deep survey of AMS VHF frequencies spectrum to avoid interferences.

2.6 Conclusion

The meeting is invited to:

- take note of the information above and to encourage all COM centers to conduct surveys concerning the availability of VHF coverage;
- recommend cooperation between the ANSP to improve VHF coverage notably by sharing VHF coverage at the border of the FIRs;
- recommend ANSP to conduct at first a deep survey of AMS VHF frequencies spectrum to avoid interferences.





VHF COVERAGE SURVEY

Centre o f: Date:

Identif	ication	on Record1								Record 2										Record 3									
								Reception Quality							Reception Quality									Reception Quality					
Туре	Flight Number	Freq. (MHZ)	Flight Level	Route	Position	Time	Gr	ound		Air	Freq.	Flight Level	Route	Position	Time	Ground Air		Freq. (MHZ)	Flight Level	Route	Position	Time	Ground		Air				
	Number	()	Levei					Strength			(111112)	Level				Clarity Strength Clarity				(1411.12)	Level	j				Clarity Strength C			
																			- and and								<u> </u>	- Interior	
																											igwdown	\vdash	
-																											\vdash		
																											$\overline{}$	\vdash	
-																												\vdash	
																											$\overline{}$		
																											$\overline{}$		
																											$\overline{}$		
																							· · · · · · · · · · · · · · · · · · ·						
																											igsquare		
																												\vdash	
																													
																													
																													
						1	l					1												1		1	, !	1	

Reception Clarity Reception Strength 0 : Nil 1: inaudible 2: Chopped 3: Medium 4: Good 5: Excellent 0: Nil 1: Bad 2: Poor 3: Medium 4: Good 5: high

Figure 2: Extended VHF implementation status

