

Vaccination Report – 18 January 2022

1. Vaccine Implementation

- WHO's Emergency Use Listing(EUL) Vaccines (Last Updated 23 Dec 2021)
-

	Manufacturer	Name of Vaccine	NRA of Record	Vaccine type
1	Pfizer-BioNTech (US)	BNT162b2/COMIRNAT Y Tozinameran (INN)	EMA/USFDA	mRNA
2	AstraZeneca (UK)	ChAdOx1 (AZS1222 Vaxzevria)	EMA/ MFDS KOREA/ Japan MHLW/PMDA/ Australia TGA	Non ReplicatingViral vector
3	Serum Institute of India (India)	Covishield (ChAdOx1_nCoV-19)	DCGI	Non Replicating Viral Vector
4	Johnson & Johnson (US)	Ad26.CoV2.S	EMA	Non ReplicatingViral vector
5	Moderna (US)	mRNA-1273	EMA/USFDA	mRNA
6	Sinopharm Beijing (China)	BBIBP-CorV	NMPA	Inactivated virus (Vero Cells)
7	Sinovac (China)	SARS-CoV-2 Vaccine	NMPA	Inactivated virus (Vero Cell)
8	Bharat Biotech (India)	SARS-CoV-2 Vaccine, Inactivated (Vero Cell)/ COVAXIN	DCGI	Whole-Virion Inactivated (Vero Cell)
9	Serum Institute of India (India)	NVX-CoV2373/Covovax	DCGI	Protein Subunit
10	NOVAVAX (US)	NVX-CoV2373/Covovax	EMA	Protein Subunit

- **33** Vaccines Approved by at Least One Country

Vaccine Type	mRNA	Non Replicating Viral vector	Inactivated virus	Protein Subunit	DNA	Total
In Use	3	6	10	13	1	33

Source: <https://covid19.trackvaccines.org/vaccines/> (Last Updated 17 Jan 2022)

- Vaccination against COVID-19 has now started in **218** locations (Source: Our World in Data. Last Updated 17 Jan, 2022)

Location	Doses given	Fully vaccinated (% of population)	At least 1 dose (% of population)
Worldwide	9.71 billion	3.96 billion (50.28%)	4.73 billion (60.04%)

About this data:


a: This data changes rapidly and might not reflect doses still being reported. It may differ from other sites & sources.

b: Where data for full vaccinations is available, it shows how many people have received at least 1 dose and how many people have been fully vaccinated (which may require more than 1 dose). Where data for full vaccinations isn't available, the data shows the total number of vaccine doses given to people. Since some vaccines require more than 1 dose, the number of fully vaccinated people is likely lower.

c: It only has full vaccination totals in some locations.

Share of people vaccinated against COVID-19, Jan 17, 2022

Our World in Data




Source: Official data collated by Our World in Data
 Note: Alternative definitions of a full vaccination, e.g. having been infected with SARS-CoV-2 and having 1 dose of a 2-dose protocol, are ignored to maximize comparability between countries.

CC BY

Share of the population fully vaccinated against COVID-19, Jan 17, 2022

Our World in Data

Total number of people who received all doses prescribed by the initial vaccination protocol, divided by the total population of the country.




Source: Official data collated by Our World in Data – Last updated 18 January 2022, 08:30 (London time)
 Note: Alternative definitions of a full vaccination, e.g. having been infected with SARS-CoV-2 and having 1 dose of a 2-dose protocol, are ignored to maximize comparability between countries.
 OurWorldInData.org/coronavirus • CC BY

COVID-19 vaccination policy, Jan 18, 2022

This metric records policies for vaccine delivery for different groups.


- Availability for ONE of following: key workers/ clinically vulnerable groups / elderly groups
- Availability for TWO of following: key workers/ clinically vulnerable groups / elderly groups
- Availability for ALL of following: key workers/ clinically vulnerable groups / elderly groups
- Availability for all three plus partial additional availability (select broad groups/ages)
- Universal availability



Source: Oxford COVID-19 Government Response Tracker, Blavatnik School of Government, University of Oxford – Last updated 18 January 2022, 03:50 (London time)
OurWorldInData.org/coronavirus • CC BY

COVID-19 vaccine boosters administered per 100 people

Total number of vaccine booster doses administered, divided by the total population of the country. Booster doses are doses administered beyond those prescribed by the original vaccination protocol.



Source: Official data collated by Our World in Data – Last updated 18 January 2022, 08:30 (London time)
OurWorldInData.org/coronavirus • CC BY

2. Vaccine effectiveness against symptomatic infection for Alpha and Delta variants

Vaccine Status	Vaccine Effectiveness		
	Alpha	Delta	Omicron
1 Dose (BNT162b2 or ChAdOx1 nCoV-19)	48.7% (95%CI: 45.5-51.7%) ¹ 66%(BNT162b2) ⁴ 64% (ChAdOx1) ⁴	30.7% (95%CI: 25.2-35.7%) ¹ 56%(BNT162b2) ⁴ 67%(ChAdOx1) ⁴ 82% (95% CI:73- 91%) ⁷	
1 Dose (mRNA-1273)	83% ⁴	72% ⁴	

1 Dose(Sinopharm or Sinovac)	Unknown	13.8%,(95%CI: -60.2-54.8%) ³	
2 Doses (BNT162b2)	93.7% (95%CI: 91.6-95.3) ¹ 76% (95%CI: 69-81%) ² 89% ⁴	88% (95%CI: 85.3-90.1%) ¹ 42% (95% CI: 13-62%) ² 87% ⁴ 93%(95% CI: 88-97%/12-18Y) ⁵ 93% (95% CI: 88-97%) ⁷	50% (95% CI: 35%–62%) ⁸
2 Doses (ChAdOx1 nCoV-19)	74.5% (95%CI: 68.4-79.4%) ¹	67.0% (95%CI: 61.3-71.8%) ¹	
2 Doses (mRNA-1273)	86%, (95%CI: 81-90.6%) ²	76%, (95% CI: 58-87%) ²	30.4% (95% CI: 5.0%-49.0%) ⁹
2 Doses(Sinopharm or Sinovac)	Unknown	59.0%, (95%CI: 16.0-81.6%) ³	
3 Doses (BNT162b2)	Unknown	95.33% (SD 6.44) ⁶	
3 Doses(mRNA-1273)			62.5% (95% CI: 56.2%-67.9%) ⁹

References:

- 1) [Effectiveness of Covid-19 Vaccines against the B.1.617.2 \(Delta\) Variant](#)
- 2) [Comparison of two highly-effective mRNA vaccines for COVID-19 during periods of Alpha and Delta variant prevalence](#)
- 3) [Efficacy of inactivated SARS-CoV-2 vaccines against the Delta variant infection in Guangzhou: A test-negative case-control real-world study](#)
- 4) [Effectiveness of COVID-19 vaccines against variants of concern in Ontario, Canada](#)
- 5) [Effectiveness of BNT162b2 Vaccine against Delta Variant in Adolescents](#)
- 6) [A RCT of a third dose CoronaVac or BNT162b2 vaccine in adults with two doses of CoronaVac](#)
- 7) [Effectiveness of BNT162b2 Vaccine against Delta Variant in Adolescents](#)
- 8) [Effectiveness of BNT162b2 Vaccine against Omicron Variant in South Africa](#)
- 9) [Effectiveness of mRNA-1273 against SARS-CoV-2 omicron and delta variants](#)

3. Latest Relevant Articles

- [Neutralization of SARS-CoV-2 Omicron by BNT162b2 mRNA vaccine–elicited human sera](#)
- [Effectiveness of BNT162b2 COVID-19 booster vaccine against covid-19 related symptoms and hospitalization in England](#)
- [Effectiveness of BNT162b2 Vaccine against Critical Covid-19 in Adolescents](#)
- [Duration of Protection against Mild and Severe Disease by Covid-19 Vaccines](#)
- [Effectiveness of Covid-19 Vaccines over a 9-Month Period in North Carolina](#)
- [Comparative Effectiveness of BNT162b2 and mRNA-1273 Vaccines in U.S. Veterans](#)

4. Other Information

- [CDC updates consumer mask website to emphasize protection, fit, and comfort \(January 14, 2022\)](#)
- [ECDC: Weekly epidemiological update: Omicron variant of concern \(VOC\) – week 2 \(data as of 13 January 2022\) EU/EEA](#)