Vaccination Report – 30 November 2021

1. Vaccine Implementation

• WHO's Emergency Use Listing(EUL) Vaccines (Last Updated 11 Nov 2021)

	Manufacturer	Name of Vaccine	NRA of Record	Vaccine type	
1	Pfizer-BioNTech (US)	BNT162b2/COMIRNAT Y Tozinameran (INN)	EMA/USFDA	mRNA	
2	AstraZeneca (UK)	ChAdOx1 EMA/ (AZS1222 Vaxzevria) Japan MHLW/PMDA/ Australia TGA		Non ReplicatingViral vector	
3	Serum Institute of India (India)	Covishield (ChAdOx1_nCoV-19)	DCGI	Non Replicating Viral Vector	
4	Johnson &Johnson (US)	Ad26.CoV2.S	EMA	Non ReplicatingViral vector	
5	Moderna (US)	mRNA-1273	EMA/USFDA	mRNA	
6	Sinopharm Beijing (China)	BBIBP-CorV	NMPA	Inactivated virus (Vero Cells)	
7	Sinovac (China)	SARS-CoV-2 Vaccine	NMPA	Inactivated virus (Vero Cell)	
8	Bharat Biotech (India)	SARS-CoV-2 Vaccine, Inactivated (Vero Cell)/ COVAXIN	DCGI	Whole-Virion Inactivated (Vero Cell)	

• 24 Vaccines Approved by at Least One Country

Vaccine Type	mRNA	Non Replicating Viral vector	Inactivated virus	Protein Subunit	DNA	Total
In Use	3	6	8	6	1	24


Source: https://covid19.trackvaccines.org/vaccines/ (Last Updated 29 Nov 2021)

 Vaccination against COVID-19 has now started in 217 locations (Source: Our World in Data.Last Updated 29 Nov, 2021)

Location	Doses given	Fully vaccinated (% of population)	At least 1 dose (% of population)
Worldwide	7.98 billion	3.38 billion (42.96%)	4.28 billion (54.35%)


About this data:

- a: This data changes rapidly and might not reflect doses still being reported. It may differ from other sites & sources.
- b: Where data for full vaccinations is available, it shows how many people have received at least 1 dose and how many people have been fully vaccinated (which may require more than 1 dose). Where data for full vaccinations isn't available, the data shows the total number of vaccine doses given to people. Since some vaccines require more than 1 dose, the number of fully vaccinated people is likely lower.
 - c: It only has full vaccination totals in some locations.



Source: Official data collated by Our World in Data. This data is only available for countries which report the breakdown of doses administered by first and second doses in absolute numbers.

CC BY




Source: Official data collated by Our World in Data – Last updated 30 November 2021, 10:10 (London time)


Note: Alternative definitions of a full vaccination, e.g. having been infected with SARS-CoV-2 and having 1 dose of a 2-dose protocol, are ignored to maximize comparability between countries.

OurWorldInData.org/coronavirus - CC BY

COVID-19 vaccination policy



- Availability for ALL of following: key workers/ clinically vulnerable groups / elderly groups
- Availability for all three plus partial additional availability (select broad groups/ages)



Source: Oxford COVID-19 Government Response Tracker, Blavatnik School of Government, University of Oxford - Last updated 30 November 2021, 03:50 (London time) OurWorldInData.org/coronavirus • CC BY

2. Vaccine effectiveness against symptomatic infection for Alpha and Delta variants

Vaccine Status	Vaccine Effectiveness		
	Alpha	Delta	
1 Dose (BNT162b2 or ChAdOx1 nCoV-19)	48.7% (95%CI: 45.5-51.7%) ¹ 66%(BNT162b2) ⁴ 64% (ChAdOx1) ⁴	30.7% (95%CI: 25.2-35.7%) ¹ 56%(BNT162b2) ⁴ 67%(ChAdOx1) ⁴ 82% (95% CI:73- 91%) ⁷	
1 Dose (mRNA-1273)	83%4	72%4	
1 Dose(Sinopharm or Sinovac)	Unknown	13.8%,(95%CI: -60.2-54.8%) ³	
2 Doses (BNT162b2)	93.7% (95%CI: 91.6-95.3) ¹ 76% (95%CI: 69-81%) ² 89% ⁴	88% (95%CI: 85.3-90.1%) ¹ 42% (95% CI: 13-62%) ² 87% ⁴ 93%(95% CI: 88-97%/12-18Y) ⁵ 93% (95% CI: 88-97%) ⁷	
2 Doses (ChAdOx1 nCoV-19)	74.5% (95%CI: 68.4-79.4%) ¹	67.0% (95%CI: 61.3-71.8%) ¹	
2 Doses (mRNA-1273)	86%, (95%CI: 81-90.6%) ²	76%, (95% CI: 58-87%) ²	
2 Doses(Sinopharm or Sinovac)	Unknown	59.0%, (95%CI: 16.0-81.6%) ³	
3 Doses (BNT162b2)	Unknown	95.33% (SD 6.44) ⁶	

References:

- 1) Effectiveness of Covid-19 Vaccines against the B.1.617.2 (Delta) Variant
- 2) Comparison of two highly-effective mRNA vaccines for COVID-19 during periods of Alpha and Delta variant prevalence



- 3) Efficacy of inactivated SARS-CoV-2 vaccines against the Delta variant infection in Guangzhou: A test-negative case-control real-world study
- 4) Effectiveness of COVID-19 vaccines against variants of concern in Ontario, Canada
- 5) Effectiveness of BNT162b2 Vaccine against Delta Variant in Adolescents
- 6) A RCT of a third dose CoronaVac or BNT162b2 vaccine in adults with two doses of CoronaVac
- 7) Effectiveness of BNT162b2 Vaccine against Delta Variant in Adolescents

3. Latest Relevant Articles

- Germany's current COVID-19 crisis is mainly driven by the unvaccinated
- Protective activity of mRNA vaccines against ancestral and variant SARS-CoV-2 strains
- Effectiveness of BNT162b2 Vaccine against Delta Variant in Adolescents

4. Other Information

- CDC is strengthening its recommendation on #COVID19 vaccine booster doses for everyone ages 18 and older
- UK to expand Covid booster jab campaign to all adults
- Pfizer set to request authorization for coronavirus booster for 16- and 17-yearolds
- <u>Threat Assessment Brief: Implications of the emergence and spread of the SARS-CoV-2 B.1.1. 529 variant of concern (Omicron) for the EU/EEA</u>
- Moderna Announces Strategy to Address Omicron (B.1.1.529) SARS-CoV-2
 Variant
- <u>Science: 'Patience is crucial': Why we won't know for weeks how dangerous</u> Omicron is